



COUNTY GOVERNMENT OF KIAMBU
P. O. BOX 2344-00900
KIAMBU

**TENDER DOCUMENTS FOR PROCUREMENT OF WORKS (BUILDING AND ASSOCIATED
CIVIL ENGINEERING WORKS)**

DEPARTMENT OF HEALTH SERVICES

TENDER NAME: PROPOSED PHASE II -CONSTRUCTION OF BURNING CHAMBER, PAVING WORKS, COVERED WALKWAY, EXTERNAL ABLUTION BLOCK, KITCHEN AND LUNDRY UNIT, ALTERATIONS TO NEW BLOCK AND EXISTING MATERNITY BLOCK, EXTERNAL DRAINAGE, LANDSCAPPING, MEDICAL GAS AND GENERATOR INSTALLATIONS AND RELATED WORKS- AT NG'ENDA HEALTH CENTRE.

TENDER NUMBER NO: CGK/CH/043T/2025/2026

ELIGIBILITY: AGPO -YOUTH

PUBLISHED ON: 25TH MAY 2026

CLOSING DATE: 2ND JUNE 2026 AT 11.00AM

INVITATION TO TENDER

PROCURING ENTITY: COUNTY GOVERNMENT OF KIAMBU, DEPARTMENT OF HEALTH SERVICES

CONTRACT NAME AND DESCRIPTION: PROPOSED PHASE II -CONSTRUCTION OF BURNING CHAMBER, PAVING WORKS, COVERED WALKWAY, EXTERNAL ABLUTION BLOCK, KITCHEN AND LUNDRY UNIT, ALTERATIONS TO NEW BLOCK AND EXISTING MATERNITY BLOCK, EXTERNAL DRAINAGE, LANDSCAPPING, MEDICAL GAS AND GENERATOR INSTALLATIONS AND RELATED WORKS- AT N'G'ENDA HEALTH CENTRE.

The County Government of Kiambu, Department of Health Services, invites sealed tenders for the PROPOSED PHASE II - CONSTRUCTION OF BURNING CHAMBER, PAVING WORKS, COVERED WALKWAY, EXTERNAL ABLUTION BLOCK, KITCHEN AND LUNDRY UNIT, ALTERATIONS TO NEW BLOCK AND EXISTING MATERNITY BLOCK, EXTERNAL DRAINAGE, LANDSCAPPING, MEDICAL GAS AND GENERATOR INSTALLATIONS AND RELATED WORKS- AT N'G'ENDA HEALTH CENTRE.

Tendering will be conducted under open competitive method (National/International) using a standardized tender document. Tendering is open to **AGPO-YOUTH ONLY**

1. Qualified and interested tenderers may obtain further information and inspect the Tender Documents during office hours 9.00am to 5.00pm at the address given below.
2. A complete set of tender documents may be purchased or obtained by interested tenders upon payment of a non- refundable fees of (*Amount in Kenya shillings*) in cash or Banker's Cheque and payable to the address given below. Tender documents may be obtained electronically from the Website(s) www.kiambu.go.ke and supplier portal www.tenders.go.ke
3. Tender documents obtained electronically will be free of charge.
Tender documents may be viewed and downloaded for free from the website www.tenders.go.ke Tenderers who download the tender document must forward their particulars immediately to (tenders@kiambu.go.ke) to facilitate any further clarification or addendum
4. Tenders shall be quoted in Kenya Shillings and shall include all taxes. Tenders shall remain valid for 140 days from the date of tender opening.
5. All Tenders must be accompanied by a “Tender-Security of Kshs. NIL
6. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
7. Completed tenders must be delivered to the address below on or before **2ND JUNE 2026 AT 11.00 AM** Electronic Tenders *will not* be permitted.
8. Tenders will be opened immediately after the deadline date and time specified above or any deadline date and time specified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives who choose to attend at the address below.
9. Late tenders will be rejected.
10. The addresses referred to above are:

A. Address for obtaining further information and for purchasing tender documents

Name of Procuring Entity: County Government of Kiambu

Physical Address: Supply Chain Management Office at Red Nova Offices Block B, 2nd Floor, Room B-03

Postal Address: P. O. Box 2344-00900 Kiambu

Contact Personal. Director, Supply Chain Management.

Email: ddscm@kiambu.go.ke or tenders@kiambu.go.ke

B. Address for Submission of Tenders.

- 1) COUNTY GOVERNMENT OF KIAMBU
- 2) P.O BOX 2344-877000 KIAMBU
- 3) GOVERNOR'S RECEIPTION, KIAMBU HEADQUARTER- KIAMBU TOWN (OPPOSITE KIAMBU MALL)

C. Address for Opening of Tenders.

- 1) COUNTY GOVERNMENT OF KIAMBU, DEPARTMENT OF HEALTH SERVICES
- 2) GOVERNOR'S RECEIPTION, KIAMBU HEADQUARTER- KIAMBU TOWN

Name Department of Health Services _____
(*Official of the Procuring Entity issuing the invitation*)

Designation Director, Supply Chain Management _____

Signature _____

Date _____

PART 1: TENDERING PROCEDURES

SECTION I - INSTRUCTIONS TO TENDERERS

A GENERAL PROVISIONS

10 Scope of tender

11 The Procuring Entity as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The name, identification, and number of lots (contracts) of this Tender Document are specified in the TDS.

12 Throughout this tendering document:

- a) The term “inwriting” means communicated in written form (e.g. by mail, e-mail, fax, including if specified in the TDS, distributed or received through the electronic-procurement system used by the Procuring Entity) with proof of receipt;
- b) if the context so requires, “singular” means “plural” and vice versa;
- c) “Day” means calendar day, unless otherwise specified as “Business Day”. A Business Day is any day that is an official working day of the Procuring Entity. It excludes official public holidays.

20 Fraud and corruption

21 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 “Declaration not to engage in corruption”. The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.

22 The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the “Certificate of Independent Tender Determination” annexed to the Form of Tender.

23 Tenderers shall permit and shall cause their agents (whether declared or not), subcontractors, sub-consultants, service providers, suppliers, and their personnel, to permit the Procuring Entity to inspect all accounts, records and other documents relating to any initial selection process, pre-qualification process, tender submission, proposal submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the Procuring Entity.

24 Unfair Competitive Advantage - Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the **Data Sheet** and make available to all the firms together with this tender document all information that would in that respect give such firm any unfair competitive advantage over competing firms.

30 Eligible tenderers

31 A Tenderer may be a firm that is a private entity, a state-owned enterprise or institution subject to ITT 3.8, or an individual or any combination of such entities in the form of a joint venture (JV) under an existing agreement with the intent to enter into such an agreement supported by a letter of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the tendering process and, in the event the JV is awarded the Contract, during contract execution. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender. The maximum number of JV members shall be specified in the **TDS**.

32 Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.

33 A Tenderer shall not have a conflict of interest. Any tenderer found to have a conflict of interest shall be disqualified. A tenderer may be considered to have a conflict of interest for the purpose of this tendering process, if the tenderer:

- a) Directly or indirectly controls, is controlled by or is under common control with an other tenderer;
 - b) Receives or has received any director indirect subsidy from another tenderer;
 - c) Has the same legal representative as an other tenderer;
 - d) Has a relationship with an other tenderer, directly or through common third parties, that puts it in a position to influence the tender of an other tenderer, or influence the decisions of the Procuring Entity regarding this tendering process;
 - e) Any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods or works that are the subject of the tender;
 - f) Any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as a consultant for Contract implementation;
 - g) Would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the contract specified in this Tender Document;
 - h) Has a close business or personal relationship with senior management or professional staff of the Procuring Entity who has the ability to influence the bidding process and:
 - i) Are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract; or
 - ii) May be involved in the implementation or supervision of such Contract unless the conflicts stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.
- 34** A tenderer shall not be involved in corrupt, coercive, obstructive or fraudulent practice. A tenderer that is proven to have been involved in any of these practices shall be automatically disqualified
- 35** A Tenderer (either individually or as a JV member) shall not participate in more than one Tender, except for permitted alternative tenders. This includes participation as a subcontractor in other Tenders. Such participation shall result in the disqualification of all Tenders in which the firm is involved. Members of a joint venture may not also make an individual tender, be a sub-contractor in a separate tender or be part of another joint venture for the purposes of the same Tender. A firm that is not a tenderer or a JV member may participate as a subcontractor in more than one tender.
- 36** A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT3.9. A Tenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed sub-contractors or sub-consultants for any part of the Contract including related Services.
- 37** A Tenderer that has been debarred from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the website of PPRA www.ppra.go.ke.
- 38** A Tenderer that is a state-owned enterprise or a public institution in Kenya may be eligible to tender and be awarded Contract(s) only if it is determined by the Procuring Entity to meet the following conditions, i.e. if it is:
- i) A legal public entity of Government and/or public administration,
 - ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and;
 - (iii) operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprise to enable it compete with firms in the private sector on an equal basis.
- 39** Firms and individuals shall be ineligible if their countries of origin are:
- (a) As a matter of law or official regulations, Kenya prohibits commercial relations with that country;
 - (b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country.

A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.

- 310** Foreign tenderers are required to source at least forty (40%) percent of their contract inputs (in supplies, local sub-contracts and labor) from citizen suppliers and contractors. To this end, a foreign tenderer shall provide in its tender documentary evidence that this requirement is met. Foreign tenderers not meeting this criterion will be automatically disqualified. Information required to enable the Procuring Entity determine if this condition is met shall be provided for this purpose in “*SECTION II - EVALUATION AND QUALIFICATION CRITERIA, Item 9*”.
- 311** Pursuant to the eligibility requirements of ITT 3.10, a tender is considered a foreign tenderer, If it is registered in Kenya and has less than 51 percent ownership by nationals of Kenya and if it does not subcontract to foreign firms or individuals more than 10 percent of the contract price, excluding provisional sums. JVs are considered as foreign tenderers if the individual member firms registered in Kenya have less 51 percent ownership by nationals of Kenya. The JV shall not subcontract to foreign firms more than 10 percent of the contract price, excluding provisional sums.
- 312** The National Construction Authority Act of Kenya requires that all local and foreign contractors be registered with the National Construction Authority and be issued with a Registration Certificate before they can undertake any construction works in Kenya. Registration shall not be a condition for tender, but it shall be a condition of contract award and signature. A selected tenderer shall be given opportunity to register before such award and signature of contract. Application for registration with National Construction Authority may be accessed from the website www.nca.go.ke.
- 313** The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website www.cak.go.ke.
- 4.14 A kenyan tenderer shall be eligible to tender if it provides evidence of having fulfilled his/her tax obligations by producing valid tax compliance certificate or tax exemption certificate issued by the Kenya Revenue Authority.
- 40 Eligible goods, equipment, and services**
- 41** Goods, equipment and services to be supplied under the Contract may have their origin in any country that is not ineligible under ITT 3.9. At the Procuring Entity's request, Tenderers may be required to provide evidence of the origin of Goods, equipment and services.
- 42** Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.
- 50 Tenderer's responsibilities**
- 51** The tenderer shall bear all costs associated with the preparation and submission of his/her tender, and the Procuring Entity will in no case be responsible or liable for those costs.
- 52** The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the Works and its surroundings and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be the tenderer's own expense.
- 53** The Tenderer and any of its personnel or agents will be granted permission by the Procuring Entity to enter upon its premises and lands for the purpose of such visit. The Tenderer shall indemnify the Procuring Entity against liability arising from death or personal injury, loss of or damage to property, and any other losses and expenses incurred as a result of the examination and inspection.

- 54 The tenderer shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including charts, as necessary or required.

B. CONTENTS OF TENDER DOCUMENTS

60 Sections of Tender Document

- 61 The tender document consists of Parts 1, 2, and 3, which include all the sections specified below, and which should be read in conjunction with any Addenda issued in accordance with ITT 10.

PART 1: Tendering Procedures

Section I – Instructions to Tenderers

Section II – Tender Data Sheet (TDS)

Section III- Evaluation and Qualification

Criteria Section IV – Tendering Forms

PART 2: Works' Requirements

Section V - Bills of Quantities

Section VI - Specifications

Section VII - Drawings

PART 3: Conditions of Contract and Contract Forms

Section VIII - General Conditions (GCC)

Section IX - Special Conditions of Contract

Section X- Contract Forms

- 62 The Invitation to Tender Notice issued by the Procuring Entity is not part of the Contract documents. Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the Tender document, responses to requests for clarification, the minutes of a pre-arranged site visit and those of the pre-Tender meeting (if any), or Addenda to the Tender document in accordance with ITT 10. In case of any contradiction, documents obtained directly from the Procuring Entity shall prevail.

- 63 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the Tender Document and to furnish with its Tender all information and documentation as is required by the Tender document.

70 Clarification of Tender Document, Site Visit, Pre-tender Meeting

- 71 A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting if provided for in accordance with ITT 7.2. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender documents in accordance with ITT 7.4, including a description of the inquiry but without identifying its source. If so specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents following the procedure under ITT 8 and ITT 22.2.

- 72 The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the site(s) of the required contracts and obtain all information that may be necessary for preparing a tender. The costs of visiting the Site shall be at the Tenderer's own expense. The Procuring Entity shall specify in the **TDS** if a pre-arranged Site visit and or a pre-tender meeting will be held, when and where. The Tenderer's designated representative is invited to attend a pre-arranged site visit and a pre-tender meeting, as the case may be. The purpose of the site visit and the pre-tender meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.

- 73 The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.

- 74 Minutes of a pre-arranged site visit and those of the pre-tender meeting, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting,

will be transmitted promptly to all Tenderers who have acquired the Tender Documents. Minutes shall not identify the source of the questions asked.

- 75 The Procuring Entity shall also promptly publish anonymized (*no names*) Minutes of the pre-arranged site visit and those of the pre-tender meeting at the web page identified in the **TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-arranged site visit and those of the pre-tender meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 8 and not through the minutes of the pre-Tender meeting. Non-attendance at the pre-arranged site visit and the pre-tender meeting will not be a cause for disqualification of a Tenderer.

80 Amendment of Tender Documents

- 81 At any time before the deadline for submission of Tenders, the Procuring Entity may amend the Tender Documents by issuing addenda.
- 82 Any addendum issued shall be part of the Tender Documents and shall be communicated in writing to all who have obtained the Tender Documents from the Procuring Entity. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's website in accordance with ITT 7.5.
- 83 To give Tenderers a reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity should extend the deadline for the submission of Tenders, pursuant to ITT 22.2.

C. PREPARATION OF TENDERS

9. Cost of Tendering

The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

10.0 Language of Tender

The Tender, as well as all correspondence and documents relating to the tender exchanged by the tenderer and the Procuring Entity, shall be written in the English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate and notarized translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

11.0 Documents Comprising the Tender

11.1 The Tender shall comprise the following:

- a) Form of Tender prepared in accordance with ITT 12;
- b) Schedules including priced Bill of Quantities, completed in accordance with ITT 12 and ITT 14;
- c) Tender Security or Tender-Securing Declaration, in accordance with ITT 19.1;
- d) Alternative Tender, if permissible, in accordance with ITT 13;
- e) **Authorization:** written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordance with ITT 20.3;
- f) **Qualifications:** documentary evidence in accordance with ITT 17 establishing the Tenderer's qualifications to perform the Contract if its Tender is accepted;
- g) **Conformity:** a technical proposal in accordance with ITT 16;
- h) Any other document required in the **TDS**.

- 11.2 In addition to the requirements under ITT 11.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed JV Agreement. Change of membership and conditions of the JV prior to contract signature will render the tenderer liable for disqualification.

12.0 Form of Tender and Schedules

- 12.1 The Form of Tender and Schedules, including the Bill of Quantities, shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed with out any alterations to the text, and no substitutes shall be accepted except as provided under ITT 20.3. All blank spaces shall be filled in with the information requested. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 12.2 The Tenderer shall furnish in the Form of Tender information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Tender.

13. Alternative Tenders

- 131 Unless otherwise specified in the TDS, alternative Tenders shall not be considered.
- 132 When alternative times for completion are explicitly invited, a statement to that effect will be included in the **TDS**, and the method of evaluating different alternative times for completion will be described in Section III, Evaluation and Qualification Criteria.
- 133 Except as provided under ITT 13.4 below, Tenderers wishing to offer technical alternatives to the requirements of the Tender Documents must first price the Procuring Entity's design as described in the Tender Documents and shall further provide all information necessary for a complete evaluation of the alternative by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the Tenderer with the Winning Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.
- 134 When specified in the **TDS**, Tenderers are permitted to submit alternative technical solutions for specified parts of the Works, and such parts will be identified in the **TDS**, as will the method for their evaluating, and described in Section VII, Works' Requirements.

140 Tender Prices and Discounts

- 141 The prices and discounts (including any price reduction) quoted by the Tenderer in the Form of Tender and in the Bill of Quantities shall conform to the requirements specified below.
- 142 The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Tenderer shall be deemed covered by the rates for other items in the Bill of Quantities and will not be paid for separately by the Procuring Entity. An item not listed in the priced Bill of Quantities shall be assumed to be not included in the Tender, and provided that the Tender is determined substantially responsive notwithstanding this omission, the average price of the item quoted by substantially responsive Tenderers will be added to the Tender price and the equivalent total cost of the Tender so determined will be used for price comparison.
- 143 The price to be quoted in the Form of Tender, in accordance with ITT 12.1, shall be the total price of the Tender, including any discounts offered.
- 144 The Tenderer shall quote any discounts and the methodology for their application in the Form of Tender, in accordance with ITT 12.1.
- 145 It will be specified in the **TDS** if the rates and prices quoted by the Tenderer are or are not subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, except incases where the contract is subject to fluctuations and adjustments, not fixed price. In such a case, the Tenderer shall furnish the indices and weightings for the price adjustment formulae in the Schedule of Adjustment Data and the Procuring Entity may require the Tenderer to justify its proposed indices and weightings.
- 146 Where tenders are being invited for individual lots (contracts) or for any combination of lots (packages), tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 14.4, provided the Tenders for all lots (contracts) are opened at the sametime.

147 All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of Tenders, shall be included in the rates and prices and the total Tender Price submitted by the Tenderer.

150 Currencies of Tender and Payment

151 The currency(ies) of the Tender and the currency(ies) of payments shall be the same.

152 Tenderers shall quote entirely in Kenya Shillings. The unit rates and the prices shall be quoted by the Tenderer in the Bill of Quantities, entirely in Kenya shillings.

a) A Tenderer expecting to incur expenditures in other currencies for inputs to the Works supplied from outside Kenya (referred to as “the foreign currency requirements”) shall (if so allowed in the **TDS**) indicate in the Appendix to Tender the percentage(s) of the Tender Price (excluding Provisional Sums), needed by the Tenderer for the payment of such foreign currency requirements, limited to no more than two foreign currencies.

b) The rates of exchange to be used by the Tenderer in arriving at the local currency equivalent and the percentage(s) mentioned in (a) above shall be specified by the Tenderer in the Appendix to Tender and shall be based on the exchange rate provided by the Central Bank of Kenya on the date 30 days prior to the actual date of tender opening. Such exchange rate shall apply for all foreign payments under the Contract.

153 Tenderers may be required by the Procuring Entity to justify, to the Procuring Entity's satisfaction, their local and foreign currency requirements, and to substantiate that the amounts included in the unit rates and prices and shown in the Schedule of Adjustment Data in the Appendix to Tender are reasonable, in which case a detailed break down of the foreign currency requirements shall be provided by Tenderers.

16.0 Documents Comprising the Technical Proposal

The Tenderer shall furnish a technical proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section IV, Tender Forms, insufficient detail to demonstrate the adequacy of the Tenderer's proposal to meet the work's requirements and the completion time.

170 Documents Establishing the Eligibility and Qualifications of the Tenderer

171 Tenderers shall complete the Form of Tender, included in Section IV, Tender Forms, to establish Tenderer's eligibility in accordance with ITT 4.

172 In accordance with Section III, Evaluation and Qualification Criteria, to establish its qualifications to perform the Contract the Tenderer shall provide the information requested in the corresponding information sheets included in Section IV, Tender Forms.

173 If a margin of preference applies as specified in accordance with ITT 33.1, national tenderers, individually or in joint ventures, applying for eligibility for national preference shall supply all information required to satisfy the criteria for eligibility specified in accordance with ITT 33.1.

174 Tenderers shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, a particular contractor or group of contractors qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between tenderers, and thereby help to prevent any corrupt influence in relation to the procurement process or contract management.

175 The purpose of the information described in ITT 17.4 above overrides any claims to confidentiality which a tenderer may have. There can be no circumstances in which it would be justified for a tenderer to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for a Tenderer's failure to disclose, or failure to provide required information on its ownership and control.

176 The Tenderer shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to ownership and control which information on any changes to the information which was provided by the tenderer under ITT 6.4. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.

177 All information provided by the tenderer pursuant to these requirements must be complete, current and accurate

as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Tenderer shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.

- 178** If a tenderer fails to submit the information required by these requirements, its tender will be rejected. Similarly, if the Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by a tenderer pursuant to these requirements, then the tender will be rejected.
- 179** If information submitted by a tenderer pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the tenderer in relation to the procurement or contract management process, then:
- i) If the procurement process is still ongoing, the tenderer will be disqualified from the procurement process,
 - ii) if the contract has been awarded to that tenderer, the contract award will be set aside depending the outcome of (iii),
 - iii) the tenderer will be referred to the relevant law enforcement authorities for investigation of whether the tenderer or any other person have committed any criminal offence.
- 17.10** If a tenderer submits information pursuant to these requirements that is incomplete, inaccurate or out-of-date, or attempts to obstruct the verification process, then the consequences of ITT 17.8 will ensue unless the tenderer can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the tenderer.

18.0 Period of Validity of Tenders

- 18.1.** Tenders shall remain valid for the Tender Validity period specified in the **TDS**. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 22). A tender valid for a shorter period shall be rejected by the Procuring Entity as non-responsive.
- 18.2** In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may request Tenderers to extend the period of validity of their Tenders. The request and the responses shall be made in writing. If a Tender Security is requested in accordance with ITT 19, it shall also be extended for thirty (30) days beyond the deadline of the extended validity period. A Tenderer may refuse the request without forfeiting its Tender security. A Tenderer granting the request shall not be required or permitted to modify its Tender.

19.0 Tender Security

- 19.1** The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security as specified in the **TDS**, in original form and, in the case of a Tender Security, in the amount and currency **specified** in the **TDS**. A Tender-Securing Declaration shall use the form included in Section IV, Tender Forms.
- 19.2** If a Tender Security is specified pursuant to ITT 19.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer's option:
- i) cash;
 - ii) a bank guarantee;
 - iii) a guarantee by an insurance company registered and licensed by the Insurance Regulatory Authority listed by the Authority;
 - (iv) a guarantee issued by a financial institution approved and licensed by the Central Bank of Kenya, from a reputable source, and an eligible country.
- 19.3** If an unconditional bank guarantee is issued by a bank located outside Kenya, the issuing bank shall have a correspondent bank located in Kenya to make it enforceable. The Tender Security shall be valid for thirty (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 18.2.
- 19.4** If a Tender Security or Tender-Securing Declaration is specified pursuant to ITT 19.1, any Tender not accompanied by a substantially responsive Tender Security or Tender-Securing Declaration shall be rejected by the Procuring Entity as non-responsive.
- 19.5** If a Tender Security is specified pursuant to ITT 19.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer's signing the Contract and furnishing the Performance Security and any other documents required in the **TDS**. The Procuring Entity shall also promptly

return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were determined non-responsive or a bidder declines to extend tender validity period.

- 196** The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security, and any other documents required in the TDS.
- 197** The Tender Security may be forfeited or the Tender-Securing Declaration executed:
- a) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer on the Form of Tender, or any extension there to provided by the Tenderer; or
 - b) if the successful Tenderer fails to: -
 - i) sign the Contract in accordance with ITT 4.7; or
 - ii) furnish a Performance Security and if required in the TDS, and any other documents required in the TDS.
- 198** Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA to debar the Tenderer from participating in public procurement as provided in the law.
- 199** The Tender Security or the Tender-Securing Declaration of a JV shall be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of tendering, the Tender Security or the Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT 4.1 and ITT 11.2.
- 19.10** A tenderer shall not issue a tender security to guarantee itself.

200 Format and Signing of Tender

- 201** The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 11 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 13, shall be clearly marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number specified in the TDS and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 202** Tenderers shall mark as "CONFIDENTIAL" all information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- 203** The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation as specified in the TDS and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- 204** In case the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.
- 205** Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

D. SUBMISSION AND OPENING OF TENDERS

210 Sealing and Marking of Tenders

- 21.1** The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes:
- a) in an envelope or package or container marked "ORIGINAL", all documents comprising the Tender, as described in ITT 11; and
 - b) in a new envelope or package or container marked "COPIES", all required copies of the Tender; and
 - c) if alternative Tenders are permitted in accordance with ITT 13, and if relevant:

- i) in an envelope or package or container marked “ORIGINAL –ALTERNATIVE TENDER”, the alternative Tender; and
- ii) in the envelope or package or container marked “COPIES- ALTERNATIVE TENDER”, all required copies of the alternative Tender.

The inner envelopes or packages or containers shall:

- a) bear the name and address of the Procuring Entity,
- b) bear the name and address of the Tenderer; and
- c) bear the name and Reference number of the Tender.

212 If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders misplaced or opened prematurely will not be accepted.

220 Deadline for Submission of Tenders

221 Tenders must be received by the Procuring Entity at the address specified in the **TDS** and no later than the date and time also specified in the **TDS**. When so specified in the **TDS**, tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified in the **TDS**.

222 The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the Tender Documents in accordance with ITT 8, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall there after be subject to the deadline as extended.

23.0 Late Tenders

The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of tenders, in accordance with ITT 22. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

240 Withdrawal, Substitution, and Modification of Tenders

241 A Tenderer may withdraw, substitute, or modify its Tender after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITT 20.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:

- a) prepared and submitted in accordance with ITT 20 and ITT 21 (except that withdrawal notices do not require copies), and in addition, the respective envelopes shall be clearly marked “WITHDRAWAL,” “SUBSTITUTION,” “MODIFICATION;” and
- b) received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 22.

242 Tenders requested to be withdrawn in accordance with ITT 24.1 shall be returned unopened to the Tenderers.

243 No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

25. Tender Opening

251 Except in the cases specified in ITT 23 and ITT 24.2, the Procuring Entity shall publicly open and read out all Tenders received by the deadline, at the date, time and place specified in the **TDS**, in the presence of Tenderers' designated representatives who chooses to attend. Any specific electronic Tender opening procedures required if electronic Tendering is permitted in accordance with ITT 22.1, shall be as specified in the **TDS**.

252 First, envelopes marked “WITHDRAWAL” shall be opened and read out and the envelopes with the corresponding Tender shall not be opened but returned to the Tenderer. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.

253 Next, envelopes marked “SUBSTITUTION” shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the

Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.

- 254 Next, envelopes marked “MODIFICATION” shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Tender opening.
- 255 Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Price, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security or Tender-Securing Declaration, if required; and any other details as the Procuring Entity may consider appropriate.
- 256 Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bill of Quantities (to be decided on by the tender opening committee) are to be initialed by the members of the tender opening committee attending the opening.
- 257 At the Tender Opening, the Procuring Entity shall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 23.1).
- 258 The Procuring Entity shall prepare minutes of the Tender Opening that shall include, as a minimum: -
- a) the name of the Tenderer and whether there is a withdrawal, substitution, or modification;
 - b) the Tender Price, per lot (contract) if applicable, including any discounts;
 - c) any alternative Tenders;
 - d) the presence or absence of a Tender Security, if new as required;
 - e) number of pages of each tender document submitted.
- 259 The Tenderers' representatives who are present shall be requested to sign the minutes. The omission of a Tenderer's signature on the minutes shall not invalidate the contents and effect of the minutes. A copy of the tender opening register shall be distributed to all Tenderers.

E. EVALUATION AND COMPARISON OF TENDERS

26. Confidentiality

- 261 Information relating to the evaluation of Tenders and recommendation of contract award shall not be disclosed to Tenderers or any other persons not officially concerned with the Tender process until information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 43.
- 262 Any effort by a Tenderer to influence the Procuring Entity in the evaluation of the Tenders or Contract award decisions may result in the rejection of its tender.
- 263 Notwithstanding ITT 26.2, from the time of tender opening to the time of contract award, if a tenderer wishes to contact the Procuring Entity on any matter related to the tendering process, it shall do so in writing.

27.0 Clarification of Tenders

- 271 To assist in the examination, evaluation, and comparison of the tenders, and qualification of the tenderers, the Procuring Entity may, at its discretion, ask any tenderer for a clarification of its tender, given a reasonable time for a response. Any clarification submitted by a tenderer that is not in response to a request by the Procuring Entity shall not be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the tender shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the evaluation of the tenders, in accordance with ITT 31.
- 272 If a tenderer does not provide clarifications of its tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

28.0 Deviations, Reservations, and Omissions

- 28.1 During the evaluation of tenders, the following definitions apply: -
- a) “*Deviation*” is a departure from the requirements specified in the tender document;
 - b) “*Reservation*” is the setting of limiting conditions or withholding from complete acceptance of the

- requirements specified in the tender document; and
- c) “*Omission*” is the failure to submit part or all of the information or documentation required in the Tender document.

29.0 Determination of Responsiveness

- 29.1** The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the tender itself, as defined in ITT 11.
- 29.2** A substantially responsive Tender is one that meets the requirements of the Tender document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that, if accepted, would:
- a) Affect in any substantial way the scope, quality, or performance of the Works specified in the Contract;
 - b) limit in any substantial way, inconsistent with the tender document, the Procuring Entity's rights or the tenderer's obligations under the proposed contract;
 - c) if rectified, would unfairly affect the competitive position of other tenderers presenting substantially responsive tenders.
- 29.3** The Procuring Entity shall examine the technical aspects of the tender submitted in accordance with ITT 16, to confirm that all requirements of Section VII, Works' Requirements have been met without any material deviation, reservation or omission.
- 29.4** If a tender is not substantially responsive to the requirements of the tender document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

30.0 Non-material Non-conformities

- 30.1** Provided that a tender is substantially responsive, the Procuring Entity may waive any non-conformities in the tender.
- 30.2** Provided that a Tender is substantially responsive, the Procuring Entity may request that the tenderer submit the necessary information or documentation, within a reasonable period of time, to rectify non-material non-conformities in the tender related to documentation requirements. Requesting information or documentation on such non-conformities shall not be related to any aspect of the price of the tender. Failure of the tenderer to comply with the request may result in the rejection of its tender.
- 30.3** Provided that a tender is substantially responsive, the Procuring Entity shall rectify quantifiable non-material non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified in the TDS.

31.0 Arithmetical Errors

- 31.1** The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.
- 31.2** Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis: -
- a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive.
 - b) Any errors in the submitted tender arising from a miscalculation of unit price, quantity, subtotal and total bid prices shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
 - c) if there is a discrepancy between words and figures, the amount in words shall prevail
- 31.3** Tenderers shall be notified of any error detected in their bid during the notification of award.

32.0 Conversion to Single Currency

For evaluation and comparison purposes, the currency(ies) of the Tender shall be converted in to a single currency as specified in the TDS.

33.0 Margin of Preference and Reservations

- 33.1** A margin of preference may be allowed only when the contract is open to international competitive tendering where foreign contractors are expected to participate in the tendering process and where the contract exceeds the value/threshold specified in the Regulations.
- 33.2** A margin of preference shall not be allowed unless it is specified so in the **TDS**.
- 33.3** Contracts procured on basis of international competitive tendering shall not be subject to reservations exclusive to specific groups as provided in ITT 33.4.
- 33.4** Where it is intended to reserve a contract to a specific group of businesses (these groups are Small and Medium Enterprises, PWD Enterprises, PWD Enterprises and Enterprises of persons living with disability, as the case may be), and who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses or firms belonging to the specified group are eligible to tender. No tender shall be reserved to more than one group. If not so stated in the Invitation to Tender and in the Tender documents, the invitation to tender will be open to all interested tenderers.

34.0 Nominated Subcontractors

- 34.1** Unless otherwise stated in the **TDS**, the Procuring Entity does not intend to execute any specific elements of the Works by subcontractors selected/nominated by the Procuring Entity. In case the Procuring Entity nominates a subcontractor, the subcontract agreement shall be signed by the Subcontractor and the Procuring Entity. The main contract shall specify the working arrangements between the main contractor and the nominated subcontractor.
- 34.2** Tenderers may propose sub-contracting up to the percentage of total value of contracts or the volume of works as specified in the **TDS**. Subcontractors proposed by the Tenderer shall be fully qualified for their parts of the Works.
- 34.3** Domestic subcontractor's qualifications shall not be used by the Tenderer to qualify for the Works unless their specialized parts of the Works were previously designated so by the Procuring Entity in the **TDS** as can be met by subcontractors referred to hereafter as 'Specialized Subcontractors', in which case, the qualifications of the Specialized Subcontractors proposed by the Tenderer may be added to the qualifications of the Tenderer.

35. Evaluation of Tenders

- 35.1** The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification Criteria. No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies the Procuring Entity shall determine the Lowest Evaluated Tender in accordance with ITT 40.
- 35.2** To evaluate a Tender, the Procuring Entity shall consider the following:
- price adjustment in accordance with ITT 31.1 (iii); excluding provisional sums and contingencies, if any, but including Daywork items, where priced competitively;
 - price adjustment due to discounts offered in accordance with ITT 14.4;
 - converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with ITT 32;
 - price adjustment due to quantifiable non-material non-conformities in accordance with ITT 30.3; and
 - any additional evaluation factors specified in the **TDS** and Section III, Evaluation and Qualification Criteria.
- 35.3** The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.
- 35.4** Where the tender involves multiple lots or contracts, the tenderer will be allowed to tender for one or more lots (contracts). Each lot or contract will be evaluated in accordance with ITT 35.2. The methodology to determine the lowest evaluated tenderer or tenderers base done lot (contract) or based on a combination of lots (contracts), will be specified in Section III, Evaluation and Qualification Criteria. In the case of multiple lots or contracts, tenderer will be required to prepare the Eligibility and Qualification Criteria Form for each Lot.

36.0 Comparison of tenders

The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 35.2 to determine the Tender that has the lowest evaluated cost.

37.0 Abnormally low tenders and abnormally high tenders

Abnormally LowTenders

- 371** An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price or that genuine competition between Tenderers is compromised.
- 372** In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 373** After evaluation of the price analyses, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

Abnormally high tenders

- 374** An abnormally high tender price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- 375** In case of an abnormally high price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
- i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not accept the tender depending on the Procuring Entity's budget considerations.
 - ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.
- 376** If the Procuring Entity determines that the Tender Price is abnormally too high because genuine competition between tenderers is compromised (*often due to collusion, corruption or other manipulations*), the Procuring Entity shall reject all Tenders and shall institute or cause competent Government Agencies to institute an investigation on the cause of the compromise, before retendering.

38.0 Unbalanced and/ or front-loaded tenders

- 381** If in the Procuring Entity's opinion, the Tender that is evaluated as the lowest evaluated price is seriously unbalanced and/or frontloaded, the Procuring Entity may require the Tenderer to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the tender prices with the scope of works, proposed methodology, schedule and any other requirements of the Tender document.
- 382** After the evaluation of the information and detailed price analyses presented by the Tenderer, the Procuring Entity may as appropriate:
- a) accept the Tender;
 - b) require that the total amount of the Performance Security be increased at the expense of the Tenderer to a level not exceeding a 30% of the Contract Price;
 - c) agree on a payment mode that eliminates the inherent risk of the Procuring Entity paying too much for undelivered works;
 - d) reject the Tender,

39.0 Qualifications of the tenderer

- 391** The Procuring Entity shall determine to its satisfaction whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.

392 The determination shall be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT 17. The determination shall not take into consideration the qualifications of other firms such as the Tenderer's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Sub-contractors if permitted in the Tender document), or any other firm(s) different from the Tenderer.

393 An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the Procuring Entity shall proceed to the Tenderer who offers a substantially responsive Tender with the next lowest evaluated price to make a similar determination of that Tenderer's qualifications to perform satisfactorily.

400 Lowest evaluated tender

Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Lowest Evaluated Tender. The Lowest Evaluated Tender is the Tender of the Tenderer that meets the Qualification Criteria and whose Tender has been determined to be:

- a) Most responsive to the Tender document; and
- b) the lowest evaluated price.

41.0 Procuring entity's right to accept any tender, and to reject any or all tenders.

The Procuring Entity reserves the right to accept or reject any Tender and to annul the Tender process and reject all Tenders at any time prior to Contract Award, without there by incurring any liability to Tenderers. In case of annulment, all Tenders submitted and specifically, Tender securities, shall be promptly returned to the Tenderers.

F. AWARD OF CONTRACT

42.0 Award criteria

The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender.

43.0 Notice of Intention to Enter into a Contract/Notification of Award

Upon award of the contract and Prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract/Notification of award to all tenderers which shall contain, at a minimum, the following information:

- a) the name and address of the Tenderer submitting the successful tender;
- b) the Contract price of the successful tender;
- c) a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
- d) the expiry date of the Standstill Period; and
- e) instruction on how to request a debriefing and/ or submit a complaint during the stand still period;

44.0 Stand still Period

441 The Contract shall not be signed earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied tender to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.

442 Where a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter into a Contract with the successful Tenderer.

45.0 Debriefing by The Procuring Entity

451 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 43, an unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt

of the request.

- 452** Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending such a debriefing meeting.

46.0 Letter of Award

Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42.1, upon addressing a complaint that has been filed with in the Standstill Period, the Procuring Entity shall transmit the Letter of Award to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21 days of the date of the letter.

47.0 Signing of Contract

- 471** Upon the expiry of the fourteen days of the Notification of Intention to enter in to contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- 472** Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and return it to the Procuring Entity.
- 473** The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period.

48.0 Performance Security

- 481** Within twenty-one (21) days of the receipt of the Letter of Award from the Procuring Entity, the successful Tenderer shall furnish the Performance Security and, any other documents required in the **TDS**, in accordance with the General Conditions of Contract, subject to ITT 38.2 (b), using the Performance Security and other Forms included in Section X, Contract Forms, or another form acceptable to the Procuring Entity. A foreign institution providing a bank guarantee shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent bank is not required.
- 482** Failure of the successful Tenderer to submit the above-mentioned Performance Security and other documents required in the **TDS** or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next Best Evaluated Tender.
- 483** Performance security shall not be required for contracts estimated to cost less than the amount specified in the Regulations.

49.0 Publication of Procurement Contract

Within fourteen days after signing the contract, the Procuring Entity shall publish the awarded contract at its notice boards and websites; and on the Website of the Authority. At the minimum, the notice shall contain the following information:

- a) name and address of the Procuring Entity;
- b) name and reference number of the contract being awarded, a summary of its scope and the selection method used;
- c) the name of the successful Tenderer, the final total contract price, the contract duration;
- d) dates of signature, commencement and completion of contract;
- e) names of all Tenderers that submitted Tenders, and their Tender prices as readout at Tender opening.

50.0 Procurement related Complaints and Administrative Review

50.1 The procedures for making Procurement-related Complaints are as specified in the **TDS**.

50.2 A request for administrative review shall be made in the form provided under contract forms.

Section II - Tender Data Sheet (TDS)

The following specific data shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall prevail over those in ITT.

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
A. General	
ITT 1.1	The name of the contract is _____ PROPOSED PHASE II -CONSTRUCTION OF BURNING CHAMBER, PAVING WORKS, COVERED WALKWAY, EXTERNAL ABLUTION BLOCK, KITCHEN AND LUNDRY UNIT, ALTERATIONS TO NEW BLOCK AND EXISTING MATERNITY BLOCK, EXTERNAL DRAINAGE, LANDSCAPPING, MEDICAL GAS AND GENERATOR INSTALLATIONS AND RELATED WORKS- AT NG'ENDA HEALTH CENTRE. _____ The reference number of the Contract is _____ TENDER NUMBER NO CGK.CH/043T/2025/2026 The number and identification of lots (contracts) comprising this Tender are <i>[insert number and identification of lots (contracts)] NOT APPLICABLE</i> Lot 1- Name _____ Lot 2- Name _____ Lot... Name _____ ETC.
ITT 2.4	The Information made available on competing firms is as follows: 1.The bids are to be submitted manually only. 2). The project will be undertaken during financial year 2025/2026, 2026/2027 and 2027/2028 _____
ITT 2.4	The firms that provided consulting services for the contract being tendered for are: NOT APPLICABLE _____
ITT 3.1	Maximum number of members in the Joint Venture (JV) shall be: NOT APPLICABLE
B. Contents of Tender Document	
ITT 7.1	(i) The Tenderer will submit any request for clarifications in writing at the Address _____ tenders@kiambu.go.ke to reach the Procuring Entity not later than ___28TH MAY 2026 12:00 noon (ii) The Procuring Entity shall publish its response at the website ___ PPIP website _____
ITT 7.2	(A) A pre-arranged pretender site visit <i>shall</i> take place at the following date, time and place: Date: _____ 27TH MAY 2026- 11:00AM-3:00PM Place: : Proposed project site NGENDA SITE Contact Person : FACILITY INCHARGE
ITT 7.3	The Tenderer will submit any questions in writing, to reach the Procuring Entity not later than _____ 28TH MAY 2026 12:00 NOON

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
ITT 7.5	The Procuring Entity's website where Minutes of the pre-Tender meeting and the pre-arranged pretender will be published is ____N/A_____
ITT 9.1	For Clarification of Tender purposes, for obtaining further information and for purchasing tender documents, the Procuring Entity's address is: (1) Name of Procuring Entity -----County Government of Kiambu----- (2) Physical address for hand Courier Delivery to an office or Tender Box (City, Street, Building, Floor Number and Room) KIAMBU COUNTY HEADQUARTERS-OPPOSITE KIAMBU MALL (3) Postal Address -----2344-00900 Kiambu----- (4) Insert name, telephone number and e-mail address of the officer to be contacted. -----enders@kiambu.go.ke
C. Preparation of Tenders	
ITT 11.1 (h)	The Tenderer shall submit the following additional documents in its Tender: <i>[list any additional document not already listed in ITT 11.1 that must be submitted with the Tender. The list of additional documents should include the following:</i>
ITT 13.1	Alternative Tenders shall not be considered. <i>[If alternatives shall be considered, the methodology shall be defined in Section III, Evaluation and Qualification Criteria.]</i>
ITT 13.2	Alternative times for completion shall not be ____permitted. <i>[If alternative times for completion are permitted, the evaluation method will be as specified in Section III, Evaluation and Qualification Criteria.]</i>
ITT 13.4	Alternative technical solutions shall be permitted for the following parts of the Works: ____N/A_____ <i>[insert parts of the Works]:</i> <i>[If alternative technical solutions are permitted, the evaluation method will be as specified in Section III, Evaluation and Qualification Criteria.]</i>
ITT 14.5	The prices quoted by the Tenderer shall be: "fixed"
ITT 15.2 (a)	Foreign currency requirements not allowed .
ITT 18.1	The Tender validity period shall be 140 days.
ITT 18.3	(a) The Number of days beyond the expiry of the initial tender validity period will be ____30____ days. (b) The Tender price shall be adjusted by the following percentages of the tender price: (i) By ____25____% of the local currency portion of the Contract price adjusted to reflect local inflation during the period of extension, and (ii) By_____% the foreign currency portion of the Contract price adjusted to reflect the international inflation during the period of extension.
ITT 19.1	Tender shall provide a Tender-Securing Declaration or a Tender Security (select one) The type of Tender security shall be -----N/A-----in the amount of Kenya shillings
ITT 20.1	In addition to the original of the Tender, the number of copies. One copy
ITT 20.3	The written confirmation of authorization to sign on behalf of the Tenderer shall consist of: _____

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
	<i>[insert the name and description of the documentation required to demonstrate the authority of the signatory to sign the Tender] N/A</i>
D. Submission and Opening of Tenders	
ITT 22.1	(A) For <u>Tender submission purposes</u> only, the Procuring Entity's address is: (1) Name of Procuring Entity, COUNTY GOVERNMENT OF KIAMBU (2) Postal Address. 2344-00900 KIAMBU. (3) Physical address for hand Courier Delivery to an office or Tender Box (City, Street, Building, Floor Number and Room) -GOVERNOR'S RECEPTION, KIAMBU HEADQUARTER- KIAMBU TOWN (4) Date and time for submission of Tenders.....15TH MAY 2026 11:00 AM (5) Tenders shall not submit tenders electronically.
ITT 25.1	The Tender opening shall take place at the time and the address for Opening of Tenders provided below: (1) Name of Procuring Entity- County Government of Kiambu. (2) Physical address for the location (City, Street, Building, Floor Number and Room) Governor's Reception, Kiambu Headquarters- Kiambu Town (3) State date and time of tender opening. 2ND JUNE 2026 11:00 AM
ITT 25.1	If Tenderers are allowed to submit Tenders electronically, they shall follow the electronic tender submission procedures specified below <i>[insert a description of the electronic Tender opening procedures]</i>: _____ NotApplicable _____ _____
E. Evaluation, and Comparison of Tenders	
ITT 30.3	The adjustment shall be based on the "<i>average</i> price of the item or component as quoted in other substantially responsive Tenders. If the price of the item or component cannot be derived from the price of other substantially responsive Tenders, the Procuring Entity shall use its best estimate.

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
TT 32.1	The currency that shall be used for Tender evaluation and comparison purposes only to convert at the selling exchange rate all Tender prices expressed in various currencies into a single currency is: _____ Kenyan Shilling only. The source of exchange rate shall be: The Central bank of Kenya (mean rate) The date for the exchange rate shall be: the deadline date for Submission of the Tenders. <i>For comparison of Tenders, the Tender Price, corrected pursuant to ITT 31, shall first be broken down into the respective amounts payable in various currencies by using the selling exchange rates specified by the Tenderer in accordance with ITT 15.1.</i> <i>In the second step, the Procuring Entity will convert the amounts in various currencies in which the Tender Price is payable (excluding Provisional Sums but including Daywork where priced competitively) to the single currency identified above at the selling rates established for similar transactions by the authority specified and, on the date, stipulated above.</i>
ITT 33.2	A margin of preference “shall not__ apply. <i>[If a margin of preference applies, the application methodology shall be defined in <u>Section III – Evaluation and Qualification Criteria.</u>]</i>
ITT 33.4	The invitation to tender is extended to the following group that qualify for Reservations _____ _____ N/A <i>(These groups are Small and Medium Enterprises, Youth Enterprises, Women Enterprises and Enterprises of persons living with disability, as the case may be; describe precisely which group qualifies).</i>
ITT 34.1	At this time, the Procuring Entity “does not intend” to execute certain specific parts of the Works by subcontractors selected in advance.
ITT 34.2	Contractor’s may propose subcontracting: Maximum percentage of subcontracting permitted is: _____ 0 _____ % of the total contract amount. Tenderers planning to subcontract more than 10% of total volume of work shall specify, in the Form of Tender, the activity (ies) or parts of the Works to be subcontracted along with complete details of the subcontractors and their qualification and experience.
ITT 34.3	<i>[Indicate N/A if not applicable]</i> The parts of the Works for which the Procuring Entity permits Tenderers to propose Specialized Subcontractors are designated as follows: _____ _____ For the above-designated parts of the Works that may require Specialized Subcontractors, the relevant qualifications of the proposed Specialized Subcontractors will be added to the qualifications of the Tenderer for the purpose of evaluation.
ITT 35.2 (e)	Additional requirements apply. These are detailed in the evaluation criteria in Section III, Evaluation and Qualification Criteria.
ITT 48.1	Other documents required in addition to the Performance Security are _____ N/A _____
ITT 50.1	The procedures for making a Procurement-related Complaint are detailed in the “Notice of Intention to Award the Contract” herein and are also available from the PPRA Website www.ppra.go.ke or email complaints@ppra.go.ke.

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
	If a Tenderer wishes to make a Procurement-related Complaint, the Tenderer should submit its complaint following these procedures, in writing (by the quickest means available, that is either by hand delivery or email to: For the attention: <i>Supply Chain Manager</i> Title/position: <i>Director</i> Procuring Entity: <i>County Government of Kiambu</i> Email address: <i>www.kiambu@go.ke</i> In summary, a Procurement-related Complaint may challenge any of the following (among others): (i) the terms of the Tender Documents; and (ii) the Procuring Entity's decision to award the contract.

SECTION III - EVALUATION AND QUALIFICATION CRITERIA

10 GENERAL PROVISIONS

11 This section contains the criteria that the Employer shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity shall use **the Standard Tender Evaluation Document for Goods and Works** for evaluating Tenders.

- 12** Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:
- a) For construction turnover or financial data required for each year - Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
 - b) Value of single contract - Exchange rate prevailing on the date of the contract signature.
 - (c) Exchange rates shall be taken from the publicly available source identified in the ITT 14.3. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.

13 EVALUATION AND CONTRACT AWARD CRITERIA

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender. The tender that (i) meets the qualification criteria, (ii) has been determined to be substantially responsive to the Tender Documents, and (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.

2.0 PRELIMINARY EXAMINATION FOR DETERMINATION OF

RESPONSIVENESS Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other mandatory requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements provided for in the preliminary evaluation criteria outlined below. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered non- responsive and will not be considered further.

[The Procuring Entity will provide the preliminary evaluation criteria. To facilitate, a template may be attached or clearly described all information and list of documentation to be submitted by Tenderers to enable preliminary evaluation of the Tender]

30 TENDER EVALUATION (ITT 35)

Price evaluation: in addition to the criteria listed in ITT 35.2 (a) – (d) the following criteria shall apply:

- (i) Alternative Completion Times, if permitted under ITT 13.2, will be evaluated as follows:
.....
- (ii) Alternative Technical Solutions for specified parts of the Works, if permitted under ITT 13.4, will be evaluated as follows:.....
- (iii) Other Criteria; if permitted under ITT 35.2(j):
.....

40 MULTIPLE CONTRACTS

41 Multiple contracts will be permitted in accordance with ITT 35.4. Tenderers are evaluated on basis of Lots and a lowest evaluated tenderer identified for each Lot. The Procuring Entity will select one Option of the two Options listed below for award of Contracts.

OPTION 1

- (i) If a tenderer wins only one Lot, the tenderer will be awarded a contract for that Lot, provided the tenderer meets the Eligibility and Qualification Criteria for that Lot.

- (ii) If a tenderer wins more than one Lot, the tender will be awarded a contract for all won Lots, provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the won Lots. The tenderer will be awarded only the combinations for which the tenderer qualifies and the others will be considered for award to second lowest tenderers.

OPTION 2

The Procuring Entity will consider all possible combinations of won Lots [contract(s)] and determine the combination with the lowest evaluated price. Tenders will then be awarded to the Tenderer or Tenderers in the combination provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the won Lots.

5.0 ALTERNATIVE TENDERS (ITT 13.1)

Alternative Tenders (ITT 13.1)

An alternative if permitted under ITT 3.1, will be evaluated as follows:

The Procuring Entity shall consider Tenders offered for alternatives as specified in Part 2 - Works requirements. Only the technical alternatives, if any, of the Tenderer with the Best Evaluated Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.

60 MARGIN OF PREFERENCE

- 61** If the TDS so specifies, the Procuring Entity will grant a margin of preference of fifteen percent (15%) to be loaded on evaluated prices of the foreign tenderers, where the percentage of share holding of Kenyan citizens is less than fifty-one percent (51%).

- 62** Contractors shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, a particular contractor or group of contractors qualifies for a margin of preference.

- 63** After Tenders have been received and reviewed by the Procuring Entity, responsive Tenders shall be assessed to ascertain their percentage of shareholding of Kenyan citizens. Responsive tenders shall be classified into the following groups:

- i) *Group A:* tenders offered by Kenyan Contractors and other Tenderers where Kenyan citizens hold shares of over fifty-one percent (51%).
- ii) *Group B:* tenders offered by foreign Contractors and other Tenderers where Kenyan citizens hold shares of less than fifty-one percent (51%).

- 64** All evaluated tenders in each group shall, as a first evaluation step, be compared to determine the lowest tender, and the lowest evaluated tender in each group shall be further compared with each other. If, as a result of this comparison, a tender from Group A is the lowest, it shall be selected for the award of contract. If a tender from Group B is the lowest, an amount equal to the percentage indicated in Item 6.1 of the respective tender price, including unconditional discounts and excluding provisional sums and the cost of day works, if any, shall be added to the evaluated price offered in each tender from Group B. All tenders shall then be compared using new prices with added prices to Group B and the lowest evaluated tender from Group A. If the tender from Group A is still the lowest tender, it shall be selected for award. If not, the lowest evaluated tender from Group B based on the first evaluation price shall be selected.

7. Post qualification and Contract award (ITT 39), more specifically,

- a) In case the tender was subject to post-qualification, the contract shall be awarded to the lowest evaluated tenderer, subject to confirmation of pre-qualification data, if so required.
- b) In case the tender was not subject to post-qualification, the tender that has been determined to be the lowest evaluated tenderer shall be considered for contract award, subject to meeting each of the following conditions.
 - i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow of Kenya Shillings _____
 - ii) Minimum average annual construction turnover of Kenya Shillings _____ *[insert amount]*, equivalent calculated as total certified payments received for contracts in progress and/or completed within the last _____ *[insert of year]* years.

- iii) At least _____ (*insert number*) of contract(s) of a similar nature executed within Kenya, or the East African Community or abroad, that have been satisfactorily and substantially completed as a prime contractor, or joint venture member or sub-contractor each of minimum value Kenya shillings _____ equivalent.
- iv) Contractor's Representative and Key Personnel, which are specified as _____
 - v) Contractors key equipment listed on the table "Contractor's Equipment" below and more specifically listed as [*specify requirements for each lot as applicable*] _____
- iv) Other conditions depending on their seriousness.

a) **History of non-performing contracts:**

Tenderer and each member of JV in case the Tenderer is a JV, shall demonstrate that Non-performance of a contract did not occur because of the default of the Tenderer, or the member of a JV in the last _____ (*specify years*). The required information shall be furnished in the appropriate form.

b) **Pending Litigation**

Financial position and prospective long-term profit ability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under Paragraph (i) above if all pending litigation is resolved against the Tenderer. Tenderer shall provide information on pending litigations in the appropriate form.

c) **Litigation History**

There shall be no consistent history of court/arbitral award decisions against the Tenderer, in the last _____

_____ (*specify years*). All parties to the contract shall furnish the information in the appropriate form about any litigation or arbitration resulting from contracts completed or on going under its execution over the years specified. A consistent history of awards against the \

Tenderer or any member of a JV may result in rejection of the tender.

QUALIFICATION FORM SUMMARY

EVALUATION CRITERIA

Financial and Technical proposals shall be subjected to the following evaluation criteria: Evaluation will be done as per the criteria provided in the Tender document.

Preliminary Criteria

NO.	REQUIREMENT	RESPONSIVE	NON-RESPONSIVE
1	Attach a copy of the Certificate of Incorporation/ business Registration		
2	Attach a copy of the current Form CR12 or its equivalent on beneficial ownership information		
3	Attach a valid tax compliance certificate (verifiable)		
4	Attach a copy of a valid single business permit/trading license		
5	Duly filled, signed and stamped form of tender.		
6	A duly filled and signed declaration that the person/tenderer will not engage in any corrupt or fraudulent practice		
7	A duly filled and signed declaration that the bidder is not debarred from participating in public procurement		
8	Duly filled and signed certificate of independent tender determination		
9	Duly filled and signed declaration and commitment to the code of ethics		
10	ALL pages, including cover page, dividers, tender document, priced BQs and all other requirements, MUST be serialised in a sequential order.		
11	Attach a current registration certificate with National Construction Authority category 7 & Above in Building and 7 & above in electrical and Mechanical Works		
12	Attach AGPO Certificate-Youth.		
13	Duly Filled and Signed Form of Tender - Securing Declaration		

100% compliance will be required to proceed to the next evaluation stage. Failure to provide ANY of the above mandatory requirements will lead to disqualification

TECHNICAL EVALUATION CRITERIA BELOW

STAGE 2A: TECHNICAL EVALUATION BUILDING WORKS (80 MARKS)			
No.	Parameter	Maximum Score	Award
1	Relevant Experience	20	
	Experience as prime contractor in the Construction industry of at least two (2) projects of similar nature . (Building works) Attach two contracts/local service orders or its equivalent completion certificates or take-over certificate (toc), (10 marks for each)		
2	Program of works Proposed program (Work methodology and schedule) provides a Gantt Chart and work breakdown schedule Note: The Evaluation Committee will assess whether the proposed work plan is realistic and implementable; overall team composition is balanced and has an appropriate skill mix; and the work plan has right input of Experts	20	
3	Recommendation from previous clients Attach at least two recommendation letter with official letter heads and respective signed contract from previous clients for works done in the last three years as proof that works have been executed and completed in accordance with the contract (5 marks each)	10	

	STAGE 2B: FINANCIAL CAPACITY (20 MARKS)		
1	Financial Capacity	20	

	a) Attach Audited Financial statements for the 2 years (2024 and 2025) with a turnover of atleast 20% of the contract sum quoted - Total 20 ,marks OR b) Bank’s letter of credit worthiness for an amount of at least 20% of the tendered sum- verifiable (20 marks)		
	TOTAL B		
	TOTAL (A+B) PASS MARK 60 MARKS	70	

SECTION IV - TENDERING FORMS

QUALIFICATION FORMS

1. FOREIGN TENDERERS 40%RULE

Pursuant to ITT 3.9, a foreign tenderer must complete this form to demonstrate that the tender fulfils this condition.

ITEM	Description of Work Item	Describe location of Source	COST in K. shillings	Comments, if any
A	Local Labor			
1				
2				
3				
4				
5				
B	Sub contracts from Local sources			
1				
2				
3				
4				
5				
C	Local materials			
1				
2				
3				
4				
5				
D	Use of Local Plant and Equipment			
1				
2				
3				
4				
5				
E	Add any other items			
1				
2				
3				
4				
5				
6				
	TOTAL COST LOCAL CONTENT		XXXXXX	
	PERCENTAGE OF CONTRACT PRICE			

2. FORMEQU: EQUIPMENT

The Tenderer shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III, Evaluation and Qualification Criteria. A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Tenderer.

Item of equipment		
Equipment information	Name of manufacturer	Model and power rating
	Capacity	Year of manufacture
Current status	Current location	
	Details of current commitments	
Source	Indicate source of the equipment ☐ Owned ☐ Rented ☐ Leased ☐ Specially manufactured	

Omit the following information for equipment owned by the Tenderer.

Owner	Name of owner	
	Address of owner	
	Telephone	Contact name and title
	Fax	Telex
Agreements	Details of rental / lease / manufacture agreements specific to the project	

3. FORM PER -1

Contractor's Representative and Key Personnel Schedule

Tenderers should provide the names and details of the suitably qualified Contractor's Representative and Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

Contractor' Representative and Key Personnel

1.	Title of position: Contractor's Representative	
	Name of candidate:	
	Duration of appointment:	[insert the whole period (start and end dates) for which this position will be engaged]
	Time commitment: for this position:	[insert the number of days/week/months/ that has been scheduled for this position]
	Expected time schedule for this position:	[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]
2.	Title of position: [_____]	
	Name of candidate:	
	Duration of appointment:	[insert the whole period (start and end dates) for which this position will be engaged]
	Time commitment: for this position:	[insert the number of days/week/months/ that has been scheduled for this position]
	Expected time schedule for this position:	[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]
3.	Title of position: [_____]	
	Name of candidate:	
	Duration of appointment:	[insert the whole period (start and end dates) for which this position will be engaged]
	Time commitment: for this position:	[insert the number of days/week/months/ that has been scheduled for this position]
	Expected time schedule for this position:	[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]
4.	Title of position: [_____]	
	Name of candidate:	
	Duration of appointment:	[insert the whole period (start and end dates) for which this position will be engaged]
	Time commitment: for this position:	[insert the number of days/week/months/ that has been scheduled for this position]
	Expected time schedule for this position:	[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]
5.	Title of position: [insert title]	
	Name of candidate	
	Duration of appointment:	[insert the whole period (start and end dates) for which this position will be engaged]
	Time commitment: for this position:	[insert the number of days/week/months/ that has been scheduled for this position]
	Expected time schedule for this position:	[insert the expected time schedule for this position (e.g. attach high level Gantt chart)]

4. **FORM PER - 2:**

Resume and Declaration - Contractor's Representative and Key Personnel.

Name of Tenderer

Position [#1]: <i>[title of position from Form PER-1]</i>		
Personnel information	Name:	Date of birth:
	Address:	E-mail:
	Professional qualifications:	
	Academic qualifications:	
	Language proficiency: <i>[language and levels of speaking, reading and writing skills]</i>	
Details	Address of Procuring Entity:	
	Telephone:	Contact (manager / personnel officer):
	Fax:	
	Job title:	Years with present Procuring Entity:

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Project	Role	Duration of involvement	Relevant experience
<i>[main project details]</i>	<i>[role and responsibilities on the project]</i>	<i>[time in role]</i>	<i>[describe the experience relevant to this position]</i>

Declaration

I, the undersigned *[insert either “Contractor’s Representative” or “Key Personnel” as applicable]*, certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Tender:

Commitment	Details
Commitment to duration of contract:	<i>[insert period (start and end dates) for which this Contractor’s Representative or Key Personnel is available to work on this contract]</i>
Time commitment:	<i>[insert period (start and end dates) for which this Contractor’s Representative or Key Personnel is available to work on this contract]</i>

I understand that any misrepresentation or omission in this Form may:

- (a) be taken into consideration during Tender evaluation;
- (b) result in my disqualification from participating in the Tender;
- (c) result in my dismissal from the contract.

Name of Contractor’s Representative or Key Personnel: *[insert name]*

Signature: _____

Date: (day month year): _____

Countersignature of authorized representative of the Tenderer:

Signature: _____

Date: (day month year): _____

5. TENDERERS QUALIFICATION WITHOUT PREQUALIFICATION

To establish its qualifications to perform the contract in accordance with Section III, Evaluation and Qualification Criteria the Tenderer shall provide the information requested in the corresponding Information Sheets included hereunder.

5.1 FORM ELI -1.1 Tenderer

InformationForm

Date: _____

ITT No. and title: _____

Tenderer's name
In case of Joint Venture (JV), name of each member:
Tenderer's actual or intended country of registration: <i>[indicate country of Constitution]</i>
Tenderer's actual or intended year of incorporation:
Tenderer's legal address [in country of registration]:
Tenderer's authorized representative information Name: _____ Address: _____ Telephone/Fax numbers: _____ E-mail address: _____
1. Attached are copies of original documents of ☐ Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above, in accordance with ITT 3.6 ☐ In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.5 ☐ In case of state-owned enterprise or institution, in accordance with ITT 3.8, documents establishing: • Legal and financial autonomy • Operation under commercial law 1. Establishing that the Tenderer is not under the supervision of the Procuring Entity 2. Included are the organizational chart and a list of Board of Directors

Tenderer's JV Information Form
(to be completed for each member of Tenderer's JV)

Date: _____

ITT No. and title: _____

Tenderer's JV name:
JV member's name:
JV member's country of registration:
JV member's year of constitution:
JV member's legal address in country of constitution:
JV member's authorized representative information Name: _____ Address: _____ Telephone/Fax numbers: _____ E-mail address: _____
1. Attached are copies of original documents of ☐ Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITT 3.6. ☐ In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance with ITT 3.5. 2. Included are the organizational chart and a list of Board of Directors.

Historical Contract Non-Performance, Pending Litigation and Litigation History

Tenderer's Name: _____

Date: _____

JV Member's Name _____

ITT No. and title: _____

Non-Performed Contracts in accordance with Section III, Evaluation and Qualification Criteria

☐ Contract non-performance did not occur since 1st January *[insert year]* specified in Section III, Evaluation and Qualification Criteria, Sub-Factor 2.1.

☐ Contract(s) not performed since 1st January *[insert year]* specified in Section III, Evaluation and Qualification Criteria, requirement 2.1

☐ Contract(s) withdrawn since 1st January *[insert year]* specified in Section III, Evaluation and Qualification Criteria, requirement 2.1

Year	Non- performed portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and Kenya Shilling equivalent)
<i>[insert year]</i>	<i>[insert amount and percentage]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Procuring Entity: <i>[insert full name]</i> Address of Procuring Entity: <i>[insert street/city/country]</i> Reason(s) for nonperformance: <i>[indicate main reason(s)]</i>	<i>[insert amount]</i>

Pending Litigation, in accordance with Section III, Evaluation and Qualification Criteria

☐ No pending litigation in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.3.

☐ Pending litigation in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.3 as indicated below.

Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
		Contract Identification: _____ Name of Procuring Entity: _____ Address of Procuring Entity: _____ Matter in dispute: _____ Party who initiated the dispute: _____ Status of dispute: _____	
		Contract Identification: _____ Name of Procuring Entity: _____ Address of Procuring Entity: _____ Matter in dispute: _____ Party who initiated the dispute: _____ Status of dispute: _____	

Litigation History in accordance with Section III, Evaluation and Qualification Criteria

☐ No Litigation History in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.4.

☐ Litigation History in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.4 as indicated below.

Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
<i>[insert year]</i>	<i>[insert percentage]</i>	Contract Identification: <i>[indicate complete contract name, number, and any other identification]</i> Name of Procuring Entity: <i>[insert full name]</i> Address of Procuring Entity: <i>[insert street/city/country]</i> Matter in dispute: <i>[indicate main issues in dispute]</i> Party who initiated the dispute: <i>[indicate "Procuring Entity" or "Contractor"]</i> Reason(s) for Litigation and award decision <i>[indicate main reason(s)]</i>	<i>[insert amount]</i>

Include details relating to potential bid-rigging practices such as previous occasions where tenders were withdrawn, joint bids with competitors, subcontracting work to unsuccessful tenderers, etc.

5.4 **FORM FIN – 3.1:**

Financial Situation and Performance

Tenderer's Name: _____

Date: _____

JV Member's Name _____

ITT No. and title: _____

5.4.1. Financial Data

Type of Financial information in _____ (currency)	Historic information for previous _____ years, _____ (amount in currency, currency, exchange rate*, USD equivalent)				
	Year 1	Year 2	Year 3	Year 4	Year 5
Statement of Financial Position (Information from Balance Sheet)					
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
Information from Income Statement					
Total Revenue (TR)					
Profits Before Taxes (PBT)					
Cash Flow Information					
Cash Flow from Operating Activities					

*Refer to ITT 15 for the exchange rate

5.4.2 Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

No.	Source of finance	Amount (Kenya Shilling equivalent)
1		
2		
3		

5.4.3 Financial documents

The Tenderer and its parties shall provide copies of financial statements for _____ years pursuant Section III, Evaluation and Qualifications Criteria, Sub-factor 3.1. The financial statements shall:

- (a) reflect the financial situation of the Tenderer or in case of JV member, and not an affiliated entity (such as parent company or group member).
- (b) be independently audited or certified in accordance with local legislation.
- (c) be complete, including all notes to the financial statements.
- (d) correspond to accounting periods already completed and audited.

☐ Attached are copies of financial statements¹ for the _____ years required above; and complying with the requirements

¹ If the most recent set of financial statements is for a period earlier than 12 months from the date of Tender, the reason for this should be justified.

5.5 **FORM FIN – 3.2:**

Average Annual Construction Turnover

Tenderer's Name: _____

Date: _____

JV Member's Name _____

ITT No. and title: _____

Annual turnover data (construction only)			
Year	Amount Currency	Exchange rate	Kenya Shilling equivalent
[indicate year]	[insert amount and indicate currency]		
Average Annual Construction Turnover *			

* See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

5.6 **FORM FIN – 3.3:**

Financial Resources

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as specified in Section III, Evaluation and Qualification Criteria

Financial Resources		
No.	Source of financing	Amount (Kenya Shilling equivalent)
1		
2		
3		

5.7 **FORM FIN – 3.4:**

Current Contract Commitments / Works in Progress

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

Current Contract Commitments					
No.	Name of Contract	Procuring Entity's Contact Address, Tel,	Value of Outstanding Work [Current Kenya Shilling /month Equivalent]	Estimated Completion Date	Average Monthly Invoicing Over Last Six Months [Kenya Shilling /month]
1					
2					
3					
4					
5					

5.8 FORM EXP - 4.1

General Construction Experience

Tenderer's Name: _____

Date: _____

JV Member's Name _____

ITT No. and title: _____

Page _____ of _____ pages

Starting Year	Ending Year	Contract Identification	Role of Tenderer
		Contract name: _____ Brief Description of the Works performed by the Tenderer: _____ Amount of contract: _____ Name of Procuring Entity: _____ Address: _____	
		Contract name: _____ Brief Description of the Works performed by the Tenderer: _____ Amount of contract: _____ Name of Procuring Entity: _____ Address: _____	
		Contract name: _____ Brief Description of the Works performed by the Tenderer: _____ Amount of contract: _____ Name of Procuring Entity: _____ Address: _____	

5.9 **FORM EXP - 4.2(a)**

Specific Construction and Contract Management Experience

Tenderer's Name: _____

Date: _____

JV Member's Name _____

ITT No. and title: _____

Similar Contract No.	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor ☐	Member in JV ☐	Management Contractor ☐	Sub-contractor ☐
Total Contract Amount	Kenya Shilling			
If member in a JV or sub-contractor, specify participation in total Contract amount				
Procuring Entity's Name:				
Address:				
Telephone/fax number				
E-mail:				

5.9 **FORM EXP - 4.2(a)**

Specific Construction and Contract Management Experience

Tenderer's Name: _____

Date: _____

JV Member's Name _____

ITT No. and title: _____

Similar Contract No.	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor ☐	Member in JV ☐	Management Contractor ☐	Sub-contractor ☐
Total Contract Amount	Kenya Shilling			
If member in a JV or sub-contractor, specify participation in total Contract amount				
Procuring Entity's Name:				
Address:				
Telephone/fax number				
E-mail:				

5.9 FORM EXP - 4.2 (a) (cont.)

Specific Construction and Contract Management Experience (cont.)

Similar Contract No.	Information
Description of the similarity in accordance with Sub-Factor 4.2(a) of Section III:	
1. Amount	
2. Physical size of required works items	
3. Complexity	
4. Methods/Technology	
5. Construction rate for key activities	
6. Other Characteristics	

5.10 FORM EXP - 4.2(b)

Construction Experience in Key Activities

Tenderer's Name: _____

Date: _____

Tenderer's JV Member Name: _____

Sub-contractor's Name² (as per ITT 34): _____

ITT No. and title: _____

All Sub-contractors for key activities must complete the information in this form as per ITT 34 and Section III, Evaluation and Qualification Criteria, Sub-Factor 4.2.

1. Key Activity No One: _

Information				
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor ☐	Member in JV ☐	Management Contractor ☐	Sub-contractor ☐
Total Contract Amount	Kenya Shilling			
Quantity (Volume, number or rate of production, as applicable) performed under the contract per year or part of the year	Total quantity in the contract (i)	Percentage participation (ii)	Actual Quantity Performed (i) x (ii)	
Year 1				
Year 2				
Year 3				
Year 4				
Procuring Entity's Name:				
Address: Telephone/fax number E-mail:				

Information	
Description of the key activities in accordance with Sub-Factor 4.2(b) of Section III:	

2. Activity No. Two

3.

² If applicable

OTHER FORMS

6. FORM OF TENDER

(Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

INSTRUCTIONS TO TENDERERS

- i) *All italicized text is to help the Tenderer in preparing this form.*
- ii) *The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address. Tenderers are reminded that this is a mandatory requirement.*
- iii) *Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION FORMS OF THE TENDERER as listed under (xxii) below.*

Date of this Tender submission:.....[insert date (as day, month and year) of Tender submission] **Tender**

Name **and** **Identification:**.....[insert identification] **Alternative**

No.:.....[insert identification No if this is a Tender for an alternative]

To: [Insert complete name of Procuring Entity]

Date of this Tender submission: [insert date (as day, month and year) of Tender submission] **Request**
for Tender No.: [insert identification] **Name and description of Tender** [Insert as per ITT] **Alternative No.:**
[insert identification No if this is a Tender for an alternative]

To: [insert complete name of Procuring Entity]

Dear Sirs,

1. In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct and complete the Works and remedy any defects therein for the sum³ of Kenya Shillings [[Amount in figures] _____ Kenya Shillings
[amount in words] _____]

The above amount includes foreign currency⁴ amount (s) of [state figure or a percentage and currency]
[figures] _____ [words] _____

2. We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Architect notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Special Conditions of Contract.
3. We agree to adhere by this tender until _____ [Insert date], and it shall remain binding upon us and may be accepted at any time before that date.
4. We understand that you are not bound to accept the lowest or any tender you may receive.
5. We, the under signed, further declare that:
 - i) No reservations: We have examined and have no reservations to the tender document, including Addenda issued in accordance with ITT 28;

³ This sum should be carried forward from the Summary of the Bills of Quantities.

⁴ The percentage quoted above should not include provisional sums, and not more than
two foreign currencies are allowed.

- ii) Eligibility: We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3 and 4;
- iii) Tender - Securing Declaration: We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing or Proposal-Securing Declaration in the Procuring Entity's Country in accordance with ITT 19.8;
- iv) Conformity: We offer to execute in conformity with the tendering documents and in accordance with the implementation and completion specified in the construction schedule, the following Works: *[insert a brief description of the Works]*;
- v) Tender Price: The total price of our Tender, excluding any discounts offered in item 1 above is: *[Insert one of the options below as appropriate]*
- vi) Option 1, incase of one lot: Total priceis: *[insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies]*; or
- Option2, in case of multiple lots:
- (a) Total price of each lot *[insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies]*; and
- (b) Total price of all lots (sum of all lots) *[insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies]*;
- vii) Discounts: The discounts offered and the methodology for their application are:
- viii) The discounts offered are: *[Specify in detail each discount offered.]*
- ix) The exact method of calculations to determine the net price after application of discounts is shown below: *[Specify in detail the method that shall be used to apply the discounts]*;
- x) Tender Validity Period: Our Tender shall be valid for the period specified in TDS 18.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 22.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- xi) Performance Security: If our Tender is accepted, we commit to obtain a Performance Security in accordance with the Tendering document;
- xii) One Tender Per Tender: We are not submitting any other Tender(s) as an individual Tender, and we are not participating in any other Tender(s) as a Joint Venture member or as a sub-contractor, and meet the requirements of ITT 3.4, other than alternative Tenders submitted in accordance with ITT 13.3;
- xiii) Suspension and Debarment: We, along with any of our subcontractors, suppliers, Engineer, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
- xiv) State-owned enterprise or institution: *[select the appropriate option and delete the other]* *[We are not a state- owned enterprise or institution]/[We are a state-owned enterprise or institution but meet the requirements of ITT3.8]*;
- xv) Commissions, gratuities, fees: We have paid, or will pay the following commissions, gratuities, or fees with respect to the tender process or execution of the Contract: *[insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]*.

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

- xvi) **Binding Contract:** We understand that this Tender, together with your written acceptance there of included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- xvii) **Not Bound to Accept:** We understand that you are not bound to accept the lowest evaluated cost Tender, the Most Advantageous Tender or any other Tender that you may receive;
- xviii) **Fraud and Corruption:** We here by certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption; and
- xix) **Collusive practices:** We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent Tender Determination" attached below.
- xx) We undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copy available from _____ (specify website) during the procurement process and the execution of any resulting contract.
- xxi) **Beneficial Ownership Information:** We commit to provide to the procuring entity the Beneficial Ownership Information in conformity with the Beneficial Ownership Disclosure Form upon receipt of notification of intention to enter into a contract in the event we are the successful tenderer in this subject procurement proceeding.
- xxii) We, the Tenderer, have duly completed, signed and stamped the following Forms as part of our Tender:
- a) Tenderer's Eligibility; Confidential Business Questionnaire - to establish we are not in any conflict of interest.
 - (b) Certificate of Independent Tender Determination - to declare that we completed the tender without colluding with other tenderers.
 - (a) Self-Declaration of the Tenderer - to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.
 - (d) Declaration and commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal.

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in "**Appendix 1 - Fraud and Corruption**" attached to the Form of Tender.

Name of the Tenderer: *[insert complete name of person signing the Tender]

Name of the person duly authorized to sign the Tender on behalf of the Tenderer: **[insert complete name of person duly authorized to sign the Tender]

Title of the person signing the Tender: [insert complete title of the person signing the Tender]

Signature of the person named above: [insert signature of person whose name and capacity are shown above]

Date signed [insert date of signing] day of [insert month], [insert year]

Dated signed _____ day of _____, _____

Notes

* In the case of the Tender submitted by joint venture specify the name of the Joint Venture as Tenderer.

**Person signing the Tender shall have the power of attorney given by the Tenderer to be attached with the Tender.

(a) **TENDERER'S ELIGIBILITY-CONFIDENTIAL BUSINESS QUESTIONNAIRE**

Instruction to Tenderer

Tender is instructed to complete the particulars required in this Form, *one form for each entity if Tender is a JV*. Tenderer is further reminded that it is an offence to give false information on this Form.

(a) Tenderer's details

	ITEM	DESCRIPTION
1	Name of the Procuring Entity	
2	Reference Number of the Tender	
3	Date and Time of Tender Opening	
4	Name of the Tenderer	
5	Full Address and Contact Details of the Tenderer.	1. Country 2. City 3. Location 4. Building 5. Floor 6. Postal Address 7. Name and email of contact person.
6	Current Trade License Registration Number and Expiring date	
7	Name, country and full address (<i>postal and physical addresses, email, and telephone number</i>) of Registering Body/Agency	
8	Description of Nature of Business	
9	Maximum value of business which the Tenderer handles.	
10	State if Tenders Company is listed in stock exchange, give name and full address (<i>postal and physical addresses, email, and telephone number</i>) of state which stock exchange	

General and Specific Details

(b) Sole Proprietor, provide the following details.

Name in full _____ Age _____
Nationality _____ Country of Origin _____
Citizenship _____

(c) Partnership, provide the following details.

	Names of Partners	Nationality	Citizenship	% Shares owned
1				
2				
3				

(d) Registered Company, provide the following details.

- I) Private or public Company _____
- ii) State the nominal and issued capital of the Company _____

Nominal Kenya Shillings (Equivalent).....
 Issued Kenya Shillings (Equivalent).....

iii) Give details of Directors as follows.

	Names of Director	Nationality	Citizenship	% Shares owned
1				
2				
3				

(e) DISCLOSURE OF INTEREST - Interest of the Firm in the Procuring Entity.

- i) Are there any person/persons in..... County Government of Kiambu, Department of Health Services who has/have an interest or relationship in this firm? Yes/No.....

If yes, provide details as follows.

	Names of Person	Designation in the Procuring Entity	Interest or Relationship with Tenderer
1			
2			
3			

(iii) Conflict of interest disclosure

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
1	Tenderer is directly or indirectly controls, is controlled by or is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Tender has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process.		
5	Any of the Tenderer's affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender.		
6	Tenderer would be providing goods, works, non-consulting services or consulting services during implementation of the contract specified in this Tender Document.		
7	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract.		

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
8	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in the implementation or supervision of the such Contract.		
9	Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.		

Certification

On behalf of the Tenderer, I certify that the information given above is complete, current and accurate as at the date of submission.

Full Name_____

Title or Designation_____

(Signature)

(Date)

b) CERTIFICATE OF INDEPENDENT TENDER DETERMINATION

I, the undersigned, in submitting the accompanying Letter of Tender to the _____
_____ [Name of Procuring Entity] for:
_____ [Name and number of tender] in
response to the request for tenders made by: _____ [Name of Tenderer] do hereby
make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of _____ [Name of Tenderer] that:

1. I have read and I understand the contents of this Certificate;
2. I understand that the Tender will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the Tender on behalf of the Tenderer;
4. For the purposes of this Certificate and the Tender, I understand that the word "competitor" shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
 - a) Has been requested to submit a Tender in response to this request for tenders;
 - b) could potentially submit a tender in response to this request for tenders, based on their qualifications, abilities or experience;
5. The Tenderer discloses that [check one of the following, as applicable]:
 - a) The Tenderer has arrived at the Tender independently from, and without consultation, communication, agreement or arrangement with, any competitor;
 - b) the Tenderer has entered into consultations, communications, agreements or arrangements with one or more competitors regarding this request for tenders, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
6. In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - a) prices;
 - b) methods, factors or formulas used to calculate prices;
 - c) the intention or decision to submit, or not to submit, a tender; or
 - d) the submission of a tender which does not meet the specifications of the request for Tenders; except as specifically disclosed pursuant to paragraph (5)(b) above;
7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality, quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph (5)(b) above;
8. The terms of the Tender have not been, and will not be, knowingly disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening, or of the awarding of the Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph (5)(b) above.

Name _____
Title _____
Date _____

[Name, title and signature of authorized agent of Tenderer and Date]

(c) **SELF- DECLARATION FORMS**

FORM SD1

**SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE
MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.**

I,, of Post Office Box being a resident
of..... in the Republic of do hereby make a statement as
follows: -

1. THAT I am the Company Secretary/ Chief Executive/Managing Director/Principal Officer/Direct or of
..... (*insert name of the Company*) who is a Bidder in respect of **Tender No.**
..... for (*insert tender title/description*) for (*insert name
of the Procuring entity*) and duly authorized and competent to make this statement.
2. THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from participating in
procurement proceeding under Part IV of the Act.
3. THAT what is deponed to here in above is true to the best of my knowledge, information and belief.

.....
(Title)

.....
(Signature)

.....
(Date)

Bidder Official Stamp

FORM SD2

SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE.

Iof P.O. Box being a resident of
..... in the Republic of do hereby make a statement as follows: -

1. THAT I am the Chief Executive/Managing Director/Principal Officer/Director of
(insert name of the Company) who is a Bidder in respect of **Tender No.**..... for
..... (*insert tender title/description*) for (*insert name of the Procuring entity*) and
duly authorized and competent to make this statement.
2. THAT theafore said Bidder, its servants and/oragents/subcontractorswillnotengageinanycorruptorfraudulent
practice and has not been requested to pay any inducement to any member of the Board, Management, Staff
and/or employees and/or agents of (*insert name of the Procuring entity*) which is the
procuring entity.
3. THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to any
member of the Board, Management, Staff and/or employees and/or agents of (*name of the
procuring entity*).
4. THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders
participating in the subject tender
5. THAT what is deponed to here in above is true to the best of my knowledge information and belief.

.....
(Title)

.....
(Signature)

.....
(Date)

Bidder's Official Stamp

DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

I (person) on behalf of (*Name of the Business/ Company/Firm*)
..... declare that I have read and fully understood the contents of the
Public Procurement & Asset Disposal Act, 2015, Regulations and the Code of Ethics for persons participating in
Public Procurement and Asset Disposal and my responsibilities under the Code.

I do hereby commit to abide by the provisions of the Code of Ethics for persons participating in Public Procurement
and Asset Disposal.

Name of Authorized signatory.....

Sign.....

Position.....

Office address..... Telephone.....

E-mail.....

Name of the Firm/Company.....

Date.....

(Company Seal/ Rubber Stamp where applicable)

Witness

Name.....

Sign.....

Date.....

(d) APPENDIX 1 - FRAUD AND CORRUPTION

(Appendix 1 shall not be modified)

1. Purpose

- 1.1 The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (*no. 33 of 2015*) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

2. Requirements

- 2.1 The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Sub-contractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.

- 2.2 Kenya's public procurement and asset disposal act (*no. 33 of 2015*) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior:

- 1) A person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or as set disposal proceeding;
- 2) A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence;
- 3) Without limiting the generality of the subsection (1) and (2), the person shall be: -
 - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
 - b) if a contract has already been entered into with the person, the contract shall be voidable;
- 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
- 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity who has a conflict of interest with respect to a procurement: -
 - a) Shall not take part in the procurement proceedings;
 - b) shall not, after a procurement contract has been entered in to, take part in any decision relating to the procurement or contract; and
 - c) shall not be a subcontractor or for the tender to whom was awarded contract, or a member of the group of tenderers to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.
- 6) An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflict of interest to the procuring entity;
- 7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.

3. In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms set forth below as follows:
- i) “corrupt practice” is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
 - ii) “fraudulent practice” is any act or omission, including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
 - iii) “collusive practice” is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party; “coercive practice” is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
 - iv) “obstructive practice” is:
 - Deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
 - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:
- "fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal process or the exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.
- c) Rejects a proposal for award¹ of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
 - d) Pursuant to the Kenya's above stated Acts and Regulations, may recommend to appropriate authority(ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;
 - e) Requires that a clause be included in Tender documents and Request for Proposal documents requiring (i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub-consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect² all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and
 - f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a “Self-Declaration Form” as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

¹For the avoidance of doubt, a party's in eligibility to be awarded a contract shall include, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

²Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, such as evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copy or electronic format) deemed relevant for the investigation/audit, and making copies thereof as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

FORM OF TENDER SECURITY- [Option 1–Demand Bank Guarantee]

Beneficiary: _____

Request for Tenders No: _____

Date: _____

TENDER GUARANTEE No.: _____

Guarantor: _____

1. We have been informed that _____ (here inafter called "the Applicant") has submitted or will submit to the Beneficiary its Tender (here inafter called" the Tender") for the execution of _____ under Request for Tenders No. _____ ("the ITT").
2. Furthermore, we understand that, according to the Beneficiary's conditions, Tenders must be supported by a Tender guarantee.
3. At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of _____ (_____) upon receipt by us of the Beneficiary's complying demand, supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating that either the Applicant:
 - (a) has withdrawn its Tender during the period of Tender validity set forth in the Applicant's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Applicant; or
 - b) having been notified of the acceptance of its Tender by the Beneficiary during the Tender Validity Period or any extension there to provided by the Applicant, (i) has failed to execute the contract agreement, or (ii) has failed to furnish the Performance.
4. This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) thirty days after the end of the Tender Validity Period.
5. Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

[signature(s)]

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

FORMAT OF TENDER SECURITY [Option 2–Insurance Guarantee]

TENDER GUARANTEE No.: _____

1. Whereas [Name of the tenderer] (hereinafter called “the tenderer”) has submitted its tender dated [Date of submission of tender] for the [Name and/or description of the tender] (hereinafter called “the Tender”) for the execution of _____ under Request for Tenders No. _____ (“the ITT”).
2. KNOW ALL PEOPLE by these presents that WE of [Name of Insurance Company] having our registered office at (hereinafter called “the Guarantor”), are bound unto [Name of Procuring Entity] (hereinafter called “the Procuring Entity”) in the sum of (Currency and guarantee amount) for which payment well and truly to be made to the said Procuring Entity, the Guarantor binds itself, its successors and assigns, jointly and severally, firmly by these presents.

Sealed with the Common Seal of the said Guarantor this ____ day of _____ 20 ____.

3. NOW, THEREFORE, THE CONDITION OF THIS OBLIGATION is such that if the Applicant:
 - a) has withdrawn its Tender during the period of Tender validity set forth in the Principal's Letter of Tender (“the Tender Validity Period”), or any extension thereto provided by the Principal; or
 - b) having been notified of the acceptance of its Tender by the Procuring Entity during the Tender Validity Period or any extension thereto provided by the Principal; (i) failed to execute the Contract agreement; or (ii) has failed to furnish the Performance Security, in accordance with the Instructions to tenderers (“ITT”) of the Procuring Entity's Tendering document.

then the guarantee undertakes to immediately pay to the Procuring Entity up to the above amount upon receipt of the Procuring Entity's first written demand, without the Procuring Entity having to substantiate its demand, provided that in its demand the Procuring Entity shall state that the demand arises from the occurrence of any of the above events, specifying which event(s) has occurred.

4. This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) twenty-eight days after the end of the Tender Validity Period.
5. Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

[Date]

[Witness]

[Signature of the Guarantor]

[Seal]

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

FORM OF TENDER - SECURING DECLARATION

[The Bidder shall complete this Form in accordance with the instructions indicated]

Date: *[insert date (as day, month and year) of Tender Submission]*

Tender No.: *[insert number of tendering process]*

To: *[insert complete name of Purchaser]* I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Tender-Securing Declaration.
2. I/We accept that I/we will automatically be suspended from being eligible for tendering in any contract with the Purchaser for the period of time of [insert number of months or years] starting on [insert date], if we are in breach of our obligation(s) under the bid conditions, because we—(a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the instructions to tenders.
3. I/We understand that this Tender Securing Declaration shall expire if we are not the successful Tenderer(s), upon the earlier of:
 - a) Our receipt of a copy of your notification of the name of the successful Tenderer; or
 - b) thirty days after the expiration of our Tender.
4. I/We understand that if I am /we are/ in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally constituted at the time of bidding, the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent.

Signed: Capacity/title (director or partner or sole proprietor, etc.)

Name: Duly authorized to sign the bid for and on behalf of: *[insert complete name of Tenderer]*

Dated on day of, *[Insert date of signing]* Seal or stamp

Appendix to Tender

Schedule of Currency requirements

Summary of currencies of the Tender for _____ *[insert name of Section of the Works]*

<i>Name of currency</i>	<i>Amounts payable</i>
Local currency: _____	
Foreign currency #1: _____	
Foreign currency #2: _____	
Foreign currency #3: _____	
Provisional sums expressed in local currency _____	<i>[To be entered by the Procuring Entity]</i>



PART II - WORKS REQUIREMENTS

PROPOSED PHASE II -CONSTRUCTION OF BURNING CHAMBER, PAVING WORKS, COVERED WALKWAY, EXTERNAL ABLUTION BLOCK, KITCHEN AND LUNDRY UNIT, ALTERATIONS TO NEW BLOCK AND EXISTING MATERNITY BLOCK, EXTERNAL DRAINAGE, LANDSCAPPING, MEDICAL GAS AND GENERATOR INSTALLATIONS AND RELATED WORKS- AT NG'ENDA HEALTH CENTRE.

MAY,2026.



ITEM	DESCRIPTION	AMOUNT
	<u>PARTICULAR PRELIMINARIES</u> A PRICING ITEMS OF PRELIMINARIES Prices SHALL BE INSERTED against items of “preliminaries” in the tenderer’s priced Bills of Quantities. The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract. The contractor is advised to read and understand all preliminary items. B DESCRIPTION OF THE WORKS The works to be carried out under this contract involves works directed by the Pm and as described in the elements . C MEASUREMENTS In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT MANAGER in accordance with Clause 22 of the Conditions of Contract. The discrepancies shall then be treated as a variation and be dealt with in accordance with Clause 22 of the said Conditions. LOCATION OF SITE D The site is located within Kiambu County. The Contractor is advised to visit the site, to familiarize with the nature and position of the site. No claims arising from the Contractor’s failure to do so will be entertained.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	CLEARING AWAY The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean and tidy state to the reasonable satisfaction of the Project Manager. The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager.	
B	CLAIMS It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and/or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claims shall be entertained upon the expiry of the said contract period.	
C	PAYMENTS The tenderer's attention is drawn to the fact that the GOVERNMENT SHALL NOT MAKE ADVANCE PAYMENTS but pays for the work done and materials delivered to site:all in accordance with clause 23 of the Conditions of Contract Agreement ,in order to facilitate this,a list of general component elements for this works is given at the summary page of these specifications and the tender is required to break down his tender sum commensurate to the said elements.	
D	PREVENTION OF ACCIDENT, DAMAGE OR LOSS The Contractor is notified that these works are to be carried out on a restricted site where the client is going on with other normal activities. The Contractor is instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss and disruption of normal activities being carried out by the Client. The Contractor shall allow in his rates any expense he deems necessary by taking such care within the site.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	BID SECURITY The contractor shall provide a bid security duly signed, sealed and stamped from an approved Bank of required amount.	
B	WORKING CONDITIONS The Contractor shall allow in his rates for any interference that he may encounter in the course of execution of the works for the Client may in some cases ask the Contractor not to proceed with the works until some activities within the site are completed, as the facility will be operating as usual during the course of the contract.	
C	SIGNBOARD Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager.	
D	LABOUR CAMPS The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract.	
E	MATERIALS FROM DEMOLITIONS Any materials arising from demolitions and not re-used shall become the property of the government. The Contractor shall allow in his rates the cost of transporting the demolished materials to the Location as directed by the Project Manager.	
F	PRICING RATES The tenderer shall include for all costs in executing the whole of the works, including transport, replacing damaged items, fixing, all to comply with the said Conditions of Contract.	
G	SECURITY The Contractor shall allow for providing adequate security for the works and the workers in the course of execution of this contract. No claim will be entertained from the Contractor for not maintaining adequate security for both the works and workers.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A URGENCY OF THE WORKS The Contractor is notified that these “works are urgent” and should be completed within the period stated in these Particular Preliminaries. The Contractor shall allow in his rates for any costs he deems that he/she may incur by having to complete the works within the stipulated contract period. B PAYMENT FOR MATERIALS ON SITE All materials for incorporation in the works must be stored on site before payment is effected, unless specifically exempted by the Project Manager. This is to include materials of the Contractor, nominated sub-Contractors and nominated suppliers. EXISTING SERVICES C Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concerned for the support, maintenance and protection of such services. D E		
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	PERFORMANCE BOND A bond of 5 % of the contract sum will be required. No payment on account for the works executed will be made to the contractor until he has submitted the Performance Bond to the Project Manager duly signed, sealed and stamped from an approved Bank.	
B	<u>PARTICULARS OF INSERTIONS TO BE MADE IN APPENDIX TO CONTRACT AGREEMENT</u> The following are the insertions to be made in the appendix to the Contract Agreement Period of Final Measurement:60days Defects Liability Period : 180days Date for Possession : SITE HANDOVER DATE Date for Completion : 24 MONTHS Liquidated and Ascertained Damages:As per the contract Period of Interim Certificates:As per the contract Period of Honouring Certificates:As per the contract Percentage of Certified Value Retained:10% Limit of Retention Fund:10%	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
	<u>COLLECTION</u> Brought forward from page PP/1 Brought forward from page PP/2 Brought forward from page PP/3 Brought forward from page PP/4 Brought forward from page PP/4	
	TOTAL FOR PARTICULAR PRELIMINARIES CARRIED TO GRAND SUMMARY	

ITEM	DESCRIPTION	AMOUNT
	<u>GENERAL PRELIMINARIES</u>	
A	PRICING OF ITEMS OF PRELIMINARIES AND	
	PREAMBLES	
	Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specification. The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract.	
B	ABBREVIATIONS	
	Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:-	
	C.M. Shall mean cubic metre	
	S.M. Shall mean square metre	
	MM Shall mean Millimetre	
	Kg. Shall mean Kilogramme	
	No. Shall mean Number	
	Prs. Shall mean Pairs	
	B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
	Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described.	
A	EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT Attendance ; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:- Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub- Contractors' work and being responsible for the accuracy of the same. Fix Only:-	
B	"Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.	
	EMPLOYER	
C	The "Employer" is the Procuring Department represented by the Chief Officer as Client User. The term "Employer" and "County Government" wherever used in the contract document shall be synonymous	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	PROJECT MANAGER The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the Director County Public Works in the Directorate of Public Works whose address unless otherwise notified is County Works Office,P.O.Box 2344-00900,Kiambu as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorised to represent him on behalf of the Government.	
B	ARCHITECT The term "Architect" shall be deemed to mean " County Architect." as defined above whose address unless otherwise notified is P.O. Box 2344-00900, Kiambu.	
C	QUANTITY SURVEYOR The term "Quantity Surveyor" shall be deemed to mean "County Quantity Surveyor" as defined above whose address unless otherwise notified is P.O. Box 2344-00900, Kiambu.	
D	ELECTRICAL The term "Electrical Engineer" shall be deemed to mean "County Electrical Engineer" as defined above whose address unless otherwise notified is P.O. Box 2344-00900, Kiambu.	
E	MECHANICAL ENGINEER The term "Mechanical Engineer" shall be deemed to mean "County Mechanical Engineer." as defined above whose address unless otherwise notified is P.O. Box 189-00900, Kiambu.	
F	STRUCTURAL/CIVIL ENGINEER The term "Structural/Civil Engineer" shall be deemed to mean "Structural/Civil Engineer." as defined above whose address unless otherwise notified is P.O. Box 2344-00900, Kiambu.	
G	FORM OF CONTRACT The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works(2006 Edition) included herein The Conditions of Contract are also included herein	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A B C	BOND. The Contractor shall find and submit on the Form of Tender an approved bank/Insurance Company and who will be willing to be bound the Government in and amount equal to five per cent (5%) of the Contract amount for the due performances of the Contract up to the date of completion as certified by the PROJECT MANAGER and who will when and if called upon, sign a Bond to that effect on the relevant standard form included herein. (without the addition of any limitations) on the same day as the Contract Agreement is signed, by the Government, the Contractor shall furnish within seven days another Surety to the approval of the Government. PLANT, TOOLS AND VEHICLES Allow for providing all scaffolding, plant, tools and vehicles required for the worksexcept in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work. TRANSPORT. Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A MATERIALS AND WORKMANSHIP. All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials. B SIGN FOR MATERIALS SUPPLIED. The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER C STORAGE OF MATERIALS The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use. D SECURITY OF WORKS ETC. The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.		
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	PUBLIC AND PRIVATE ROADS. Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER	
B	EXISTING PROPERTY. The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER	
C	VISIT SITE AND EXAMINE DRAWINGS. The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.	
D	ACCESS TO SITE AND TEMPORARY ROADS. Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER	
E	AREA TO BE OCCUPIED BY THE CONTRACTOR The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A B	SANITATION OF THE WORKS The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER SAMPLES The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Directorate of Public Works. The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER. The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A B	Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople. The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained. SUPERVISION AND WORKING HOURS The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	OFFICE ETC. FOR THE PROJECT MANAGER The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the type noted in the Particular Preliminaries, complete with Furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen tape. WATER AND ELECTRICITY SUPPLY FOR THE WORKS B The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER . The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub--contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use. PROVISIONAL SUMS. C The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	PRIME COST (OR P.C.) SUMS. The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement . Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers. PROGRESS CHART. B The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors ; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds. TRAINING LEVY C The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value. MATERIALS ON SITE D All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	ADJUSTMENT OF P.C. SUMS. In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them. Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor. ADJUSTMENT OF PROVISIONAL SUMS. B In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued , but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added. NOMINATED SUB-CONTRACTORS C When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A DIRECT CONTRACTS Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed. B ATTENDANCE UPON OTHER TRADESMEN, ETC. The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills. C INSURANCE The Contractor shall insure as required in Conditions No. 30 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.		
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	PROVISIONAL WORK All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense. ALTERATIONS TO BILLS, PRICING, ETC. B Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted. BLASTING OPERATIONS C Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	MATERIALS ARISING FROM EXCAVATIONS Materials of any kind obtained from the excavations shall be the property of the Government. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed. PROTECTION OF THE WORKS. B Provide protection of the whole of the works contained in the Bills of Quantities,including casing , casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government. REMOVAL OF RUBBISH ETC. C Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.	
D	WORKS TO BE DELIVERED UP CLEAN Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings,glass inside and outside and any other parts of the works and remove all marks,blemishes, stains and defects from joinery, fittings and decorated surfaces generally,polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
A	GENERAL SPECIFICATION. For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.	
B	HOARDING The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails for a total length of approximately three hundred meters. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.	
C	PROJECT MANAGEMENT EXPENSES	
i.	Provide a Provisional Sum of Kenya Shillings One Hundred and Fifty Thousand (Kshs 150,000/=) only for Project Manager's Stationery and Office Equipment ie Printers, Computers laptops, inks and accessories as Specified by the PM.	
	Allow for Contractor's overheads, taxes and profits (.....) %	
ii	Provide a Provisional Sum of Kenya Shillings Five Hundred and Fifty Thousand only (Kshs 550,000/=) only for Project Manager's Allowances and Expenses	
	Allow for Contractor's overheads, taxes and profits (.....) %	
ii	Provide a Provisional Sum of Kenya Shillings Three Hundred Thousand only (Kshs 300,000/=) only for CIT Members Allowances and Expenses	
	Allow for Contractor's overheads, taxes and profits (.....) %	
D	CONTRACTOR'S SUPERINTENDENCE/SITE AGENT The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT
	<u>COLLECTION</u> Brought Forward From Page GP/1 Brought Forward From Page GP/2 Brought Forward From Page GP/3 Brought Forward From Page GP/4 Brought Forward From Page GP/5 Brought Forward From Page GP/6 Brought Forward From Page GP/7 Brought Forward From Page GP/8 Brought Forward From Page GP/9 Brought Forward From Page GP/10 Brought Forward From Page GP/11 Brought Forward From Page GP/12 Brought Forward From Page GP/13 Brought Forward From Page GP/14 Brought Forward From Page GP/15	
	TOTAL FOR GENERAL PRELIMINARIES CARRIED TO GRAND SUMMARY	-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>BILL NO. 04: PAVING WORKS (ALL PROVISIONAL)</u>				
	<u>WALKWAYS</u>				
A	Excavate oversite to remove top vegetable soil average 300mm thick, lad and remove from site	158	Sm		
B	Approved 150mm thick hardcore filling well watered and consolidated in layers not exceeding 150mm thick	158	Sm		
C	50mm thick quarry dust blinding on hardcore(m.s)	158	Sm		
D	600 x 600 x 50mm thick precast concrete paving slabs on 50mm thick consolodated sand bed(m.s) including treating surfaces with herbicide	158	Sm		
E	150 x 100mm thick Precast concrete kerb including excavations and all necessary formwork.	922	Lm		
	<u>CABRO PAVING</u>				
	<u>Site clearance</u>				
F	Clear site of all grass, shrubs, bushes, and small trees not exceeding 300mm girth and cart way or burn arising	1,779	Sm		
G	Excavate to reduce levels: average depth of 600mm starting from existing ground level	1,423	Cm		
H	Load and cart away surplus excavated material	1,423	Cm		
	<u>Filling and Treatment</u>				
J	Select imported filling or approved excavated material in making up levels well rolled and compacted to 95% maximum density : depositing and compacting in layers maximum 150mm thick	1,423	Cm		
K	150mm Thick handpacked with 'Blue Njiru Stone' or other equal and approved	2,372	Sm		
L	50mm quarry dust bed on handpacked stones (m/s) to receive concrete paving blocks	2,372	Sm		
	Total carried to collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	Approved herbicide treatment to quarry dust bed: with 20 years guarantee <u>Bamburi Special Products Ltd. concrete paving blocks: or other equal approved : to diplomat pattern: laid and compacted with and including approved sand to manufacturer's specifications</u>	2,372	Sm		
B	60mm thick medium duty concrete paving blocks: to prepared sub-base (m/s): to parking: laid to falls not exceeding 15 degrees from horizontal <u>Prepare and apply "Roadline" road-marking paint on concrete surfaces</u>	2,372	Sm		
C	Surfaces of Kerbs	922	Lm		
D	Ditto but Parking Spaces girth 0-100mm	60	Lm		
E	Cut Down Tress girth over 1200mm but not exceeding 1500mm; including removal of stumps; dispose as directed by PM.	20	No		
F	<u>Storm Water Drainage</u> Excavate 600mm wide open trenches for Drainage channels depth not exceeding 1000mm deep	100	Lm		
G	Half round OGEE pipes or Precast concrete Channels including benching and jointing and all necessary formwork; Laid to falls.	100	Lm		
H	<u>DEMOLITIONS</u> Allow for Demolitions of Dilapidated OPD Blocks inclusive of ; Roof Demolitions, Masonry walls demolitions; Concrete slab demolitions; Cart away arising matter and Levelise the ground to receive paving works; Building Ground area aprox 120sm.	1	Sum		
	Total carried to collection				-
	<u>COLLECTION: PAVING WORKS</u>				
	Brought forward from page 1				-
	Brought forward from page 2 above				-
	TOTAL FOR PAVING WORKS CARRIED TO GRAND SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	ALTERATIONS TO NEW BLOCK				
	<u>Floor layout changes to Relocate all Maternity Services to the new Block</u>				
	<u>Conversion of Laundry to Labour Ward, Introduction of sluice room and introduction of Washroom at Store.</u>				
	Demolitions				
A	Demolish existing tiled floor at laundry	31	Sm		
B	Cut into 150mm thick concrete slab for drainage pipes for new washroom.	1	Sum		
C	Cut into plastered and painted masonry wall for plumbing and electrical points.	1	Sum		
	New Works				
	Floor Finishes				
	<u>In-situ cement and sand (1:4) screeded beds, with wood floated finish, on concrete to receive ceramic tiles in:</u>				
D	32 mm thick wood floated screed to receive non slip ceramic tiles (measured separately)	10	Sm		
E	Ditto but to receive Epoxy Flooring	21	Sm		
	<u>Approved non-slip ceramic tiles and joint and point with matching cement and sand (1:3) mortar as described</u>				
F	300 x 300 x 8mm thick in floors	10	Sm		
G	Supply and Fix 3mm thick Epoxy Floor Finish	21	Sm		
H	Ditto but to walls- 1500mm high	27	Sm		
	Wall Finishes				
	<u>13mm thick Cement Sand (1:3) plaster to:-</u>				
J	Walls, wood floated to receive glazed wall tiles	24	Sm		
	<u>Wall tiling:-</u>				
K	300 x 250 x 6mm ceramic wall tiles and fix with coloured cement to the satisfaction of the Architect including all required labours for any identified edges to be rounded	24	Sm		
	<u>Prepare and apply one undercoat and two finishing coats silk vinyl emulsion paint on</u>				
L	General surfaces; plastered walls and concrete surfaces ; internally	55	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	NEW SLUICE ROOM <u>Fabric; B.S. 4483</u> Reference A142 mesh 200 x 200 mm , weight 2.22 kgs per SqM	10	Sm		
B	<u>Insitu concrete; reinforced; class 20 / (20mm); vibrated in:-</u> 150mm thick bed	10	Sm		
C	<u>Sawn formwork to insitu concrete as described:-</u> Edges of floor slab; 75 to 150mm wide	9	Lm		
D	<u>WALLING</u> <u>External Walling</u> <u>Walling in machine cut natural stone obtained from an approved quarry, jointed in cement and sand (1:3) mortar and including 25g hoop iron reinforcement in every alternate course</u> 200mm thick walling	21	Sm		
E	<u>Dpc</u> <u>Three ply bituminous felt damp proof course bedded in cement and sand (1:3) mortar (measured net allow for laps)</u> 200mm wide horizontal layer	9	Lm		
F	<u>Floor Finishes</u> <u>In-situ cement and sand (1:4) screeded beds, with wood floated finish, on concrete to receive ceramic tiles in:</u> 32 mm thick wood floated screed to receive non slip ceramic tiles (measured separately)	10	Sm		
G	<u>Approved non-slip ceramic tiles and joint and point with matching cement and sand (1:3) mortar as described</u> 300 x 300 x 8mm thick in floors	10	Sm		
H	<u>13mm thick Cement Sand (1:3) plaster to:-</u> Walls trowelled smooth to concrete and masonry surfaces internally	21	Sm		
J	<u>PAINTING AND DECORATING</u> <u>Prepare and apply one undercoat and two finishing coats silk vinyl emulsion paint on</u> General surfaces; plastered walls and concrete surfaces ; internally	21	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	Combined slop hopper sink and drainer Slop hopper, sink and drainer with disposal unit assembly comprising Dee right hand slop hopper with sink in stainless steel, P trap, concealed high level duct cistern and cover, 9 litre capacity with Freeflo plastics syphon fittings, 1/2 inch microvalve high pressure ballvalve, side supply, 3/4 inch side overflow, lever extended through wall with chain plastics flushpipe. To be as armitage shanks DHSS HTM64 or equal and approved	1	No		
B	Allow for Plumbing and Drainage Works Connection for the Sluice Room	1	Sum		
C	Allow for Electrical Works Connection for the Sluice Room	1	Sum		
D	New Toilet Wash Hand Basin Pedestal wash hand basin size 575 x 500mm with two tap hole, 32mm diameter chrome chain waste, chain stay hole, chrome plated non-conclusive time delay press, action pillar tap as COBRA model and heavy duty chrome plated bottle trap (32mm 'P' trap) with 75mm seal. All fittings to be approved.	1	No		
E	Shower fittings Shower fittings comprising of stop cock concealed riser pipe and bib tap	1	No		
F	Water Closet Closed Couple WC Suite in Vitereous China and approved colour comprising of WC bowl, 'P' or 'S' trap connector, heavy duty matching seat and cover with metal fixed chrome plated hinges and chrome plated push button with all other necessary accessories.	1	No		
G	600 x 35mm stainless steel grab rails.	1	No		
H	Toilet roll holder Toilet roll holder in vitreous china to BS 3402 in white colour of size 165x165mm and recessed into wall. Toilet roll holder to be as Twyfords "SEMI RECESSED & ORNAMENTAL" accessories	1	No		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	PARTITIONING WARDS ALUMINIUM PARTITIONING <u>All Aluminium by "Booth Manufacturing Africa" or other equal and approved Note; The term composite size shall mean the extreme dimensions of the final completed sectional size after assembly of all manufacturer specified members including all required screwing/bolting so as to be ready to receive the panels</u>	12	Sm		
	Approximately 2400mm high partitions comprising bottom section;1200mm high 20mm thick MDF boarding; top section 1200mm high 5mm thick sandblasted patterned glass glazed panels fixed with approved rubber beading; all framed In approved powder coated finished aluminium composite size 80x80mm;set out as; studs at 900mmc/c, sole plate, head plate and 2 No. mid-rails				
B	WARDS Dado rails Supply and Fix 100mm wide Moulded Mahogany Dado rails; Fixed to Walls complete with Staining and Varnish to approval.	125	Lm		
	Curtain Rails to Bed Sides				
C	25mm diameter approved aluminium curtain rail cut to lengths complete with fixings, runners and end stops and screwed or plugged to wall; primed and painted to Architect's approval;	37	Lm		
D	Tinting Applied Decorative film as 'Oracon series 8500' graphic film to approval to ward Windows	28	Sm		
	Placenta Pit				
E	Allow for Construction of a Placenta Pit with Plint with diameter of Aprox 2.0 metres and 3 Metres Deep ; . All to Architect and Engineer's Details.	1	Sum		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>COLLECTION: ALTERATIONS TO NEW BLOCK</u>				
	Total Brought Forward from Page No. 1				-
	Total Brought Forward from Page No. 2				-
	Total Brought Forward from Page No. 3				-
	Total Brought Forward from Page No. 4				-
	TOTAL FOR ALTERATIONS TO NEW BLOCK CARRIED TO GRAND SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>CONVERSION OF MATERNITY BLOCK TO GENERAL WARDS</u>				
	<u>Demolitions and Alterations</u>				
	<u>Doors</u>				
A	Demolish Existing Timber Doors Size 900x2400mm; Inclusive of Timber Frame and Iron Mongery; Dispose off or Hand Over to Client as Directed.	6	No		
B	Ditto but double doors Size 1500x2400mm	1	No		
	<u>Walls</u>				
C	Hack Wall to remove Wall tiles- Prepare surface to receive new tiles	84	Sm		
D	Demolish 200mm thick plastered and painted masonry walls; cart away arising matter.	58	Sm		
	<u>Floor</u>				
E	Cut into Tiled/Terrazzo floor finish and Concrete slab for Sanitary Fittings and Related Pipework fixing, Prepare surface to receive new finish. Cart away Arising Matter.	24	Lm		
	<u>Fittings</u>				
F	Decommission WCs, WHBs sinks, Showers, Taps and related plumbing works; hand over to the Client.	10	No		
	<u>Ceilings</u>				
G	Carefully remove existing damaged ceiling including cornices and cart away arising debris	260	Sm		
	<u>Electrical Fittings</u>				
H	Allow for Careful removal of Ceiling Mounted Electrical Fittings; Store on Site for Subsequent re-fixing .	1	Sum		
	<u>Windows</u>				
J	Carefully Demolish Existing Windows; Store on site for re-use.	32	No		
	<u>Floor-OPD</u>				
K	Hack Out Existing Terrazzo Flooring to receive new Finish	528	Sm		
	DEMOLITIONS AND ALTERATIONS CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	NEW WORKS				
	CEILING WORKS				
	Ceiling Finishes				
	<u>9mm Gyproc Wallboards; suspended gypsum ceiling; taped and filled joints: on and including pressed metal</u>				
	<u>or aluminium suspended brandering system at 600 mm centres both ways with brandering end trims as specified:</u>				
A	Plain Suspended ceiling fixed to Existing timber brandering	260	Sm		
B	25 x 100mm high moulded gypsum cornice;	112	Lm		
	Painting and decorating				
	<u>Prepare and apply skim coats, one undercoat and two coats first quality Crown or approved equivalent</u>				
	<u>white silk vinyl Paint to:-</u>				
C	Gypsum Ceiling	260	Sm		
D	Surface of Cornice- 100-200mm girth	112	Lm		
	DOORS				
	<u>Flush Door</u>				
	<u>45mm thick solid core flush door to BS 459:Part 2,overall faced on both sides with scratch proof laminate to approval with rounded and post-formed edges to approval.</u> <i>Samples to be approved</i>				
E	Single Leaf Door Size 900x2100mm	12	No		
F	Double Leaf Door 1500x2100mm	2	No		
	<u>Wrot prime grade Cypress</u>				
G	150 x 50mm frame with four labours.Samples to be approved.	51	Lm		
H	50 x 25mm Architrave	51	Lm		
J	25x 25mm Quadrant	51	Lm		
	<u>Grill Door</u>				
K	Fabricate and Install Mild steel Door; size 1500x2400mm; Inclusive of all Iron mongery, Glazing and Painting to approval.	2	No		
	<u>Windows</u>				
L	Refix previously removed windows to include new Mild steel Framing all round.	32	No		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>Painting and Decoration</u> <u>Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: -</u>				
A	General surfaces of frames over 200mm but not exceeding 300mm girth	51	Lm		
B	Back of wood not exceeding 100 mm girth	51	Lm		
C	General surfaces; timber doors	40	Sm		
	<u>Ironmongery</u> <u>Supply and fix the following ironmongery with screws to match (Ref. is to Union Catalogue or other equal and approved)</u>				
C'	Two level mortise lock	12	No		
D	100mm steel butt hinges with steel screws	18	Prs		
E	Double Action Spring Hinges- Steel of upto 15Kgs	6	Prs		
F	Rubber door stopper	16	No		
G	<u>Kicker Plate</u> Extra over Doors for Stainless Steel Kicker plate 600mm high on both Sides of the doors.	12	No		
	<u>WINDOWS</u> <u>5mm thick one way sheet glass and glazing with putty in steel frames: in panes</u>				
H	Windows; pane size to Architect's details; (Inclusive of replacement of Broken glazing)	48	Sm		
	<u>Prepare surfaces and apply three coats of approved paint to mild steel metal surfaces; spray painted to approval</u>				
J	Windows; both sides measured	192	Sm		
	<u>NEW WALLS</u> <u>WALLING</u> <u>Walling in machine cut natural stone obtained from an approved quarry, jointed in cement and sand (1:3) mortar and including 25g hoop iron reinforcement in every alternate course</u>				
K	200mm thick walling	115	Sm		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	Dpc <u>Three ply bituminous felt damp proof course bedded in cement and sand (1:3) mortar (measured net allow for laps)</u> 200mm wide horizontal layer	48	Lm		
B	<u>Internal wall finishes</u> <u>15mm (minimum) two coat lime plaster as described to</u> Concrete and masonry surfaces	259	Sm		
C	<u>Waterproofed cement and sand (1:4) backings etc</u> 12mm render finished to receive ceramic wall tiles (measured separately)	67	Sm		
D	Painting and Decorating <u>Prepare surfaces, skillfully skim all walls to approval, roller apply three coats emulsion paint as first quality "Crown" or equal and approved silk vinyl paint on following surfaces : of</u> Plastered concrete or masonry surfaces	259	Sm		
E	<u>Prepare and apply two finishing coats exterior quality acrylic paint or other equal and approved exterior surface paint with County branded colours to:-</u> Wall Surfaces: externally	28	Sm		
F	Ceramic wall tiles Provide a Prime Cost rate of Ksh /m2 <u>Take delivery and fix ceramic wall tiles or equal and approved : fixed with proprietary adhesive : jointed and pointed in matching coloured proprietary grouting : incorporating proprietary pvc spacers and expansion joint as necessary: Rate to include supply and fixing polished stainless steel proprietary corner strips all to Interior designers approval</u> Wall surfaces ; 300 x 600 mm Ceramic tile wall finish :	67	Sm		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>Painting and Decoration</u>				
	<i><u>Prepare Surfaces (Including Sanding, scrubbing of existing paints, Skimming and Undercoat and apply two coats first quality Emulsion paint as "Crown (K) Ltd" or approved equivalent on:-</u></i>				
A	Existing painted Wall Surfaces	286	Sm		
	<u>Floor Finishes</u>				
	<i><u>In-situ cement and sand (1:4) screeded beds, with wood floated finish, on concrete to receive ceramic tiles in:</u></i>				
B	32 mm thick wood floated screed to receive non slip ceramic tiles (measured separately)	10	Sm		
C	Ditto but OPD	528	Sm		
	<i><u>Approved non-slip ceramic tiles and joint and point with matching cement and sand (1:3) mortar as described</u></i>				
D	300 x 300 x 8mm thick in floors	10	Sm		
E	Ditto but OPD	528	Sm		
	<u>FITTINGS AND FIXTURES</u>				
	<u>COUNTER WORKTOPS</u>				
	<i><u>Walling in fine dressed natural coursed stone from an approved quarry bedded and jointed in gauged mortar (1:3) with and including 20mm hoop iron reinforcement in other alternate course as described in:-</u></i>				
F	200mm Thick dwarf walling to receive plaster and paint finish (m.s)	4	Sm		
	<i><u>Cement and sand (1:3) screed as described</u></i>				
G	15mm Thick render to stone wall surfaces; ditto	9	Sm		
	<u>PAINTING AND DECORATING</u>				
	<i><u>Prepare and apply three coats first grade plastic emulsion paint to:-</u></i>				
H	Plastered walls	9	Sm		
	<u>Reinforced Concrete 1:2:4 in</u>				
J	75mm Thick worktop including fabric mesh	8	Sm		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	<u>Sawn formwork as described to:-</u> Edge of suspended slab n.e 100mm high	14	Lm		
B	Soffits of suspended slab	8	Sm		
	<u>Cement and sand (1:3) plaster/screed as described in:-</u>				
C	15mm Thick plaster to soffits of suspended slab and edges of fascia	8	Sm		
D	15mm Thick screed to top to receive granito tiles (m.s) <u>600 x 600 x 8mm thick granito tiles on and including cement and sand (1:4) backing and pointing in white cement and including approved plastic strips to all edges, and border tiles as per architects details</u>	8	Sm		
E	To worktop	8	Sm		
F	100mm Front/back Fascia	14	Lm		
G	Form or leave an opening size 600mm long x 525mm wide to fit in sink (m.s) in 75mm thick concrete suspended slab <u>CHANGING ROOMS CABINETS- 2 NO.</u> <u>18 mm thick MDF Board-of approved colour of approved manufacture.</u>	4	No		
H	In Structure	12	Sm		
J	In Shelves	4	Sm		
K	In Cabinets Doors-	3	Sm		
L	<u>3mm Ply</u> In backing	9	Sm		
M	<u>PVC EDGE BANDING - 0.4mm x 22mm WIDE</u> To match board; including glueing with appropriate adhesive	100	Lm		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>Supply and fix the following ironmongery as 'PG Bison' or any other equal and approved manufacturer with matching screws</u>				
A	Pairs of malpha hinges	24	Prs		
B	300mm brass D-cupboard door handles-J9929 MB	12	No		
C	Cabinet Lock N3100-22.18 Left / Right	6	No		
	<u>STORAGE CABINETS</u>				
	<u>18 mm thick MDF Board-of approved colour of approved manufacture.</u>				
D	In Structure	7	Sm		
E	In Shelves	3	Sm		
F	In Cabinets Doors-	5	Sm		
	<u>3mm Ply</u>				
G	In backing	5	Sm		
	<u>PVC EDGE BANDING - 0.4mm x 22mm WIDE</u>				
H	To match board; including glueing with appropriate adhesive	78	Lm		
	<u>Supply and fix the following ironmongery as 'PG Bison' or any other equal and approved manufacturer with matching screws</u>				
J	Pairs of malpha hinges	16	Prs		
K	300mm brass D-cupboard door handles-J9929 MB	8	No		
L	Cabinet Lock N3100-22.18 Left / Right	4	No		
	<u>Demolitions</u>				
M	Allow for Demolitions of Tiled Concrete worktops; Make good affected areas	2	No		
	<u>Antitermite Treatment- Around OPDS & Maternity</u>				
	Destroy termites nests within site of works,take out and destroy queens, impregnate holes and tunnels with insecticides and fill voids with approved material	1	Item		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>MECHANICAL WORKS</u>				
A	Wash Hand Basin Pedestal wash hand basin size 575 x 500mm with two tap hole, 32mm diameter chrome chain waste, chain stay hole, chrome plated non-conclusive time delay press, action pillar tap as COBRA model and heavy duty chrome plated bottle trap (32mm 'P' trap) with 75mm seal. All fittings to be approved.	28	No		
B	Shower fittings Shower fittings comprising of stop cock concealed riser pipe and bib tap	4	No		
C	Water Closet Closed Couple WC Suite in Vitereous China and approved colour comprising of WC bowl, 'P' or 'S' trap connector, heavy duty matching seat and cover with metal fixed chrome plated hinges and chrome plated push button with all other necessary accessories.	2	No		
D	Squatting water closet suite in vitreous china comprising of water closet bowl with top plate and integral foot threads, with 'P' or 'S' trap connector complete with ceramic 9L cistern	6	No		
E	600 x 35mm stainless steel grab rails.	2	No		
F	Toilet roll holder Toilet roll holder in vitreous china to BS 3402 in white colour of size 165x165mm and recessed into wall. Toilet roll holder to be as Twyford's "SEMI RECESSED & ORNAMENTAL" accessories	6	No		
G	Soap Dish Wall mounted soap dish, stainless steel of size 140mmx119mm. All fittings to be approved.	4	No		
H	Robe Hook Single chrome robe hooks complete with fixing plates, wall flanges and screws, All fittings to be approved.	8	No		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	Soap Dispenser Soap dispenser, capacity 1.136 litres complete with plastic rawl plugs, fixing screws, lock and key complete initial fill of soap gel. The soap dispenser to be as ZAPLON'S MARK 7 model, size 125 x 100 x290mm high or approved equivalent.	4	No		
B	Urinals bowls Ceramic urinal bowl complete with 40mm heavy duty plastic bottle trap and 40mm diameter chrome plated outlet with grating firmly fixed on the wall with chrome plated screws. To include 9L automatic flash cistern. All fittings to be approved.	2	No		
C	Kitchen sink Single Bowl single Drainer, (SBSD) stainless steel sink, size 1500x600mm, bowl size 430x420mm complete with, waste fittings, plugs, chain stays and 40mm diameter heavy duty plastic bottle with 75mm deep seal complete with a chrome plated swivel action mixer trap.	1	No		
D	Lab sink Laboratory sink to be 492x419x165mm deep manufactured from Aisi 304 Stainless steel.The sink to be complete with 38mm diameter BSP waste,and black nut,Butyl rubber gasket,Water taps to be as Laboratory sink two-way mounting fitting elbow-action tap with inlets concealed supply,one swivel outlet with nozzle. All fittings to be approved.	4	No		
E	Surgical Stainless Steel Scrub Sink Wall mounted surgical Stainless Steel Scrub Sink comprising of double-Station Sinks of 26.67cm deep tub 30.48cm high backsplash, and coved sides and corners to eliminate any cracks or crevices where dirt and debris could accumulate and two elbow action taps l and heavy duty chrome platted bottle trap (32mm 'P' trap) with 75mm seal.	1	No		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	Cleaner Sink Heavy duty sink size 465 x 410 x 285mm deep in enamelled fireclay complete with hardwood pad on the front edge and fitted bucket stainless steel grating and 20mm chrome plated wall mounted inclined bricon tap, chrome plate chain and rubber stopper and heavy gauge 40mmn chrome plated bottle trap, stainless steel legs and bearers and 32mm grid waste fitting. All fittings to be approved. INTERNAL PLUMBING WORKS Supply, deliver and install pipes, tubing and fittings as described and shown on drawings. The pipes shall PPR pipes where exposed to adverse weather conditions and all conforming to the current European standards for PPR installations and to the Engineers approval, pipe jointing shall be by polyfusion or use of electric coupling. rates must allow for all metal/plastic threaded adaptors where required for the connection of sanitary fixtures, valves sockets, sliding and fixed joints etc. as required in the running lengths of pipe work and also where necessary, for pipe fixing clips, holder bats plugged and screwed for proper and satisfactory functioning of the system. The pipes will be pressure tested before the plastering of wall commences and as per the manufacturers recommended testing pressure. PPR B 63mm diameter pipe work C 50mm -ditto- D 40mm -ditto- E 32mm -ditto- F 25mm -ditto- G 20mm -ditto- Bends H 20mm Diameter Bend J 25mm Diameter Bend K 32mm Diameter Bend L 40mm -ditto- M 50mm -ditto- N 63mm -ditto-	1	No		
		Lm	0		
		Lm	0		
		Lm	90		
		Lm	74		
		Lm	150		
		Lm	0		
		No.	0		
		No.	10		
		No.	10		
		No.	3		
		No.	0		
		No.	0		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	Tees				
A	63 equal tee	No.	0		
B	50 equal tee	No.	0		
C	40 -ditto-	No.	10		
D	32 -ditto-	No.	13		
E	25 -ditto-	No.	25		
F	20 -ditto-	No.	0		
	Reducers				
G	63x50 -ditto-	No.	0		
H	50x40 -ditto-	No.	0		
J	50x32 -ditto-	No.	8		
K	50x25 -ditto-	No.	5		
L	40x32 -ditto-	No.	5		
M	40x25 -ditto-	No.	3		
N	32x25 -ditto-	No.	10		
	Reducer				
P	32x20 -ditto-	No.	10		
Q	25x20 -ditto-	No.	20		
	Threaded Fittings				
R	20mm diameter male/female threaded 90° elbow	No.	59		
S	50mm diameter male/female threaded 90° elbow	No.	0		
	Valves				
T	63mm dia. Approved medium pressure screw down full way non-rising stem wedge gate valve to BS 5154 or series b rating, with wheel and head joints to steel tubing and complete with male threaded transition fittings. The gate valve to be as "Pegler" or approved equivalent	No.	0		
U	50mm -ditto-	No.	0		
V	40mm -ditto-	No.	6		
W	32mm -ditto-	No.	14		
X	25mm -ditto-	No.	8		
	Non-Return Valve				
Y	40mm ditto	No	4		
	Unions				
Z	63mm diameter union	No	0		
AA	50mm ditto	No	0		
AB	40mm ditto	No	20		
AC	32mm ditto	No	28		
AD	25mm ditto	No	16		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	Water storage tank Supply and install water storage tanks of capacity 5000 litres made of plastic of dimensions 2.4m diameter and 1.25m height as Rotor or equivalent approved. The tank shall be complete with inlet, outlet, overflow and drain connection. It should have a 20mm diameter medium ball valve with silencer pipe, bronze lever and copper float all as "Glenfield or approved equivalent. The tank shall be firmly supported in the roof at high level. Mounted on a plinth for as approved	No.	2		
B	20mm diameter x 300mm long flexible connectors complete with integral chrome plated angle valve for connecting the sanitary fitting to water supply. To be as Cobra or equal and approved.	No	26		
C	Supply, deliver and assemble a multilevel steel water tower to hold two tanks of capacity 5000L each, the tower shall have a bottom level floor at 4m above ground. Each side of the tower should have a minimum length of 2600mm. Each level shall have a side wall grill 0.8m high and complete with an external access ladder and weatherproof paint	Item	1		
D	Pressure testing and commissioning the internal drainage installations	Item	3		
E	INTERNAL FOUL DRAINAGE Supply, deliver and install the following UPVC, MUPVC, soil and waste system respectively to B.S 5255 with fittings fixed to manufacturers printed instructions and manufactured by reputable manufacturers. Tenderers must allow in their pipework prices for all the couplings, clippings, connectors, joints etc. as required in the running lengths of pipework and allow for connection to the nearest manholes and also where necessary, for pipe fixing clips, holder bats plugged and screwed for the proper and satisfactory functioning of the system.				
F	UPVC and MUPVC Soil and Waste 150mm diameter Heavy gauge golden brown UPVC pipe	Lm	50		
G	100mm diameter Heavy gauge golden brown UPVC pipe	Lm	100		
H	100mm diameter Heavy gauge grey UPVC pipe	Lm	35		
J	50mm -ditto-	Lm	50		
K	40mm -ditto-	Lm	15		
L	32mm -ditto-	Lm	15		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	Bends				
A	100mm diameter bend with access	No.	17		
B	50mm diameter sweep bend	No.	37		
C	40mm diameter sweep bend	No.	20		
D	32mm diameter sweep bend	No.	11		
	Tees				
E	100mm diameter sweep tee	No.	10		
F	50mm diameter sweep tee	No.	10		
G	40mm diameter sweep tee	No.	8		
H	32mm diameter sweep tee	No.	15		
	Reducing Socket				
J	100 x 50 reducing socket	No.	5		
K	50x40 reducing socket	No.	10		
L	40 x 32 reducing socket	No.	11		
M	100mm diameter WC connector	No.	10		
	Traps				
N	100 x 50mm diameter four way floor trap and grating	No.	17		
P	Standard 300 x 300 x 450mm masonry gully trap complete with 125mm reinforced concrete cover	No.	10		
	Weathering slates and vent cowls				
Q	100mm weathering slate and apron	No.	4		
R	100mm vent cowl	No.	4		
S	Inspection channel complete with heavy duty cover (600 x 450 mm)	No.	10		
T	Allow for excavation of a deep channel size 600mm X 1500mm deep, laying of drain pipe, backfilling and making good disturbed surfaces	Lm	20		
U	Testing and commissioning the internal drainage installations	Item	3		
	FIRE FIGHTING EQUIPMENT				
	Supply, deliver and install the following fire fighting equipment in the position indicated on the contract drawing or as shall be instructed by the Engineer. Supply and install the following fire fighting equipment as described and shown on the drawings. Tenderers should allow for all fittings, joints, couplings including unions and clamps where necessary for the proper functioning of the installation when pricing.				
	Hose reel				
V	20mm diameter 30m long swinging type hose reel complete with delivery valve, mild steel feed pipe, isolation valve, guide and all accessories as "Angular Fire Armour" or equal and approved	No.	4		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	GMS Pipe work, class B				
A	25mm diameter pipe work	Lm	5		
B	50mm diameter pipe work	Lm	40		
C	25mm diameter bends	No.	2		
D	50mm diameter bends	No.	8		
E	50mm Equal Tee	No.	8		
	Valves				
F	25mm diameter approved medium pressure screw down full way non-rising stem wedge gate valve to BS 1952, with wheel and head joints to steel tubing. The gate valve to be as PEGLER or equal and approved	No.	4		
G	50mm diameter -ditto-	No.	2		
	Unions				
H	25mm diameter pipe unions	No.	2		
J	50mm diameter pipe unions	No.	10		
	Reducers				
K	50 x 25mm diameter reducer	No.	2		
	Hose reel pump set				
L	Hose reel pump set, one duty,, the other stand by mounted on a frame and mild steel base plate. Each pump shall have a duty 5m ³ /hr. against 10m head as Grundfos mode; CH 4 - 40 or approved equivalent. In addition, there be a 60 liters diaphragm pressure vessel (as Varem or approved equivalent). Pressure switches, a switch to protect dry run, 65mm foot valve and strainer, tank connections, gate valves and non - return valves. Control shall be effected via a pressure switch through a pre-wired control panel which shall give automatic change over from duty to standby pump within 5 seconds should the duty pump fail to deliver for any reason. The pump set shall include all non-return valves, timer, isolating valves and pipe connectors.	Set	1		
	Control Panel				
M	Control Panel for the above pumps with contactors, over voltage and under voltage protection relays, MCBs, start/stop push buttons and indicator lights. All this shall be housed in a lockable cabinet (with integral isolator) made from SWG 18 mild steel sheet that is oven powder coated. The control shall also include a float switch or flow switch for prevention against dry running complete with cable.	Item	1		
	Painting				
N	Allow for painting of the hose reel installation with 2 coats of super gloss paint on a primer coat to the approval of the Project Engineer	Item	4		
	Standard Printing Label				
P	Standard printing label for the fire cupboards	No.	4		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	Portable fire extinguishers Supply, deliver, install, test and commissioning of the following portable fire extinguishers and conforming to BS EN 3/ BS 1449				
A	9 litres water/carbon dioxide gas portable fire extinguisher complete with pressure gauge, initial charge and mounting brackets	No.	4		
B	5kg carbon dioxide gas portable fire extinguisher complete with pressure gauge, initial charge and mounting brackets	No.	4		
C	9kg chemical powder portable fire extinguisher complete with pressure gauge, initial charge and mounting brackets	No.	4		
	Manual alarm bell				
D	9" (225mm) manual operated alarm bell (gong) fire blanket made of cloth woven with pre-asbestos yarn or any other fire proof material and to measure 1800 x 1210mm	No.	4		
	Fire Notices				
E	Allow for fire signage for the hose reel system, fire exits, fire instructions and must include fire assembly point as described in the particular specifications and to the Project Engineer's approval	Item	4		
	Total Carried to Collection				-
	<u>COLLECTION: MECHANICAL WORKS</u>				
	Total Brought Forward from Page No. 9				-
	Total Brought Forward from Page No. 10				-
	Total Brought Forward from Page No. 11				-
	Total Brought Forward from Page No. 12				-
	Total Brought Forward from Page No. 13				-
	Total Brought Forward from Page No. 14				-
	Total Brought Forward from Page No. 15				-
	Total Brought Forward from Page No. 16				-
	MECHANICAL WORKS CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>ELECTRICAL WORKS</u>				
	Supply, Install, test and commission the <u>LIGHTING POINTS</u>				
1.1	Lighting points wired in 1.5mm ² SC CU cables drawn in 20 mm HG PVC conduit concealed in the building fabrics for:-				
	a) One way switching	27	No		
	b) Two way switching	5	No		
	<u>SWITCHES</u>				
1.2	10Amps, switch plate as T&G, PANASONIC or approved equivalent as				
	a) One gang one way	23	No		
	b) One gang two way	2	No		
	<u>LIGHTING FITTINGS</u>				
1.3	Lighting fittings complete with bulbs or tubes as follows:-				
	(a) 1200mm, 1x 36 W Fluorescent batten light fitting THORN or approved equivalent	22	No		
	(b) 600mm, 1x18 Watts Fluorescent batten light fitting THORN or approved equivalent (WP)	10	No		
	(c) Outdoor Slim LED Solar Floorlights 300 Watts IP65 rated	8	NO		
1.4	13 Amps Socket outlet points wired ring comprising of 3x2.5 mm sq. single core PVC copper cables drawn in 25 mmHG PVC conduits concealed in the building fabrics	30	No		
	(a) 13 Amps switched double Socket outlet for item above	30	No		
1.5	Data & Voice Outlet points complete with draw wire in concealed 25mm Ø HG PVC conduits concealed in building fabrics.	15	No.		
1.6	(a) Dual Data/Telephone moulded case plate socket plate of White colours with Neon Indicator for item above	15	NO		
1.7	Allow Two Hundred and Fifty thousand kenya shillings only Contingencies	1	Sum		
	ELECTRICAL WORKS CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>SUMMARY: CONVERSION OF MATERNITY TO GENERAL WARD</u>				
	BUILDER'S WORKS				-
	MECHANICAL WORKS				-
	ELECTRICAL WORKS				-
	TOTAL FOR CONVERSION OF MATERNITY BLOCK TO GENERAL WARDS CARRIED TO GRAND SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>PROPOSED EXTENSION TO MALE WARD</u>				
A	Clear Site and Excavate oversite to reduced level; average 300mm deep cart away and deposit surplus excavated material where directed by architect.	51	Sm		
B	Excavate foundation trench not exceeding 1.5 metres deep starting from reduced level and stockpile on site as directed	28	Cm		
	<u>FILLINGS / DISPOSAL</u>				
C	Return, fill and ram selected Excavated material around foundations.	13	Cm		
D	Load, wheel and landscape surplus excavated material where directed by architect	15			
	<u>Hardcore filling</u>				
E	250mm thick Hardcore fill under floors, hand packed and compacted in 150mm layers	31	Sm		
F	Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore.	31	Sm		
G	50mm thick quarry dust blinding laid on hardcore (m.s)	31	Sm		
	<u>Damp proof membrane</u>				
H	500 gauge polythene or other equal and approved damp proof membrane laid under surface bed with 300mm side and end laps (measured nett- allow for laps)	31	Sm		
J	50mm thick mass concrete class Q (1:3:6) to bottoms of foundations	24	Sm		
K	<u>Reinforced concrete 1:2:4, as described, in:</u> Strip foundations	5	Cm		
L	150mm thick Surface bed	31	Sm		
	<u>Fabric reinforcement to B.S. 4483 and setting in concrete with 300mm side and end laps (measured net tallow for laps)</u>				
M	Fabric mesh ref: A98 in ground floor slab	31	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	<u>Reinforcement Bars</u> Asorted Bars in Trenches	472	Kg		
B	<u>Sawn Formwork to:</u> Edges of ground floor slab over 75mm but not exceeding 150mm high	16	Lm		
C	<u>SUB-WALL</u> <u>Walling in natural coursed stone obtained from an approved quarry, jointed and bedded in gauged mortar (1:3)</u> 200mm Thick wall in foundations	52	Sm		
D	<u>PLINTH</u> <u>12mm Cement and sand (1:3)render on stone or concrete work</u> Concrete or masonry walling plinths	10	Sm		
E	<u>Prepare and apply two coats black bituminous paint to:</u> Rendered concrete or stone surfaces	10	Sm		
F	<u>Paving slab</u> 600 x 600 x 50mm thick precast concrete paving slabs on 50mm thick sand bed; Including all excavations and surface compaction.	24	Sm		
	Carried to Collection				-
	<u>COLLECTION</u> <u>SUBSTRUCTURES</u> Total Brought Forward from Page No. 1				-
	Total Brought Forward from Page No. 2 above				-
	Substructures Total Carried Forward to Summary				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>ELEMENT NO. 02: SUPERSTRUCTURES</u>				
	<u>Reinforced concrete 1:2:4, as described, in:</u>				
	Beams	2	Cm		
	<u>Ribbed mild steel steel reinforcement in structural concrete work</u>				
	Assorted bars	424	Kg		
	<u>Sawn Formwork to:-</u>				
	Sides and soffits of beams	31	Sm		
	<u>WALLING</u>				
	Allow for demolition in plastered and painted masonry wall to form opening.	6	Sm		
	200mm wide; B.S. 743 Type A bitumen hessian base 150 mm laps	48	Lm		
	External Walling 200mm thick approved local machine dressed natural stone	41	Sm		
	Ditto but internal walls	32	Sm		
	Ditto 200mm to Gable walls	10	Sm		
	<u>ROOFING</u>				
	<u>Pre-painted box profile gauge 30 fixed onto roof structure;</u>				
	Roof covering not exceeding 45 degrees from horizontal;fixing to timber purlins (ms)	45	Sm		
	28 Gauge purpose made Half round Ridge cap to match	4	Lm		
	<u>CARPENTRY</u>				
	<u>The following in sawn celcured cypress</u>				
	100 x 50mm sawn cypress tie beam	41	Lm		
	100 x 50mm rafters	50	Lm		
	100 x 50mm wall plate -bolted at 1200mm centres with	6	Lm		
	100 x 50mm King post	8	Lm		
	100 x 50mm Struts or Ties	41	Lm		
	50 x 50mm sawn cypress purlins	72	Lm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>ELEMENT NO. 03: DOORS</u>				
	<u>Steel Casements door</u>				
	<u>Standard steel casement doors complete with hinges,bolts and locking devices assembled and primed with red oxide then fixed to opening including cutting and pinning lugs to masonry or concrete and bedding frame in cement and sand (1:3) mortar to outside of door comprising 25</u>				
	Double Leaf GRILL Door size 1800 x 2400mm high	1	No		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint on</u>				
	General surfaces of mild steel Door	4	Sm		
	<u>Wrot celcured cypress framed frames and framings</u>				
	100 x 50 mm; 2 No. labours; plugged door frame	31	Lm		
	<u>Flush Doors</u>				
	45mm thick Semi-Solid Flush doors of approved samplesizes 800x2100mm	6	No		
	<u>Supply and fix the following to UNION catalogue or other equal and approved</u>				
	100mm long Aluminium tower bolt	6	No		
	150mm long Aluminium padlocking bolt	6	No		
	100mm steel butt hinges	9	Prs		
	<u>Painting and Decorations - Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: -</u>				
	General surfaces of timber doors on both sides	23	Sm		
	Timber frames,over 100mm but not exceeding 200mm girth	31	Lm		
	Doors Total Carried Forward to Summary				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	ELEMENT NO. 04 : WINDOWS <u>MILD STEEL WINDOW FRAMES</u> <u>Supply and fix the following purpose made mild steel casement small panes (maximum size 200 x 300 mm) windows, with standard "Z" section framing including all coupling mullions etc and complete with polished brass handles, peg stays and other ironmongery; factory primed with red oxide primer including cutting and pinning fixing lugs to concrete or masonry work jambs; bedding in cement and sand (1:3) mortar, pointing all round frames in mastic, greasing, oiling and adjusting opening lights on completion all in accordance with the Architect's window schedule</u>				
	Window overall size 1100 x 500mm high ditto	2	No		
	Window overall size 500 x 500mm high ditto	6	No		
	<u>GLAZING</u> <u>3mm frosted sheet glass and glazing to metal windows including fixing with approved putty</u>				
	In panes not exceeding 0.10 square metres	3	Sm		
	<u>PAINTING</u> <u>Touch up primer ,prepare and apply two undercoats and one finishing coat gloss paint on metal work</u> General surfaces of mild steel windows (both sides)	5	Sm		
	<u>WINDOW CILL</u> 250 x 50mm thick machine cut stone window cill throated and bedded in cement and sand (1:3) mortar to racked external wall window cill: building ends to window jamb	7	Lm		
	Windows Total Carried Forward to Summary.				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	ELEMENT NO. 04: FINISHES				
	<u>WALL FINISHES Internal</u>				
	<u>20mm thick Cement Sand (1:3) plaster to:</u> Walls internally	56	Sm		
	Ditto to receive Wall Tiles	60	Sm		
	<u>External</u>				
	<u>20mm thick Cement Sand (1:3) Render to:</u> Walls externally	59	Sm		
	Extra over stone walling for fair face for Keying	-	Sm		
	<u>PAINTING AND DECORATING</u>				
	<u>Prepare and apply one undercoat and two finishing coats</u> <u>silk vinyl emulsion paint on</u> General surfaces; plastered walls; internally	56	Sm		
	<u>Prepare surfaces: Apply an undercoat and two finishing</u> <u>coats of weather resistant permacoat paint on wall and</u> <u>column surfaces or other equal and approved: on</u> <u>rendered wall;</u> General surfaces; plastered walls; Externally	59	Sm		
	<u>FLOOR FINISHES</u>				
	<u>Cement and sand (1:4) Steel trowelled beds on concrete:</u>				
	32 mm floor screed :wood floated to receive Tiles	31	Sm		
	<u>Tiling</u>				
	<u>Coloured approved ceramic tiles</u> 300x300x8mm non slip ceramic floor tiling laid to screed bed(m.s) with appropriate adhesive and pointed in coloured grout.	31	Sm		
	<u>Coloured approved ceramic tiles</u> 300x200x6mm ceramic wall tiling laid to 15mm thick wall plaster(m.s) and pointed in approved coloured grout.	60	Sm		
	<u>Ceiling Finishes</u>				
	<u>9mm Gyproc Wallboards; suspended gypsum ceiling: taped</u> <u>and filled joints: on and including pressed metal or</u> <u>aluminium suspended brandering system at 600 mm</u> <u>centres both ways with brandering end trims as specified:</u>				
	Plain Suspended ceiling fixed to Existing timber brandering	31	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	25 x 100mm high moulded gypsum cornice;	53	Lm		
	<u>Painting and decorating</u>				
	<u>Prepare and apply skim coats, one undercoat and two coats first quality Crown or approved equivalent white silk vinyl Paint to:-</u>				
	Gypsum Ceiling	31	Sm		
	Surface of Cornice- 100-200mm girth	53	Lm		
	Carried to Collection				-
	<u>COLLECTION</u>				
	<u>FINISHES</u>				
	Total Brought Forward from Page No. 7				-
	Total Brought Forward from Page No. 8 above				-
	Finishes Total Carried Forward to Summary.				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>SUMMARY- PROPOSED MALE WARD EXTENSION</u>				
	SUBSTRUCTURES				-
	SUPERSTRUCTURES				-
	DOORS				-
	WINDOWS				-
	FINISHES				-
	TOTAL FOR EXTENSION TO PROPOSED MALE WARD CARRIED TO GRAND SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>THE PROPOSED EXTERNAL ABLUTION BLOCK</u>				
	<u>ELEMENT NO. 01: SUBSTRUCTURES "All Provisional"</u>				
	<u>EXCAVATIONS</u>				
	<i>Excavations including maintaining and supporting sides and keeping free from water, mud and fallen material</i>				
A	Clear Site and Excavate oversite to reduced level; average 300mm deep cart away and deposit surplus excavated material where directed by architect.	66	Sm		
B	Excavate foundation trench not exceeding 1.5 metres deep starting from reduced level and stockpile on site as directed	32	Cm		
	<u>FILLINGS / DISPOSAL</u>				
C	Return, fill and ram selected Excavated material around foundations.	18	Cm		
D	Load, wheel and landscape surplus excavated material where directed by architect	14	Cm		
	<u>Hardcore filling</u>				
E	250mm thick Hardcore fill under floors, hand packed and compacted in 150mm layers	40	Sm		
F	Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore.	40	Sm		
G	50mm thick quarry dust blinding laid on hardcore (m.s	40	Sm		
	<u>Damp proof membrane</u>				
H	500 gauge polythene or other equal and approved damp proof membrane laid under surface bed with 300mm side and end laps (measured nett- allow for laps)	40	Sm		
J	50mm thick mass concrete class Q (1:3:6) to bottoms of foundations	27	Sm		
	<u>Reinforced concrete 1:2:4, as described, in:</u>				
K	Strip foundations	5	Cm		
L	150mm thick Surface bed	40	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	<u>Fabric reinforcement to B.S. 4483 and setting in concrete with 300mm side and end laps (measured net tallow for laps)</u> Fabric mesh ref: A98 in ground floor slab	40	Sm		
B	<u>Reinforcement Bars</u> Asorted Bars in Trenches	151	Kg		
C	<u>Sawn Formwork to:</u> Edges of ground floor slab over 75mm but not exceeding 150mm high	29	Lm		
D	<u>SUB-WALL</u> <u>Walling in natural coursed stone obtained from an approved quarry, jointed and bedded in gauged mortar (1:3)</u> 200mm Thick wall in foundations	45	Sm		
E	<u>PLINTH</u> <u>12mm Cement and sand (1:3)render on stone or concrete work</u> Concrete or masonry walling plinths	9	Sm		
F	<u>Prepare and apply two coats black bituminous paint to:</u> Rendered concrete or stone surfaces	9	Sm		
G	<u>Paving slab</u> 600 x 600 x 50mm thick precast concrete paving slabs on 50mm thick sand bed; Including all excavations and surface compaction.	27	Sm		
	Carried to Collection				-
	<u>COLLECTION</u> <u>SUBSTRUCTURES</u> Total Brought Forward from Page No. 1				-
	Total Brought Forward from Page No. 2 above				-
	Substructures Total Carried Forward to Summary of Ablution Block.				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>ELEMENT NO. 02: SUPERSTRUCTURES</u>				
	<u>Reinforced concrete 1:2:4, as described, in:</u>				
A	Beams	3	Cm		
	<u>Ribbed mild steel reinforcement in structural concrete work</u>				
B	Assorted bars	316	Kg		
	<u>Sawn Formwork to:-</u>				
C	Sides and soffits of beams	45	Sm		
	<u>WALLING</u>				
D	200mm wide; B.S. 743 Type A bitumen hessian base 150 mm laps	48	Lm		
F	External Walling 200mm thick approved local machine dressed natural stone	52	Sm		
G	Ditto but internal walls	50	Sm		
H	Ditto 200mm to Gable walls	6	Sm		
	<u>ROOFING</u>				
	<u>Pre-painted box profile gauge 30 fixed onto roof structure;</u>				
K	Roof covering not exceeding 45 degrees from horizontal;fixing to timber purlins (ms)	66	Sm		
L	28 Gauge purpose made Half round Ridge cap to ma	12	Lm		
	<u>CARPENTRY</u>				
	<u>The following in sawn celcured cypress</u>				
M	100 x 50mm sawn cypress tie beam	38	Lm		
N	100 x 50mm rafters	43	Lm		
P	100 x 50mm wall plate -bolted at 1200mm centres wit	22	Lm		
Q	100 x 50mm King post	10	Lm		
R	100 x 50mm Struts or Ties	38	Lm		
S	50 x 50mm sawn cypress purlins	98	Lm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
A	<u>Wrot cypress, prime grade</u> 150 x 25mm thick fascia board <u>PAINTING AND DECORATING</u> <u>Knot, Prime, Stop and Prepare and apply one undercoat and two finishing coats gloss oil paint on:</u>	35	Lm		
B	Surfaces over 100mm but not exceeding 200mm girth <u>RainWater Goods</u> <u>UPVC</u>	35	Lm		
C	110mm Diameter UPVC gutter fixed to fascia; including gutter clips, gutter ends and connectors.	24	Lm		
D	Extra over ditto for gutter outlet	2	No		
E	75mm UPVC Downpipe fixed with plastic pipe clips.	6	Lm		
F	Extra over for shoes and socketed bends to details.	2	No		
	Carried to Collection				-
	<u>COLLECTION</u> <u>SUPERSTRUCTURES</u> Total Brought Forward from Page No. 3 Total Brought Forward from Page No. 4 above				- -
	Superstructures Total Carried Forward to Summary of Ablution Block.				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>ELEMENT NO. 03: DOORS</u>				
	<u>Steel Casements door</u>				
	<u>Standard steel casement doors complete with hinges, bolts and locking devices assembled and primed with red oxide then fixed to opening including cutting and pinning lugs to masonry or concrete and bedding frame in cement and sand (1:3) mortar to outside of door comprising 25</u>				
A	Single Leaf Door size 900 x 2400mm high	2	No		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint on</u>				
B	General surfaces of mild steel Door	9	Sm		
	<u>Wrot celcured cypress framed frames and framings</u>				
C	100 x 50 mm; 2 No. labours; plugged door frame	59	Lm		
	<u>Flush Doors</u>				
D	45mm thick Semi-Solid Flush doors of approved samplesizes 800x2100mm	9	No		
	<u>Supply and fix the following to UNION catalogue or other equal and approved</u>				
E	100mm long Aluminium tower bolt	9	No		
F	150mm long Aluminium padlocking bolt	9	No		
G	100mm steel butt hinges	14	Prs		
	<u>Painting and Decorations - Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: -</u>				
H	General surfaces of timber doors on both sides	30	Sm		
J	Timber frames, over 100mm but not exceeding 200mm girth	59	Lm		
	Doors Total Carried Forward to Summary of Ablution Block.				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	ELEMENT NO. 04 : WINDOWS <u>MILD STEEL WINDOW FRAMES</u> <u>Supply and fix the following purpose made mild steel casement small panes (maximum size 200 x 300 mm) windows, with standard "Z" section framing including all coupling mullions etc and complete with polished brass handles, peg stays and other ironmongery; factory primed with red oxide primer including cutting and pinning fixing lugs to concrete or masonry work jambs; bedding in cement and sand (1:3) mortar, pointing all round frames in mastic, greasing, oiling and adjusting opening lights on completion all in accordance with the Architect's window schedule</u>				
A	Window overall size 1200 x 1500mm high ditto	4	No		
B	Window overall size 600 x 700mm high ditto	9	No		
	<u>GLAZING</u> <u>3mm frosted sheet glass and glazing to metal windows including fixing with approved putty</u>				
D	In panes not exceeding 0.10 square metres	11	Sm		
	<u>PAINTING</u> <u>Touch up primer ,prepare and apply two undercoats and one finishing coat gloss paint on metal work</u>				
E	General surfaces of mild steel windows (both sides)	22	Sm		
	<u>WINDOW CILL</u> 250 x 50mm thick machine cut stone window cill throated and bedded in cement and sand (1:3) mortar to racked external wall window cill: building ends to window jamb	10	Lm		
Doors Total Carried Forward to Summary of Ablution Block.					-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	ELEMENT NO. 04: FINISHES				
	<u>WALL FINISHES Internal</u>				
A	<u>20mm thick Cement Sand (1:3) plaster to:</u> Walls internally	107	Sm		
B	Ditto to receive Wall Tiles	81	Sm		
	<u>External</u>				
C	<u>20mm thick Cement Sand (1:3) Render to:</u> Walls externally	67	Sm		
D	Extra over stone walling for fair face for Keying	-	Sm		
	<u>PAINTING AND DECORATING</u>				
	<u>Prepare and apply one undercoat and two finishing coats silk vinyl emulsion paint on</u>				
E	General surfaces; plastered walls; internally	107	Sm		
	<u>Prepare surfaces: Apply an undercoat and two finishing coats of weather resistant permacoat paint on wall and column surfaces or other equal and approved: on rendered wall;</u>				
F	General surfaces; plastered walls; Externally	67	Sm		
	<u>FLOOR FINISHES</u>				
	<u>Cement and sand (1:4) Steel trowelled beds on concrete;</u>				
G	32 mm floor screed :wood floated to receive Tiles	40	Sm		
	<u>Tiling</u>				
	<u>Coloured approved ceramic tiles</u>				
H	300x300x8mm non slip ceramic floor tiling laid to screed bed(m.s) with appropriate adhesive and pointed in coloured grout.	40	Sm		
	<u>Coloured approved ceramic tiles</u>				
J	300x200x6mm ceramic wall tiling laid to 15mm thick wall plaster(m.s) and pointed in approved coloured grout.	81	Sm		
	Finishes Total Carried Forward to Summary of Ablution Block.				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
ELEMENT NO. 05: MECHANICAL INSTALLATIONS					
SANITARY FITTINGS					
Supply, deliver, install and fix the following sanitary fittings including all materials and jointing to supply, waste/soil and overflow pipes. Duravit products are specified only as indication of quality. Equal and approved appliances may be supplied. Where trade names are mentioned, the Ref. no is intended only as a guide to the type of quality of fittings.					
A	Asian type water closet suite in vitreous china comprising of water closet bowl with top plate and integral foot threads, with 'P' or 'S' trap connector	6	No		
Wash Hand Basin					
B	Pedestal wash hand basin size 380 x 300mm in vitreous china with one tap hole, 32mm diameter chrome chain waste, chain stay hole, chrome plated non-conclusive time delay press, Pillar tap and heavy duty chrome plated bottle trap (32mm 'P' trap) with 75mm seal. All fittings to be approved.	4	No		
INTERNAL PLUMBING WORKS					
Supply, deliver and install pipes, tubing and fittings as described and shown on drawings. The pipes shall be PPR pipes where exposed to adverse weather conditions and all conforming to the current European standards for PPR installations and to the Engineers approval, pipe jointing shall be by polyfusion or use of electric coupling. Rates must allow for all metal/plastic threaded adaptors where required for the connection of sanitary fixtures, valves sockets, sliding and fixed joints etc. as required in the running lengths of pipe work and also where necessary, for pipe fixing clips, holder bats plugged and screwed for proper and satisfactory functioning of the system. The pipes will be pressure tested before the plastering of wall commences and as per the manufacturers recommended testing pressure.					
PPR					
C	50 mm -diameter pipe-	28	Lm		
D	32mm -ditto-	18	Lm		
E	25mm -ditto-	27	Lm		
F	20mm -ditto-	33	Lm		
Reducers					
G	50x32 -reducing bracket-	1	No.		
H	50x25 -ditto-	2	No.		
J	32x25 -ditto-	5	No.		
K	25x20 -ditto-	18	No.		
Threaded Fittings					
L	20mm diameter male/female threaded 90° elbow	23	No.		
Carried to Collection					-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	Valves				
A	32mm dia. Approved medium pressure screw down full way non-rising stem wedge gate valve to BS 5154 or series b rating, with wheel and head joints to steel tubing and complete with male threaded transition fittings. The gate valve to be as "Pegler" or approved equivalent	2	No		
B	25mm - ditto-	3	No		
C	20mm diameter x 300mm long flexible connectors for connecting the sanitary fitting to water supply. To be as Cobra or equal and approved.	13	No		
	INTERNAL FOUL DRAINAGE				
	Supply, deliver and install the following UPVC, MUPVC, soil and waste system respectively to B.S 5255 with fittings fixed to manufacturers printed instructions and manufactured by reputable manufacturers. Tenderers must allow in their pipework prices for all the couplings, clippings, connectors, joints etc. as required in the running lengths of pipework and allow for connection to the nearest manholes and also where necessary, for pipe fixing clips, holder bats plugged and screwed for the proper and satisfactory functioning of the system.				
	UPVC and MUPVC Soil and Waste				
D	150mm diameter Heavy gauge golden brown UPVC pipe	12	Lm		
E	100mm diameter Heavy gauge grey UPVC pipe	28	Lm		
F	50mm -ditto-	23	Lm		
	Bends				
G	100mm diameter bend with access	13	No.		
H	50mm diameter sweep bend	4	No.		
J	100mm diameter WC connector	9	No.		
	Traps				
K	100 x 50mm diameter four way floor trap and grating	2	No.		
L	Standard 300 x 300 x 450mm masonry gully trap complete with 125mm reinforced concrete cover	4	No.		
	Weathering slates and vent cowl				
M	100mm weathering slate and apron	3	No.		
N	100mm vent cowl	2	No.		
P	Inspection channel complete with medium duty cast iron cover and rubber gasket(600 x 450 mm)	6	No.		
	Carried to Collection				-
	COLLECTION: MECHANICAL WORKS				
	FROM PAGE 8				-
	FROM PAGE 9 ABOVE				-
	TOTAL FOR MECHANICAL WORKS CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>SUMMARY- TOILET BLOCK</u>				
1.00	SUBSTRUCTURES				-
2.00	SUPERSTRUCTURES				-
3.00	DOORS				-
4.00	WINDOWS				-
5.00	FINISHES				-
6.00	MECHANICAL WORKS				0
	GRAND TOTAL FOR TOILET BLOCK CARRIES TO FORM OF TENDER				-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	<u>KITCHEN</u>				
	<u>ELEMENT NO.1 : SUBSTRUCTURES (ALL PROVISIONAL)</u>				
A	Excavate reduce levels average depth 500mm depth and cart away as directed.	80	Cm		
B	Excavate for strip foundation starting from reduced level not exceeding 1.5 meters deep and cart away the arising.	77	Cm		
C	Extra over excavation for excavating in rock.	3	Cm		
D	Return, fill-in and rum selected excavated material	43	Cm		
E	Remove and cart away from site surplus excavated material to area designated by Local Authority.	33	Cm		
	<u>PLUNKING AND STRUTTING</u>				
F	Allow for maintaining and supporting sides of excavations and for keeping the same free from fallen materials.	1	Sum		
	<u>DISPOSAL OF WATER</u>				
G	Allow for keeping excavations free of water and mud by pumping, bailing or other approved means.	1	Sum		
	<u>Filling</u>				
H	Hardcore filling in making up levels not exceeding 300mm thick, depositing and compacting in layers of 150mm maximum thickness	73	Sm		
J	50mm thick murram blinding to surfaces of fill	73	Sm		
	<u>Reinforcement in trench.</u>				
	<u>Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks</u>				
K	Assorted bars	157	Kg		
	<u>Reinforcement slab</u>				
	<u>Fabric; B.S. 4483</u>				
L	Reference A142 mesh 200 x 200 mm , weight 2.22 kgs per SqM	73	Sm		
	<u>Antitermite treatment</u>				
M	Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore.	73	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
A	<u>Concrete</u> 50mm thick mass concrete class Q (1:3:6) to bottoms of foundations	51	Sm		
B	<u>Insitu concrete; reinforced; class 20 / (20mm); vibrated in:-</u> Foundations in trenches irrespective of thickness	10	Cm		
C	150mm thick bed <u>Sawn formwork to insitu concrete as described:-</u>	73	Sm		
D	Edges of floor slab; 75 to 150mm wide <u>Damp proofing</u>	32	Lm		
E	500 gauge polythene or other equal and approved damp proof membrane laid under surface bed with 300mm side and end laps (measured nett- allow for laps)	73	Sm		
F	<u>Walling</u> 200mm thick approved local natural stone; roughly squared to foundation walling; bedding and jointing in cement sand (1:3) mortar <u>PLINTH</u> <u>12mm Cement and sand (1:3)render on stone or concrete work</u>	102	Sm		
G	Concrete or masonry walling plinths <u>Prepare and apply two coats black bituminous paint to:</u>	11	Sm		
H	Rendered concrete or stone surfaces <u>Paving slab</u>	11	Sm		
J	Supply and lay rows of pre-cast concrete slabs size 600 x 600mm laid on and including 50mm thick consolidated sand bed and 100mm thick murram sub-base - to fall and including all necessary excavations and anti-termite treatment to sub-base including 100mm thick concrete base haunching	57	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	ELEMENT NO. 3 : R.C. SUPERSTRUCTURE				
	Concrete work				
	<u>Vibrated reinforced concrete class 20/20mm, as described, in:-</u>				
A	Beams	3	CM		-
	Reinforcement(All provisional)				
	<u>Provide and lay deformed steel reinforcement including bends, hooks, tying wire, distance blocks and spacers in structural concrete work:Ribbed bar reinforcement as:-</u>				
B	8mm diameter bars	108	KG		-
C	12mm diameter bars	171	KG		-
	Sawn formwork				
D	Sides and soffits of beams	29	SM		-
	WALLING				
	External Walling				
	<u>Walling in machine cut natural stone obtained from an approved quarry, jointed in cement and sand (1:3) mortar and including 25g hoop iron reinforcement in every alternate course</u>				
E	200mm thick walling	134	SM		-
	Internal Walling				
	<u>Walling in machine cut natural stone obtained from an approved quarry, jointed in cement and sand (1:3) mortar and including 25g hoop iron reinforcement in every alternate course</u>				
F	150mm thick walling	30	SM		-
G	100mm thick walling	7	SM		-
	Dpc				
	<u>Three ply bituminous felt damp proof course bedded in cement and sand (1:3) mortar (measured net allow for laps)</u>				
H	200mm wide horizontal layer	32	LM		-
J	150mm thick walling	14	LM		-
K	100mm thick walling	8	LM		-
	TOTAL FOR CARRIED TO SUMMARY			KSHS	-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	<u>ELEMENT NO. 4: DOORS</u>				
	<u>Flush Door</u> 45mm thick solid core flush door to BS 459:Part 2, overall faced on both sides with scratch proof laminate to approval with rounded and post-formed edges to approval.				
A	Single door overall size 900 x 2100mm	4	NO		-
	<u>Wrot prime grade Mahogany</u> 150 x 50mm frame with four labours. Samples to be approved before mass production.				
B		20	LM		-
C	50 x 25mm Architrave	20	LM		-
D	25x 25mm Quadrant	20	LM		-
	<u>STEEL DOORS</u> Purpose made steel casement double door comprising of 30 x 4mm thick 'Z' and 'T' sections overall size 1200 x 2400mm high single door divided into two equal leaves, approved steel lock, fixing to masonry as per Architect's details and with one coat of red oxide primer				
E		2	NO.		-
	<u>Ironmongery</u> Supply and fix the following ironmongery with screws to match (Ref. is to Union Catalogue or other equal and approved)				
F	Three level mortise lock	4	NO		-
G	100mm steel butt hinges with steel screws	6	PRS		-
H	Rubber door stopper	4	NO		-
	<u>Painting and Decoration</u> Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: -				
J	General surfaces of frames over 200mm but not exceeding 200mm girth	60	LM		-
K	Back of wood not exceeding 100 mm girth	20	LM		-
L	General surfaces; timber doors	15	SM		-
M	Ditto but to steel doors	12	SM		-
	TOTAL FOR DOORS CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	ELEMENT NO. 4: ROOF <u>Roof Structure (All provisional)</u> <u>Structural timbers, sawn cypress pressure</u> <u>impregnated as described</u> <u>The following in Timber Trusses including hoisting and</u> <u>fixing in</u> <u>position approx 3200mm above ground floor slab</u> <u>including all necessary jointing (T1)</u>				
A	100x50mm; External members (Rafters and Joists)	73	LM		-
B	100x50mm; Internal members (Struts and Ties)	20	LM		-
	<u>Structural timbers, sawn cypress pressure</u> <u>impregnated as described</u>				
C	75 x 50mm Purlin members	97	LM		-
D	100x50 mm Wall plate secured with and including 12mm diameter mild steel anchor bolt 300mm long at 900mm centres cast in concrete ring beam	32	LM		-
	<u>Roof Covering</u> <u>Prepainted gauge 28 IT5 roofing sheets as Galsheet or</u> <u>equal and approved fixed to purlins (m.s) with</u> <u>approved nails .All to Approval</u>				-
E	Roof covering	96	SM		-
F	Ditto in matching ridge cap	9	LM		-
	<u>Fascia/ Barge Board</u> 200 x 25mm fascia or barge Board in Sawn cypress timber selected and kept clean	30	LM		-
	<u>Painting</u> <u>Prepare and apply one under coat and two finishing</u> <u>coats of gloss oil paint to</u>				
H	General surfaces of fascia/barge 200 - 300mm girth	30	LM		-
J	<u>RAIN WATER DISPOSAL</u> 150 mm UPVC Half round gutter fixed to fascia board with and including approved pattern brackets at 1000 mm cc	18	LM		-
K	Extra over gutter for stopped end piece with 100 mm diameter outlet	4	NO		-
	TOTAL CARRIED TO COLLECTION			KSHS	-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	RAIN WATER DISPOSAL <u>The following in G24 Galvanised mild steel</u>				
A	100mm diameter x 3 mm Thick cold rolled steel pipe fixed to natural stone walling with and including mild steel brackets 600mm centres	7	LM		-
B	Extra over down pipe for 100 mm diameter swan neck wall off set	2	NO		-
C	Extra over down pipe for 100 mm diameter rain water s	2	NO		-
	TOTAL CARRIED TO COLLECTION			KSHS	-
	<u>COLLECTION</u>				
	CARRIED TO COLLECTION FROM PAGE 7				-
	CARRIED TO COLLECTION FROM PAGE ABOVE				-
	TOTAL FOR ROOF CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	ELEMENT NO. 5:FINISHES				
	FLOOR FINISHES				
	<u>In-situ cement and sand (1:4) screeded beds, with wood floated finish, on concrete to receive ceramic tiles in:</u>				-
A	32 mm thick wood floated screed to receive non slip ceramic tiles (measured separately)	27	SM		-
	<u>Approved non-slip ceramic tiles and joint and point with matching cement and sand (1:3) mortar as described</u>				-
B	300 x 300 x 8mm thick in floors	27	SM		-
	Polished Terrazzo Paving				
C	40mm thick terrazzo floor comprising of 12mm thick cement and sand screed (1:3) backing and 28mm thick high quality polished terrazzo with patterns chippings of colours including dividing strips and all accessories.	46	SM		-
	INTERNAL WALL FINISHES				
	<u>13mm thick Cement Sand (1:3) plaster to:-</u>				
D	Walls, wood floated to receive glazed wall tiles	39	SM		-
E	Ditto but trowelled smooth to concrete and masonry surfaces internally	169	SM		-
	<u>Wall tiling:-</u>				
F	300 x 250 x 6mm ceramic wall tiles and fix with coloured cement to the satisfaction of the Architect including all required labours for any identified edges to be rounded	39	SM		-
	PAINTING AND DECORATING				
	<u>Prepare and apply one undercoat and two finishing coats silk vinyl emulsion paint on</u>				
G	General surfaces; plastered walls and concrete surfaces ; internally	169	SM		-
	EXTERNAL WALL FINISHES				
	<u>19mm thick cement sand (1:3) render as described to:</u>				
H	To masonry walls and concrete surfaces externally	144	SM		-
	<u>Prepare and apply one undercoat and two finishing coats exterior quality acrylic paint or other equal and approved acrylic resin bonded exterior surface paint</u>				
J	Rendered surfaces of stone walling and concrete surfaces externally.	144	SM		-
	TOTAL CARRIED TO COLLECTION			KSHS	-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	<u>FITTINGS AND FIXTURES</u> <u>JOINERY FITTINGS (ALL PROVISIONAL)</u> <u>Supply materials and assemble to completion the following joinery fittings as per the architect's details and specifications</u> <u>Low-level kitchen cabinets</u> A In - built low-level kitchen cabinet overall size 600 x 700mm high in painted blockboard doors, sides, shelves, divisions, bottom, drawers, 100mm thick natural stone under walls, reinforced concrete tops finished with stainless steel sheet including all necessary ironmongery and mass concrete (1:3) mix plinths <u>Shelf racks</u> B Mild steel shelf racks overall size 1600 x 600 x 2000mm high on steel framework to details <u>Worktops</u> C In - built worktops overall size 4000 x 600 x 700mm high comprising of 100mm thick natural stone under walls, reinforced concrete tops finished with 20mm thick granite slab top and fascias(m.s); plastered and painted sides of underwalls and soffites of worktop; internally E 20mm thick granite slab top and fascias; bedded and jointed with approved adhesives and grout F 100 mm concrete 1:3:6 plinth G Form work to plinth 75-150mm high H 25mm screed to plinths	13	LM		-
		3	NO.		-
		13	LM		-
		9	SM		-
		9	SM		-
		13	LM		-
		9	SM		-
	TOTAL CARRIED TO COLLECTION			KSHS	-
	<u>COLLECTION</u> CARRIED TO COLLECTION FROM PAGE 9 CARRIED TO COLLECTION FROM PAGE ABOVE				
	TOTAL FOR FINISHES CARRIED TO SUMMARY			KSHS	-

ELEMENT NO.	TITLE	PAGE NO.			AMOUNT
	<u>KITCHEN SUMMARY</u>				
1	SUBSTRUCTURES		Page/3		
2	RC SUPERSTRUCTURE C WALLING		Page/4		
3	WINDOWS		Page/5		
4	DOORS		Page/6		
5	ROOF		Page /8		-
6	FINISHES		Page/10		
7	Allow for a Provisional Sum of Kenya Shillings One Hundred Thousand (Kshs.100,000) only for Electrical Works		Sum		
8	Allow for a Provisional Sum of Kenya Shillings Four Hundred Thousand (Kshs.400,000) only for Mechanical Works to the Kitchen including Burners and related		Sum		
TOTAL CARRIED TO GRAND SUMMARY					

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	<u>LAUNDRY</u>				
	<u>ELEMENT NO.1 : SUBSTRUCTURES (ALL PROVISIONAL)</u>				
A	Excavate reduce levels average depth 500mm depth and cart away as directed.	53	Cm		
B	Excavate for strip foundation starting from reduced level not exceeding 1.5 meters deep and cart away the arising.	51	Cm		
C	Extra over excavation for excavating in rock.	3	Cm		
D	Return, fill-in and rum selected excavated material	29	Cm		
E	Remove and cart away from site surplus excavated material to area designated by Local Authority.	22	Cm		
	<u>PLUNKING AND STRUTTING</u>				
F	Allow for maintaining and supporting sides of excavations and for keeping the same free from fallen materials.	1	Sum		
	<u>DISPOSAL OF WATER</u>				
G	Allow for keeping excavations free of water and mud by pumping, bailing or other approved means.	1	Sum		
	<u>Filling</u>				
H	Hardcore filling in making up levels not exceeding 300mm thick, depositing and compacting in layers of 150mm maximum thickness	73	Sm		
J	50mm thick murram blinding to surfaces of fill	73	Sm		
	<u>Reinforcement in trench.</u>				
	<u>Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks</u>				
K	Assorted bars	157	Kg		
	<u>Reinforcement slab</u>				
	<u>Fabric; B.S. 4483</u>				
L	Reference A142 mesh 200 x 200 mm , weight 2.22 kgs per SqM	73	Sm		
	<u>Antitermite treatment</u>				
M	Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore.	73	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
A	<u>Concrete</u> 50mm thick mass concrete class Q (1:3:6) to bottoms of foundations	34	Sm		
B	<u>Insitu concrete; reinforced; class 20 / (20mm); vibrated in:-</u> Foundations in trenches irrespective of thickness	7	Cm		
C	150mm thick bed	73	Sm		
D	<u>Sawn formwork to insitu concrete as described:-</u> Edges of floor slab; 75 to 150mm wide	32	Lm		
E	<u>Damp proofing</u> 500 gauge polythene or other equal and approved damp proof membrane laid under surface bed with 300mm side and end laps (measured nett- allow for laps)	73	Sm		
F	<u>Walling</u> 200mm thick approved local natural stone; roughly squared to foundation walling; bedding and jointing in cement sand (1:3) mortar	68	Sm		
G	<u>PLINTH</u> <u>12mm Cement and sand (1:3)render on stone or concrete work</u> Concrete or masonry walling plinths	11	Sm		
H	<u>Prepare and apply two coats black bituminous paint to:</u> Rendered concrete or stone surfaces	11	Sm		
J	<u>Paving slab</u> Supply and lay rows of pre-cast concrete slabs size 600 x 600mm laid on and including 50mm thick consolidated sand bed and 100mm thick murram sub-base - to fall and including all necessary excavations and anti-termite treatment to sub-base including 100mm thick concrete base haunching	38	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	ELEMENT NO. 3 : R.C. SUPERSTRUCTURE				
	Concrete work				
	<u>Vibrated reinforced concrete class 20/20mm, as described, in:-</u>				
A	Beams	2	CM		-
	Reinforcement(All provisional)				-
	<u>Provide and lay deformed steel reinforcement including bends, hooks, tying wire, distance blocks and spacers in structural concrete work:Ribbed bar reinforcement as:-</u>				
B	8mm diameter bars	72	KG		-
C	12mm diameter bars	114	KG		-
	Sawn formwork				
D	Sides and soffits of beams	19	SM		-
	WALLING				
	External Walling				
	<u>Walling in machine cut natural stone obtained from an approved quarry, jointed in cement and sand (1:3) mortar and including 25g hoop iron reinforcement in every alternate course</u>				
E	200mm thick walling	134	SM		-
	Internal Walling				
	<u>Walling in machine cut natural stone obtained from an approved quarry, jointed in cement and sand (1:3) mortar and including 25g hoop iron reinforcement in every alternate course</u>				
F	150mm thick walling	30	SM		-
G	100mm thick walling	7	SM		-
	Dpc				-
	<u>Three ply bituminous felt damp proof course bedded in cement and sand (1:3) mortar (measured net allow for laps)</u>				-
H	200mm wide horizontal layer	32	LM		-
J	150mm thick walling	14	LM		-
K	100mm thick walling	8	LM		-
	TOTAL FOR CARRIED TO SUMMARY			KSHS	-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	<u>ELEMENT NO. 4: DOORS</u>				
	<u>Flush Door</u> 45mm thick solid core flush door to BS 459:Part 2, overall faced on both sides with scratch proof laminate to approval with rounded and post-formed edges to approval.				
A	Single door overall size 900 x 2100mm	4	NO		-
	<u>Wrot prime grade Mahogany</u> 150 x 50mm frame with four labours. Samples to be approved before mass production.				
B		20	LM		-
C	50 x 25mm Architrave	20	LM		-
D	25x 25mm Quadrant	20	LM		-
	<u>STEEL DOORS</u> Purpose made steel casement double door comprising of 30 x 4mm thick 'Z' and 'T' sections overall size 1200 x 2400mm high single door divided into two equal leaves, approved steel lock, fixing to masonry as per Architect's details and with one coat of red oxide primer				
E		2	NO.		-
	<u>Ironmongery</u> Supply and fix the following ironmongery with screws to match (Ref. is to Union Catalogue or other equal and approved)				
F	Three level mortise lock	4	NO		-
G	100mm steel butt hinges with steel screws	6	PRS		-
H	Rubber door stopper	4	NO		-
	<u>Painting and Decoration</u> Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: -				
J	General surfaces of frames over 200mm but not exceeding 200mm girth	60	LM		-
K	Back of wood not exceeding 100 mm girth	20	LM		-
L	General surfaces; timber doors	15	SM		-
M	Ditto but to steel doors	12	SM		-
	TOTAL FOR DOORS CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	ELEMENT NO. 4: ROOF <u>Roof Structure (All provisional)</u> <u>Structural timbers, sawn cypress pressure</u> <u>impregnated as described</u> <u>The following in Timber Trusses including hoisting and</u> <u>fixing in</u> <u>position approx 3200mm above ground floor slab</u> <u>including all necessary jointing (T1)</u>				
A	100x50mm; External members (Rafters and Joists)	73	LM		-
B	100x50mm; Internal members (Struts and Ties)	20	LM		-
	<u>Structural timbers, sawn cypress pressure</u> <u>impregnated as described</u>				
C	75 x 50mm Purlin members	97	LM		-
D	100x50 mm Wall plate secured with and including 12mm diameter mild steel anchor bolt 300mm long at 900mm centres cast in concrete ring beam	32	LM		-
	<u>Roof Covering</u> <u>Prepainted gauge 28 IT5 roofing sheets as Galsheet or</u> <u>equal and approved fixed to purlins (m.s) with</u> <u>approved nails .All to Approval</u>				-
E	Roof covering	96	SM		-
F	Ditto in matching ridge cap	9	LM		-
	<u>Fascia/ Barge Board</u> 200 x 25mm fascia or barge Board in Sawn cypress timber selected and kept clean	30	LM		-
	<u>Painting</u> <u>Prepare and apply one under coat and two finishing</u> <u>coats of gloss oil paint to</u>				
H	General surfaces of fascia/barge 200 - 300mm girth	30	LM		-
J	<u>RAIN WATER DISPOSAL</u> 150 mm UPVC Half round gutter fixed to fascia board with and including approved pattern brackets at 1000 mm cc	18	LM		-
K	Extra over gutter for stopped end piece with 100 mm diameter outlet	4	NO		-
	TOTAL CARRIED TO COLLECTION			KSHS	-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	RAIN WATER DISPOSAL <u>The following in G24 Galvanised mild steel</u>				
A	100mm diameter x 3 mm Thick cold rolled steel pipe fixed to natural stone walling with and including mild steel brackets 600mm centres	7	LM		-
B	Extra over down pipe for 100 mm diameter swan neck wall off set	2	NO		-
C	Extra over down pipe for 100 mm diameter rain water s	2	NO		-
	TOTAL CARRIED TO COLLECTION			KSHS	-
	<u>COLLECTION</u>				
	CARRIED TO COLLECTION FROM PAGE 7				-
	CARRIED TO COLLECTION FROM PAGE ABOVE				-
	TOTAL FOR ROOF CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	ELEMENT NO. 5:FINISHES				
	FLOOR FINISHES				
	<u>In-situ cement and sand (1:4) screeded beds, with wood floated finish, on concrete to receive ceramic tiles in:</u>				-
A	32 mm thick wood floated screed to receive non slip ceramic tiles (measured separately)	27	SM		-
	<u>Approved non-slip ceramic tiles and joint and point with matching cement and sand (1:3) mortar as described</u>				-
B	300 x 300 x 8mm thick in floors	27	SM		-
	Polished Terrazzo Paving				
C	40mm thick terrazzo floor comprising of 12mm thick cement and sand screed (1:3) backing and 28mm thick high quality polished terrazzo with patterns chippings of colours including dividing strips and all accessories.	46	SM		-
	INTERNAL WALL FINISHES				
	<u>13mm thick Cement Sand (1:3) plaster to:-</u>				
D	Walls, wood floated to receive glazed wall tiles	39	SM		-
E	Ditto but trowelled smooth to concrete and masonry surfaces internally	169	SM		-
	<u>Wall tiling:-</u>				
F	300 x 250 x 6mm ceramic wall tiles and fix with coloured cement to the satisfaction of the Architect including all required labours for any identified edges to be rounded	39	SM		-
	PAINTING AND DECORATING				
	<u>Prepare and apply one undercoat and two finishing coats silk vinyl emulsion paint on</u>				
G	General surfaces; plastered walls and concrete surfaces ; internally	169	SM		-
	EXTERNAL WALL FINISHES				
	<u>19mm thick cement sand (1:3) render as described to:</u>				
H	To masonry walls and concrete surfaces externally	144	SM		-
	<u>Prepare and apply one undercoat and two finishing coats exterior quality acrylic paint or other equal and approved acrylic resin bonded exterior surface paint</u>				
J	Rendered surfaces of stone walling and concrete surfaces externally.	144	SM		-
	TOTAL CARRIED TO COLLECTION			KSHS	-

Item	Description	Qty	Unit	Rate	Amount (Kshs)
	<u>FITTINGS AND FIXTURES</u> <u>JOINERY FITTINGS (ALL PROVISIONAL)</u> <u>Supply materials and assemble to completion the following joinery fittings as per the architect's details and specifications</u> <u>Low-level kitchen cabinets</u> A In - built low-level kitchen cabinet overall size 600 x 700mm high in painted blockboard doors, sides, shelves, divisions, bottom, drawers, 100mm thick natural stone under walls, reinforced concrete tops finished with stainless steel sheet including all necessary ironmongery and mass concrete (1:3) mix plinths <u>Shelf racks</u> B Mild steel shelf racks overall size 1600 x 600 x 2000mm high on steel framework to details <u>Worktops</u> C In - built worktops overall size 4000 x 600 x 700mm high comprising of 100mm thick natural stone under walls, reinforced concrete tops finished with 20mm thick granite slab top and fascias(m.s); plastered and painted sides of underwalls and soffites of worktop; internally E 20mm thick granite slab top and fascias; bedded and jointed with approved adhesives and grout F 100 mm concrete 1:3:6 plinth G Form work to plinth 75-150mm high H 25mm screed to plinths	13	LM		-
		3	NO.		-
		13	LM		-
		9	SM		-
		9	SM		-
		13	LM		-
		9	SM		-
	TOTAL CARRIED TO COLLECTION			KSHS	-
	<u>COLLECTION</u> CARRIED TO COLLECTION FROM PAGE 9 CARRIED TO COLLECTION FROM PAGE ABOVE				
	TOTAL FOR FINISHES CARRIED TO SUMMARY			KSHS	-

ELEMENT NO.		TITLE	PAGE NO.		AMOUNT
		<u>LAUNDRY SUMMARY</u>			
1		SUBSTRUCTURES		Page/3	
2		RC SUPERSTRUCTURE C WALLING		Page/4	
3		WINDOWS		Page/5	
4		DOORS		Page/6	
5		ROOF		Page /8	-
6		FINISHES		Page/10	
7		Allow for a Provisional Sum of Kenya Shillings One Hundred Thousand (Kshs.100,000) only for Electrical Works		Sum	
8		Allow for a Provisional Sum of Kenya Shillings Two Hundred Thousand (Kshs.200,000) only for Mechanical Works to the Laundry Excluding Laundry		Sum	
TOTAL CARRIED TO GRAND SUMMARY					

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>BILL NO. 05: COVERED WALKWAYS</u>				
A	Excavate oversite to remove top vegetable soil average 300mm thick, lad and remove from site	360	Sm		
B	Approved 150mm thick hardcore filling well watered and consolidated in layers not exceeding 150mm thick	360	Sm		
C	50mm thick quarry dust blinding on hardcore(m.s)	360	Sm		
D	600 x 600 x 50mm thick precast concrete paving slabs on 50mm thick consolodated sand bed(m.s) including treating surfaces with herbicide treatment	360	Sm		
E	150 x 100mm thick insitu concrete kerb including excavations and all necessary formwork.	300	Lm		
F	Excavate for column pits n.e 1.5 m starting from stripped level and remove from site.	22	Cm		
	<u>Reinforced concrete Class 20 (1:2:4), as described, in:-</u>				
G	Steel Columns encasing and and benches	22	Cm		
H	Ditto but in ramps	3	Cm		
	<u>STRUCTURAL STEELWORK</u>				
	<u>WELDABLE; B.S. 449 PART 2</u>				
	<u>Framed; bolted and welded site connections including priming after fabrication;</u>				
	<u>All Measured Net. Allow for for connections and all other necessary accessories.</u>				
J	75x75x3mm SHS- Column- Inclusive of Mild steel hooks to be fixed into concrete.	300	Lm		
K	50x50x2mm Horizontal Members	450	Lm		
	<u>ROOFING</u>				
	<u>Pre-painted box profile gauge 28 fixed onto roof structure;</u>				
L	Roof covering not exceeding 45 degrees from horizontal;fixing to timber purlins (ms)	330	Sm		
M	28 Gauge purpose made Half round Ridge cap to match	154	Lm		
	Total carried to collection				-

Item	Description	Qty	Unit	Rate	Amount (Ksh.)
	<u>CARPENTRY</u>				
	<u>The following in sawn celcured cypress</u>				
A	100 x 50mm sawn cypress tie beam	250	Lm		
B	100 x 50mm rafters	320	Lm		
C	100 x 50mm wall plate	300	Lm		
D	100 x 50mm King post	60	Lm		
E	100 x 50mm Struts or Ties	240	Lm		
F	50 x 50mm sawn cypress purlins	900	Lm		
	<u>Wrot cypress, prime grade</u>				
G	150 x 25mm thick fascia board	300	Lm		
	<u>PAINTING AND DECORATING</u>				
	<u>Knot, Prime, Stop and Prepare and apply one undercoat and two finishing coats gloss oil paint on:</u>				
H	Surfaces over 100mm but not exceeding 200mm girth	300	Lm		
	<u>Prepare surfaces and apply three coats of approved paint to mild steel metal surfaces; spray painted to approval</u>				
J	Steel Surfaces	180	Sm		
	Total carried to collection				-
	<u>COLLECTION: COVERED WALKWAYS</u>				
	Brought forward from page 1				-
	Brought forward from page 2 above				-
	TOTAL FOR COVERED WALKWAYS CARRIED TO GRAND SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount
	<u>BURNING CHAMBER</u>				
	<u>SUBSTRUCTURE</u>				
	<u>Excavation and EarthWorks</u>				
A	Clear site of all grass and small trees not exceeding 200mm girth and cart away or burn arisings.	17	Sm		
B	Excavate oversite to remove top vegetable soil average 250mm deep and spread as directed on site	17	Sm		
C	Excavate for foundation strip footing in normal soil not exceeding 1.5m deep.	10	Cm		
D	Excavate for Pit in normal soil not exceeding 1.5m deep.	1	Cm		
E	Return fill and ram selected excavated material around foundations	5	Cm		
F	Load, wheel and cart away from site surplus excavated material and deposit in approved dumping area	6	Cm		
G	Allow for keeping excavations free from all water by pumping or otherwise	1	Item		
H	Ditto; for plunking and strutting to sides of excavations	1	Item		
J	300mm thick (average) approved broken quarry stone hardcore filling in two equal layers well compacted	11	Sm		
K	50mm thick stone dust blinding to surfaces of hardcore	11	Sm		
	<u>50mm blinding in plain concrete (1:4:8 - class 15/20mm) to:</u>				
L	Strip footing	10	Sm		
	<u>Concrete in class 20/20mm 1:2:4 to;</u>				
M	Strip footing	2	Cm		
N	100mm thick Slab	11	Sm		
P	Steel fabric mesh reinforcement type A142 weighing 2.22Kg/ M ² and to BS 4483 and with 150mm side laps (measured net - no allowance for laps	11	Sm		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount
A	<u>High tensile square twisted bars BS 4461 as described in</u> 8 mm diameter bars	20	Kg		
B	10 mm diameter bars	37	Kg		
C	<u>Sawn formwork to:</u> Sides of strip footing	3	Sm		
D	Edges of ground floor bed exceeding 75mm but not exceeding 100mm girth.	14	Lm		
E	500 gauge polythene sheeting laid under concrete floor bed	11	Sm		
F	<u>Masonry</u> 200mm thick natural stone walling; quarry dressed bedded and jointed in cement sand (1:3) mortar; reinforced with hoop iron at alternate courses	14	Sm		
G	<u>Plinth Treatment</u> 12mm thick cement sand 1:4 render to plinth surfaces	4	Sm		
H	Prepare and apply three coats of bitumastic paint to rendered surfaces.	4	Sm		
	Total Carried to Collection				-
	<u>COLLECTION: SUBSTRUCTURES</u> Brought Forward from Page 1				-
	Brought Forward from Page 2				-
	Substructures Total Carried To Summary				-

Item	Description	Qty	Unit	Rate	Amount
	<u>SUPERSTRUCTURES</u>				
	<u>WALLING</u>				
A	200mm wide; B.S. 743 Type A bitumen hessian base 150 mm laps	15	Lm		
B	External Walling 200mm thick approved local machine dressed natural stone	22	Sm		
	<u>Reinforced concrete 1:2:4, as described, in:</u>				
C	Brest and Flue Lintels	1	Cm		
	<u>Ribbed mild steel steel reinforcement in structural concrete work</u>				
D	Assorted bars	71	Kg		
	<u>Sawn Formwork to:-</u>				
E	Sides and soffits of Lintels	7	Sm		
	<u>ROOFING</u>				
	<u>Pre-painted box profile gauge 28 fixed onto roof structure;</u>				
F	Roof covering not exceeding 45 degrees from horizontal;fixing to timber purlins (ms)	20	Sm		
G	28 Gauge purpose made Half round Ridge cap to match	10	Lm		
	<u>Steel Structures</u>				
	<u>The following in purpose fabricated structural steel truss roof members, assembled and welded together, factory primed with red oxide primer including cutting and pinning fixing lugs to steel framework and hoisting and fixing in position 4500mm above finished ground floor level</u>				
H	100 x 50 x 4mm RHS in external/internal truss girder members	12	Lm		
J	75 x 50 x 4mm RHS in external/internal truss girder members	12	Lm		
K	100 x 50mm wall plate rag-bolted at 1200mm centres with 12mm diameter bolts (m/s)	5	Lm		
L	50 x 50 x 4mm SHS in external/internal truss girder members	14	Lm		
N	75 x 63 x 2.5mm Zed purlins	14	Lm		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount
	<u>METALWORK</u>				
A	<u>Incinerator Doors</u> Mild steel door; in One No leaf; 50 x 50 x3mm thick Z-sections frame all round, built into wall with 100mm long 20 x 20 x 2mm thick rectangular hollow section stiles, top and bottom rails; 3 No. 25 x 25 x 2mm thick horizontal infills; faced both sides with 16 gauge sheet in panels welded to frame; all welding ground to smooth finish over all size 600 x 400mm high including 2 No. purpose made hinges welded to frame and post; 1 No. 300mm drop bolts and 1 No. padlock hasp and staple all welded	1	No		
B	<u>Metal Steel Grill</u> 1000mm x 1000mm mesh made of T16 welded together and fixed to the wall of the outside incinerator	1	No		
	<u>DOORS</u>				
	<u>Standard steel casememt doors complete with hinges,bolts and locking devices assembled and primed with red oxide then fixed to opening including cuttting and pinning lugs to masonry or concrete and bedding frame in cement and sand (1:3) mortar to outside of door comprising 25</u>				
C	Grill Door size 900 x 2100mm high	1	No		
D	<u>Metal Grills</u> 900mm high Grill; mild steel Grill, 25 mm diamater Vertical Members at 200mm centres in 1000mm repetitive patterns with one end grouted to Wall and the other end fixed to Wallplate; all as per Architect's detail; spray painted to approval <u>Prepare and apply one undercoat and two finishing coats gloss paint on</u>	12	Lm		
E	General surfaces of mild steel	27	Sm		
	<u>CHIMNEY</u>				
F	Supply and install and commision heavy duty 200mm diameter, 22mm thick mild steel chimney to the incinerator; Complete with Steel Chimney Cap.	4	Lm		
	Total Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount
	<u>Finishes</u>				
A	12mm thick cement sand plaster to walls internal mix 1:3 in two coats to concrete or blockwork base finished smooth with wood float	22	Sm		
B	Ditto; but walls externally	22	Sm		
C	Prepare and apply one undercoat; two finishing coats of gloss oil paint as 'Crown' or other equal and approved to metal general surfaces; internally	22	Sm		
D	Ditto Externally	22	Sm		
	<u>Breast and Flue</u>				
E	50mm thick clay red bricks facing in cement sand 1:3 mortar	5	Sm		
	Total Carried to Collection				-
	<u>COLLECTION: SUPERSTRUCTURES</u>				
	Brought Forward from Page 3				-
	Brought Forward from Page 4				-
	Brought Forward from Page 5 Above				-
	Superstructures Total Carried To Summary				-

Item	Description	Qty	Unit	Rate	Amount
	<u>SUMMARY: BURNING CHAMBER</u>				
	SUBSTRUCTURES				-
	SUPERSTRUCTURES				-
	TOTAL FOR BURNING CHAMBER CARRIED TO GRAND SUMMARY PAGE				-

Item	Description	Qty	Unit	Rate	Amount
A	<u>SEPTIC TANK</u> Clear Site and Excavate oversite to reduced level; average 300mm deep cart away and deposit surplus excavated material where directed by architect. <i><u>Excavations including maintaining and supporting sides and keeping free from water ,mud and fallen material</u></i>	36	Sm		
B	For tanks commencing at ground levels not exceeding 1.50 metres deep	54	Cm		
C	Ditto 1.50 to 3.0 metres deep	54	Cm		
D	Extra over Excavations for Excavations in Rock of any Class irrespective of depths	20	Cm		
E	<u>Backfilling and disposal</u> Load and cart away surplus soil	108	Cm		
F	<u>Plain Concrete class 15</u> 50mm blinding under base slab <i><u>Vibrated reinforced concrete class 20;including plastocrete integral waterproofing concrete admixture at 0.5% of weight of cement in concrete mix</u></i>	36	Sm		
G	200mm surface bed	36	Sm		
H	150mm suspended slab	36	Sm		
J	100mm wall	6	Sm		
K	Beams	3	Cm		
L	<u>Walling in natural coursed stone obtained from an approved quarry, bedded and jointed in gauged mortar (1:3)</u> 200mm thick walling.	90	Sm		
M	<u>Reinforcement (Provisional)</u> <u>High yield deformed steel bar reinforcement to B.S 4449</u> Assorted bars of various sizes	1,479	Kg		
N	<u>Steel mesh fabric reinforcement to BS 4483 : including setting in concrete with 300mm laps(measured nett : no allowance for laps)</u> Mesh reference A142 weighing 2.22 kilogrammes per square metre in floor beds.	36	Sm		
	Total carried to collection				-

Item	Description	Qty	Unit	Rate	Amount
	<u>Formwork</u>				
A	Soffits of slabs	36	Sm		
B	Sides of walls	12	Sm		
C	Edges of Slab 75 to 150mm high	26	Lm		
D	Edges of the bed 150 to 225mm high	26	Lm		
E	Boxing to form opening through slab, size and thickness 600 x 450 x 200mm	2	No		
	<u>FINISHES</u>				
F	15mm thick cement sand (1:3) plaster,with waterproofing element additive to wall surface	95	Sm		
G	Dito but 32mm screed to floor	31	Sm		
	<u>Waterproofing as "Penetron/hyseal" or other equal and approved sealant in accordance with the manufacturer's instructions</u>				
H	Walls	95	Sm		
J	Floor	31	Sm		
K	600 x 450mm wide Heavy duty tank cover comprising 50 x 50 x 2mm thick frame all round infilled with 6mm thick chequered plate; fixed to 75 x 50 x 3mm thick angle frame with 2No. Approved heavy duty hinges;including grinding joints after welding, heavy duty galvanising after fabrication and fixing cover and frame to concrete using approved holderbats all to Architect approval	2	No		
	Total carried to collection				-
	<u>COLLECTION: SEPTIC TANK</u>				
	From Page /1				-
	From page /2 above				-
	SEPTIC TANK CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount
	<u>SOAK PITS</u> <i><u>Excavations including maintaining and supporting sides and keeping free from water ,mud and fallen material</u></i>				
A	Mass Excavation commencing at ground levels not exceeding 1.50 metres deep	19	Cm		
B	Ditto 1.50 to 3.0 metres deep	19	Cm		
C	Ditto 3.0 to 4.5 metres deep	19	Cm		
D	Extra over Excavations for Excavations in Rock of any Class irrespective of depths	19	Cm		
	<u>Disposal</u>				
E	Load and cart away surplus excavated soil	57	Cm		
	<u>Backfill</u>				
F	Approved Bluestone hardcore fill of approved size	57	Cm		
	<u>Walling in natural coursed stone obtained from an approved quarry, bedded and jointed in gauged mortar (1:3)</u>				
G	200mm thick walling.	18	Sm		
	<u>Reinforced vibrated insitu concrete; class 20/20 (1:2:4 mix) using ordinary portland cement in:</u>				
H	150mm thick Slab	13	Sm		
J	600 x 450mm widemedium duty tank cover comprising 50 x 50 x 2mm thick frame all round infilled with 6mm thick chequered plate; fixed to 75 x 50 x 3mm thick angle frame with 2No. Approved heavy duty hinges;including grinding joints after welding, heavy duty galvanising after fabrication and fixing cover and frame to concrete using approved holderbats all to Architect approval	1	No		
	SOAKPITS CARRIED TO SUMMARY				-

Item	Description	Qty	Unit	Rate	Amount
	<u>SUMMARY: FOUL DRAINAGE WORKS</u>				
	SEPTIC TANK				-
	SOAK PITS				-
	GRAND TOTAL FOR SEPTIC TANK				-

Item	Description	Qty	Unit	Rate	Amount
	<u>THE PROPOSED GENERATOR HOUSE</u> <u>ELEMENT NO. 01: SUBSTRUCTURES "All Provisional"</u> <u>EXCAVATIONS</u> <u>Excavations including maintaining and supporting sides and keeping free from water, mud and fallen material</u>				
A	Clear Site and Excavate oversite to reduced level; average 300mm deep cart away and deposit surplus excavated material where directed by architect.	33	Sm		
B	Excavate foundation trench not exceeding 1.5 metres deep starting from reduced level and stockpile on site as directed	17	Cm		
	<u>FILLINGS / DISPOSAL</u>				
C	Return, fill and ram selected Excavated material around foundations.	8	Cm		
D	Load, wheel and landscape surplus excavated material where directed by architect	9	Cm		
	<u>Hardcore filling</u>				
E	250mm thick Hardcore fill under floors, hand packed and compacted in 150mm layers	22	Sm		
F	Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore.	22	Sm		
G	50mm thick quarry dust blinding laid on hardcore (m.s	22	Sm		
	<u>Damp proof membrane</u>				
H	500 gauge polythene or other equal and approved damp proof membrane laid under surface bed with 300mm side and end laps (measured nett- allow for laps)	22	Sm		
J	50mm thick mass concrete class Q (1:3:6) to bottoms of foundations	14	Sm		
	<u>Reinforced concrete 1:2:4, as described, in:</u>				
K	Strip foundations	3	Cm		
L	150mm thick Surface bed	22	Sm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount
A	<u>Fabric reinforcement to B.S. 4483 and setting in concrete with 300mm side and end laps (measured net tallow for laps)</u> Fabric mesh ref: A98 in ground floor slab	22	Sm		
B	<u>Reinforcement Bars</u> Asorted Bars in Trenches	126	Kg		
C	<u>Sawn Formwork to:</u> Edges of ground floor slab over 75mm but not exceeding 150mm high	19	Lm		
D	<u>SUB-WALL</u> <u>Walling in natural coursed stone obtained from an approved quarry, jointed and bedded in gauged mortar (1:3)</u> 200mm Thick wall in foundations	28	Sm		
E	<u>PLINTH</u> <u>12mm Cement and sand (1:3)render on stone or concrete work</u> Concrete or masonry walling plinths	6	Sm		
F	<u>Prepare and apply two coats black bituminous paint to:</u> Rendered concrete or stone surfaces	6	Sm		
G	<u>Paving slab</u> 600 x 600 x 50mm thick precast concrete paving slabs on 50mm thick sand bed; Including all excavations and surface compaction.	11	Sm		
	Carried to Collection				-
	<u>COLLECTION</u> <u>SUBSTRUCTURES</u> Total Brought Forward from Page No. 1 Total Brought Forward from Page No. 2 above				- -
	Substructures Total Carried Forward to Summary of GENERATOR Hous				-

Item	Description	Qty	Unit	Rate	Amount
	<u>ELEMENT NO. 02: SUPERSTRUCTURES</u>				
A	<u>Reinforced concrete 1:2:4, as described, in:</u> Beams	1	Cm		
B	<u>Ribbed mild steel reinforcement in structural concrete work</u> Assorted bars	244	Kg		
C	<u>Sawn Formwork to:-</u> Sides and soffits of beams	18	Sm		
D	<u>WALLING</u> 200mm wide; B.S. 743 Type A bitumen hessian base 150 mm laps	14	Lm		
E	External Walling 200mm thick approved local machine dressed natural stone	37	Sm		
F	Ditto but internal walls	-	Sm		
G	Ditto 200mm to Gable walls	6	Sm		
	<u>ROOFING</u> <u>Pre-painted box profile gauge 30 fixed onto roof structure;</u>				
H	Roof covering not exceeding 45 degrees from horizontal;fixing to timber purlins (ms)	41	Sm		
J	28 Gauge purpose made Half round Ridge cap to ma	7	Lm		
	<u>CARPENTRY</u> <u>The following in sawn celcured cypress</u>				
K	100 x 50mm sawn cypress tie beam	37	Lm		
L	100 x 50mm rafters	40	Lm		
M	100 x 50mm wall plate -bolted at 1200mm centres wi	18	Lm		
N	100 x 50mm King post	8	Lm		
P	100 x 50mm Struts or Ties	40	Lm		
Q	50 x 50mm sawn cypress purlins	39	Lm		
	Carried to Collection				-

Item	Description	Qty	Unit	Rate	Amount
A	<u>Wrot cypress, prime grade</u> 150 x 25mm thick fascia board <u>PAINTING AND DECORATING</u> <u>Knot, Prime, Stop and Prepare and apply one</u> <u>undercoat and two finishing coats gloss oil paint on:</u>	18	Lm		
B	Surfaces over 100mm but not exceeding 200mm girt <u>RainWater Goods</u> <u>UPVC</u>	18	Lm		
C	110mm Diameter UPVC gutter fixed to fascia; including gutter clips, gutter ends and connectors.	18	Lm		
D	Extra over ditto for gutter outlet	2	No		
E	75mm UPVC Downpipe fixed with plastic pipe clips.	8	Lm		
F	Extra over for shoes and socketed bends to details.	2	No		
	Carried to Collection				-
	<u>COLLECTION</u> <u>SUPERSTRUCTURES</u> Total Brought Forward from Page No. 3 Total Brought Forward from Page No. 4 above				- -
	Superstructures Total Carried Forward to Summary of GENERATOR Ho				-

Item	Description	Qty	Unit	Rate	Amount
	<u>ELEMENT NO. 03: DOORS</u>				
	<u>Steel Casements door</u>				
	<u>Standard steel casement doors complete with hinges,bolts and locking devices assembled and primed with red oxide then fixed to opening including cutting and pinning lugs to masonry or concrete and bedding frame in cement and sand (1:3) mortar to outside of door comprising 25</u>				
A	Single Leaf Door size 1500 x 2400mm high	1	No		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint on</u>				
B	General surfaces of mild steel Door	7	Sm		
	<u>Wrot celcured cypress framed frames and framings</u>				
C	100 x 50 mm; 2 No. labours; plugged door frame	-	Lm		
	<u>Flush Doors</u>				
D	45mm thick Semi-Solid Flush doors of approved samplesizes 800x2100mm	-	No		
	<u>Supply and fix the following to UNION catalogue or other equal and approved</u>				
E	100mm long Aluminium tower bolt	-	No		
F	150mm long Aluminium padlocking bolt	-	No		
G	100mm steel butt hinges	-	Prs		
	<u>Painting and Decorations - Prepare and apply three coats oil paint full gloss to Crown Solo or other equal and approved to: -</u>				
H	General surfaces of timber doors on both sides	-	Sm		
J	Timber frames,over 100mm but not exceeding 200mm girth	-	Lm		
	Doors Total Carried Forward to Summary of GENERATOR House.				-

Item	Description	Qty	Unit	Rate	Amount
	<u>ELEMENT NO. 04 : WINDOWS</u> <u>MILD STEEL WINDOW FRAMES</u> <u>Supply and fix the following purpose made mild steel casement small panes (maximum size 200 x 300 mm) windows, with standard "Z" section framing including all coupling mullions etc and complete with polished brass handles, peg stays and other ironmongery; factory primed with red oxide primer including cutting and pinning fixing lugs to concrete or masonry work jambs; bedding in cement and sand (1:3) mortar, pointing all round frames in mastic, greasing, oiling and adjusting opening lights on completion all in accordance with the Architect's window schedule</u>				
A	Louvred Window overall size 900 x 1500mm high ditt	4	No		
B	Window overall size 600 x 700mm high ditto	-	No		
C	Window overall size 1800 x 1500mm high ditto	-	No		
	<u>GLAZING</u> <u>3mm frosted sheet glass and glazing to metal windows including fixing with approved putty</u>				
D	In panes not exceeding 0.10 square metres	-	Sm		
	<u>PAINTING</u> <u>Touch up primer ,prepare and apply two undercoats and one finishing coat gloss paint on metal work</u>				
E	General surfaces of mild steel windows (both sides)	11	Sm		
	<u>WINDOW CILL</u>				
F	250 x 50mm thick machine cut stone window cill throated and bedded in cement and sand (1:3) mortar to racked external wall window cill: building ends to window jamb	4	Lm		
Windows Total Carried Forward to Summary of GENERATOR House.					-

Item	Description	Qty	Unit	Rate	Amount
	<u>ELEMENT NO. 04: FINISHES</u>				
	<u>WALL FINISHES Internal</u>				
A	<u>20mm thick Cement Sand (1:3) plaster to:</u> Walls internally	27	Sm		
B	Ditto to receive Wall Tiles	-	Sm		
	<u>External</u>				
C	<u>20mm thick Cement Sand (1:3) Render to:</u> Walls externally	42	Sm		
D	Extra over stone walling for fair face for Keying	-	Sm		
	<u>PAINTING AND DECORATING</u>				
	<u>Prepare and apply one undercoat and two finishing coats silk vinyl emulsion paint on</u>				
E	General surfaces; plastered walls; internally	27	Sm		
	<u>Prepare surfaces: Apply an undercoat and two finishing coats of weather resistant permacoat paint on wall and column surfaces or other equal and approved: on rendered wall;</u>				
F	General surfaces; plastered walls; Externally	42	Sm		
	<u>FLOOR FINISHES</u>				
	<u>Cement and sand (1:4) Steel trowelled beds on concrete;</u>				
G	32 mm floor screed :wood floated to receive Tiles	7	Sm		
	<u>Tiling</u>				
	<u>Coloured approved ceramic tiles</u>				
H	300x300x8mm non slip ceramic floor tiling laid to screed bed(m.s) with appropriate adhesive and pointed in coloured grout.	7	Sm		
	<u>Coloured approved ceramic tiles</u>				
J	300x200x6mm ceramic wall tiling laid to 15mm thick wall plaster(m.s) and pointed in approved coloured grout.	-	Sm		
K	42 mm floor screed : Powerfloated smooth to approval	13	Sm		
	Finishes Total Carried Forward to Summary of GENERATOR House.				-

Item	Description	Qty	Unit	Rate	Amount
	<u>SUMMARY- GENERATOR HOUSE</u>				
	SUBSTRUCTURES				-
	SUPERSTRUCTURES				-
	DOORS				-
	WINDOWS				-
	FINISHES				-
	GRAND TOTAL FOR GENERATOR HOUSE				-

Item	Description	Qty	Unit	Rate	Amount
A	Supply, deliver to site, install,, test and commission a new complete Cumins Generator set 80KVA/64KW prime at 415 Vac 4 wire, 0.8 power factor lagging, 50HZ complete with digital start control with ammeters, voltmeters, oil pressure gauge, 240 Vac/12VDC Trickle Battery Charger, Battery engine temperature gauge, all engine protection and controls and accessories. The set to be powered by Cummins engine and New age Stanford alternator/approved equivalent. The set to have an integral base/belly daily fuel tank with an operational running capacity of 8 hours. the Set to be full canopy with noice level limited to below 40dBs.	1	Item		
B	Supply, deliver to site and install a steel exhaust pipe of not less than 14 SWG and of adequate diameter running from the generating set to the outside of the generator house.	10	Lm		
C	Connect the exhaust pipe above in item 1.2 using steel pipes of adequate diameter and flexible piping off engine exhaust manifold complete with heavy duty silencer.	1	Item		
D	Complete earthing of generating set to electrical engineer's approval <u>NOTE: PRE-REQUISITE TESTING MUST BE CONDUCTED AND APPROVED BEFORE DELIVERY TO SITE. WHICH SHALL INCLUDE NO LOAD TESTING, MEDIAM LOAD TESTING AND FULL LOAD TESTING. CERTIFICATES OF TEST RESULTS ISSUED BY THE SUPPLIER.</u>	1	Item		
E	Diesel fuel for testing and to be provided for the first two tanks refueling (Contractor to provide fuel card from the preffered resupplier/ petrol station indicating the total fuel available for generator only)	50	Ltr		
F	Auxilliary generator Fuel tank able to hold 150 litres complete with installation of the manual fuel transfer pump and all pipeworks to the main generator tank <u>Supply, deliver to site install, test and commission the following:</u>	1	Item		
G	An electrical control-panel complete with suitable rated incoming MCCBs and contactors for automatic change over operation and complete with all other control accessories	1	No		
Total carried to collection					-

Item	Description	Qty	Unit	Rate	Amount
A	Suitable rated manual by-pass switch with clearly labeled NORMAL-OFF-BYPASS positions, and shall such be wired that when the switch is on either off or bypass position, the generator shall receive no signal to start.	1	Item		
B	35mm sq. 4 core x LPE/SWA/PVC underground copper cable as East African Cables/Equivalent. (PROVISIONAL)	50	Lm		
C	Cable glands for the above cables	10	No		
D	Interwire the control panel with the M.V board	50	Lm		
	<u>For the supply to site of the following tools:</u>				
E	Metal tool box with lock and two keys	1	No		
F	Set of 8 No. Chrome vanadium ring spanners in sizes to suit the set	1	Item		
G	Set of 3 screwdrivers, 75mm, 20mm and 300mm plus one 200mm Phillips type	1	Item		
H	-ditto- but open ended spanners	1	Item		
J	Set of feeler gauges	1	No		
K	Grease gun to suit greasing points	1	No		
L	Oil can, trigger type	1	No		
	Total carried to collection				-
	<u>COLLECTION: GENERATOR</u>				
	From Page /1				-
	From page /2 above				-
	GENERATOR CARRIED TO SUMMARY				-

PROPOSED CONSTRUCTION OF INPATIENT WING AT NG'ENDA HEALTH CENTRE IN KIAMBU COUNTY

MEDICAL GAS PIPING SYSTEM

Item	Description	Qty	Unit	Rate (Kshs)	Total
	<u>MONITORING EQUIPMENT</u>				
	AREA ALARM SYSTEM				
A	Medical Gas Area Alarm, complete with pressure switches, LCD panel, high and low-flow/pressure alarms, visual and audio alarms and indicators, and all other accessories necessary for proper functioning. Alarm to be for 2 No. gases and to be as Beacon Medaes Medipoint 26 or an approved equivalent.	2	No		-
	<u>TERMINAL UNITS</u>				
B	Oxygen terminal units	21	No		-
	<u>DISTRIBUTION SYSTEM</u>				
	<u>Copper Pipes</u>				
C	22 mm diameter grease free copper pipes suitable for medical gases installations	40	LM		-
D	15 mm diameter grease free copper pipes suitable for medical gases installations	60	LM		-
E	12 mm diameter grease free copper pipes suitable for medical gases installations	110	LM		-
	<u>BRACKETS/ SANDLES</u>				
F	12 mm hospital brackets/sandles	55	No		-
G	15 mm hospital brackets/sandles	30	No		-
H	22mm hospital brackets/sanddles	20	No		-
	<u>Adaptors/Connectors</u>				
I	15 x 12mm adaptors/connectors	20	No		-
J	22 x 15mm adaptors/connectors	5	No		-
	<u>Coupling /sockets</u>				
K	15mm degreased socket/coupling	15	No		-
L	22mm –degrease sockets/coupling	10	No		-
	<u>Equal Tees</u>				
M	22mm diameter tee	5	No		-
N	15mm diameter tee	15	No		-
Total carried to main summary page 3					-

Item	Description	Qty	Unit	Rate (Kshs)	Total
	<u>Bends/Elbows</u>				
A	12 mm diameter bend/elbow	40	No		-
B	15 mm diameter bend/elbow	10	No		-
C	22 mm diameter bend/elbow	10	No		-
	<u>VALVES</u>				
D	22mm ditto	5	No		-
E	15mm ditto	6	No		-
F	12mm ditto	4	No		-
	<u>Copper Sleeves</u>				
G	Allow for copper sleeves for all pipes passing in floors, walls and partitions.	4	Item		-
	<u>Identification of Pipelines</u>				
H	Allow for permanent and temporary identification of pipelines, valves and ends in accordance to particular specifications described.	2	Item		-
	<u>Painting and Marking</u>				
I	Allow for painting and marking of all pipes and fittings in accordance to particular specifications described.	2	Item		-
	<u>Purging</u>				
J	Allow for flushing the whole system with the medical gases in accordance with HTM 02-01 and to the satisfaction of the Engineer.	2	Item		-
	<u>Testing and Commissioning</u>				
K	Allow for testing and commissioning of the entire medical gas pipeline system for the previously installed and the new installations in accordance with the Particular Specifications (Form E-1 to E-17) and to the satisfaction of the Project Engineer.	2	Item		-
Total carried to main summary page 3					-

MAIN SUMMARY

Item	Description	Amount
1	Total carried forward from page 1	
2	Total carried forward from page 3	
3	Allow Kshs.1,500,000 for Supply, Delivery & Installation of medical gas manifold to be used as directed by P.M/ PME	
4	Allow Kshs. 400,000 for Construction of medical gas cage/ housing to be used as directed by P.M/ PME	
Total for Medical Gas Piping System		

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>PRIME COST SUMS AND PROVISIONAL SUMS</u>				
	<u>The Contractor shall include in his tender the following to be deducted in whole or in part as directed by the Project Manager.</u>				
	<u>CONTIGENCIES</u>				
A	Allow a Provisional Sum of Kenya Shillings Three Million (Kshs. 3,000,000/=)only for Contigencies		Sum		-
	<u>JOINERY</u>				
B	Allow a Provisional Sum of Kenya Shillings One Million Five Hundred Thousand (Kshs. 1,500,000/=) only for Joinery Works- Cabinets and Shelves as Directed by the Project Manager.		Sum		-
	<u>LANDSCAPPING</u>				
C	Allow a Provisional Sum of Kenya Shillings One Million Five Hundred Thousand(Kshs. 1,500,000/=)only for Landscapping Works as		Sum		-
	<u>BOREHOLE & WATER TOWER REPAIRS</u>				
D	Allow a Provisional Sum of Kenya Shillings Five Hundred Thousand (Kshs. 00,000/=)only for Water Tower and Borehole Repairs to Full fuctionality as Directed by the Project Manager.		Sum		-
	TOTAL PROVISIONAL SUMS CARRIED TO GRAND SUMMARY PAGE				-

ITEM	DESCRIPTION	TENDERER'S AMOUNT	OFFICIAL USE
	<u>PROPOSED PHASE II -CONSTRUCTION OF BURNING CHAMBER, PAVING WORKS, COVERED WALKWAY, EXTERNAL ABLUTION BLOCK, KITCHEN AND LUNDRY UNIT, ALTERATIONS TO NEW BLOCK AND EXISTING MATERNITY BLOCK, EXTERNAL DRAINAGE, LANDSCAPPING, MEDICAL GAS AND GENERATOR INSTALLATIONS AND RELATED WORKS- AT NG'ENDA HEALTH CENTRE.</u> <u>GRAND SUMMARY PAGE</u> 1.0 PARTICULAR PRELIMINARIES FROM PAGE PP/6 2.0 GENERAL PRELIMINARIES FROM PAGE GP/16 3.0 CABRO PAVING WORKS 4.0 ALTERATIONS TO NEW BLOCK 5.0 CONVERSION OF MATERNITY BLOCK TO WARDS 6.0 EXTENSION TO PROPOSED MALE WARD 7.0 EXTERNAL ABLUTION BLOCK 8.0 KITCHEN 9.0 LAUNDRY 10.0 COVERED WALKWAY 11.0 BURNING CHAMBER 12.0 SEPTIC TANK 13.0 GENERATOR HOUSE 14.0 GENERATOR SET 15.0 MEDICAL GAS 16.0 PRIME COSTS AND PROVISIONAL SUMS		
	TOTAL CARRIED TO FORM OF TENDER		-

AMOUNT IN WORDS.....

..... TENDERER'S
NAME.....

ADDRESS.....

SIGNATURE.....

OFFICIAL STAMP.....

DATE.....

SECTION V - BILLS OF QUANTITIES

A. Notes and Sample Items for Preparing a Bill of Quantities

1. These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Tender Documents. Priced Bills of Quantities shall be part and parcel of the Contract Documents.
2. The objectives and purpose of the Bills of Quantities are to provide sufficient information on the specifications, descriptions and quantities of Works to be performed to enable tenders to be prepared efficiently and accurately and when a contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed. In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and clear as possible.
3. The Bills of Quantities should be divided generally into the following sections:
 - a) Preambles
 - b) Preliminary items
 - c) Work Items
 - d) Daywork Schedule; and
 - e) Provisional items
 - f) Summary.

4. NOTES TO PREPARING PREAMBLES

- 4.1 The Preambles should include only those items that constitute the cost of the works but would not be priced separately as they are expected to be included in the unit prices. Care should be taken to ensure that these items are not a repetition of the conditions of contract. The Preambles should indicate the inclusiveness of the unit prices and should state the methods of measurement that have been adopted in the preparation of the Bill of Quantities, that are to be used for the measurement of any part of the Works. The units of measurement and abbreviations should be defined and any mandatory national units defined and described. The methods of and procedure for re-measurement should be described in the Preambles.
- 4.2 Units of Measurement - The following units of measurement and abbreviations shall be used, unless other national units are mandatory in Kenya.

Unit	Abbreviation	Unit	Abbreviation
cubic meter	m ³ or cu m	millimetre	mm
hectare	ha	month	mon
hour	h	number	nr
kilogram	kg	square meter	m ² or sq m
lump sum	ls	square millimeter	mm ² or sq mm
meter	m	week	wk
metric ton	t		

- 4.3 The Bills of Quantities shall be read in conjunction with the Instructions to Tenders, General and Special Conditions of Contract, Technical Specifications, and Drawings.
- 4.4 The quantities given in the Bills of Quantities are estimated and partly provisional and are given to provide a common basis for tendering. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Architect and valued at the rates and prices tendered in the priced

Bills of Quantities, where applicable, and otherwise at such rates and prices as the Architect may fix within the terms of the Contract.

45. The rates and prices tender in the priced Bills of Quantities shall, except in so far as it is otherwise provided under the Contract, include all Constructional Plant, labour, supervision, materials, erection, maintenance, insurance, profit, taxes, and duties, together with all general risks, liabilities, and obligations set out or implied in the Contract.
46. A rate or price shall be entered against each item in the priced Bill of Quantities, whether quantities are stated or not. The cost of Items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
47. The whole cost of complying with the provisions of the Contract shall be included in the Items provided in the priced Bills of Quantities, and where no Items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related Items of Work.
48. General directions and descriptions of work and materials are not necessarily repeated nor summarized in the Bills of Quantities. References to the relevant sections of the Contract documents shall be made before entering prices against each item in the priced Bills of Quantities.
49. Provisional Sums and contingency sums included and so designated in the Bills of Quantities shall be expended in whole or in part at the direction and discretion of the Architect in accordance with Sub-Clause 13.5 and Clause 13.6 of the General Conditions of contract.
410. In preparing the Bills of Quantities, notes should be removed as they are intended to guide the person preparing the Tender Documents. The Contractor must allow in his rates for any costs associated with and complying with the requirements in the Preambles.
411. Should a tenderer/contractor not price any item in any section of the Bills of Quantities including Preliminary items, it will be assumed that he/she has spread its cost in other areas that he/she will have priced. Therefore, the item or items will be executed without any additional costs or without being treated like variations.

5. NOTES ON PREPARING BILLS OF QUANTITIES

51. The Preliminary Items should be limited to tangible items that should be priced by the tenderer, are identifiable and can be priced separately and included in the interim valuations precisely. Such items may include such items as site office, notice boards, and other temporary works, otherwise items such as security for the Works which are primarily part of the Contractor's obligations should be included in the Contractor's rates.
52. The work items in the Bills of Quantities should be grouped into sections to distinguish between those parts of the Works which by nature, location, access, timing, or any other special characteristics may give rise to different methods of construction, or phasing of the Works, or considerations of cost. Such groups could be ground excavations, structures, external works, services, etc. General items common to all parts of the Works may be grouped as a separate section in the Bill of Quantities.
53. Quantities should be computed net from the Drawings, unless directed otherwise in the Contract, and no allowance should be made for bulking, shrinkage or waste. Quantities should be rounded up where appropriate.
54. Where the measured items are deemed not to be exact because of the likelihood that the scope can change during the execution of the works, such items could be subject to re-measurement, the word "**provisional**" should be used to identify such cases. Where whole sections of the work items fall in this class, for example foundations, they should be labelled "Provisional Quantities" or "Provisional Items" so that the Tenderer/Contractor is advised up front that such items are subject to re-measurement to be done before such work is cover-up.
55. All items that have not been measured and therefore not subject to tender pricing should be listed in the Bills of Quantities as **Provisional Sums** for particular item or class of Work, which may be subject to a nominated subcontract or separate measurements at a later date during the execution of the works. For example, if it is deemed not possible to measure electrical works before going to tender because detail designs are not ready, a provisional sum can be allowed in the Bills of Quantities for "Installation of Electrical Works" to be executed later when actual design details are completed. To the extent not covered above, there should be in the Bills of Quantities a general provision for physical and financial contingencies made as a "Provisional Sum for

Contingencies” and “Provisional Sum for Fluctuations”. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises.

- 56 Provisional sums to cover specialized works normally carried out by Nominated Sub Contractors should be avoided and instead Bills of Quantities of the specialized Works should be included as a section of the main Bills of Quantities to be priced by the Main Contractor. The Main Contractor should be required to indicate the name(s) of the specialized firms he proposes to engage to carry out the specialized Works as his approved domestic sub-contractors. Only provisional sums to cover specialized Works by statutory authorities should be included in the Bills of Quantities.
- 57 A Daywork Schedule should be included if the probability of unforeseen work, outside the items included in the Bill of Quantities, is relatively high. To facilitate checking by the Procuring Entity of the realism of rates quoted by the tenderers, the Daywork Schedule should normally comprise:
- i) A list of the various classes of labor, and materials for which basic.
 - ii) Daywork rates and prices for various categories of labor are to be inserted by the tenderer, together with a statement of the conditions under which the Contractor will be paid for Work executed on a Daywork basis.
 - iii) A percent to be entered by the tenderer against each basic Day work item.
 - iv) Subtotal amount for labor, materials and plant representing the Contractor's profit, overheads, supervision and other charges.
- 58 The Summary should contain a tabulation of the separate parts of the Bills of Quantities carried forward, with provisional sums for Daywork, Provisional sums and Contingencies, and provision for Total Costing. The last line should allow for tenderer to indicate any discounts before arriving at a total cost carried forward to the Form of Tender.

BILLS OF QUANTITIES

(a) Preambles

1. The method of measurement of completed work for payment shall be in accordance with *[insert the name of a standard reference guide, or full details of the methods to be used]*.
2. The Site is situated in *(provide full description where the site is situated, coordinates from the nearest known landmark like a town and its size)*_____It is approximately_____Kilometers from Nairobi. Access to the site shall be through_____.

Which is an existing public road. Any damage caused to the surfaces of this road shall be made good at the Contractor's expense. The Contractor shall visit the site and acquaint itself with its nature and position, the nature of the ground, substrata and other local conditions, positions of existing power, water and other services, access roads or any other limitations that might affect his cost or progress. No claim for extras shall be considered on account of lack of knowledge in this respect.

3. The Contractor shall obtain the Architect's approval on the siting of all temporary buildings, spoil heaps, temporary access path, and storage of materials. The Contractor shall also obtain the Architect approval and direction regarding the use of any materials found on the Site.
4. The drawings used in the preparation of these Bills of Quantities can be inspected at the offices of the Procuring Entity or Procuring Entity's Representative during normal working hours. Two sets of the Working Drawings shall be provided to the contractor but additional copies shall be provided at a cost to be determined by the Engineer.
5. The Contractor shall allow for the payment of all bank charges in connection with the procurement of Bank Guarantees and stamp charges in connection with this contract Agreement.
6. The Contractor shall carry out the various sections of the Works in such an order as the Architect May direct. The Procuring Entity reserves the right to occupy the Works by sections on completion provided that such occupation is considered to be both practical and reasonable and will not interfere with the Works. The Contractor shall allow any costs associated with such occupation.
7. The main Contractor will be fully responsible for paying his Sub-Contractor but the Procuring Entity reserves the right in very exceptional circumstances to make such payments direct in the interests of the project where the completion thereof might be jeopardized by any dispute or vicariousness between the Contractor and the Sub- Contractor involve.
8. The Contractor shall complete and deliver the Works in the period inserted in the Form of Tender as his time for completion of the Works from the date for Possession, to be agreed with the Engineer. The Contract Period is presumed to have been calculated making due allowance for seasonal inclement weather conditions. No claim for extension of time due to the normal inclement weather for this area shall be entertained.
9. The Contractor shall, upon receiving instructions to proceed with the Works, draw up a Programme and Progress Chart setting out the order in which the Works are to be carried out, with the appropriate dates thereof. This Chart shall be agreed with the Architect and no deviation from the order set out in it will be permitted without the written consent of the Engineer. The Contractor will be responsible for arranging the above programme with all his sub-Contractors and Specialties. The Contractor shall allow in his rates for carrying out this exercise, and for updating it as required.
10. The Contractor shall submit to the Architect on the first day of each week or such longer period as the Architect from time to time direct, a Progress Report and any information for the proceeding period, showing the progress during the period and the up-to-date cumulative progression all important items of each section or portion of the Works.
11. The Contractor shall arrange for photographs of the Site to be taken by a professional photographer approved by the Engineer. The Photographs shall provide a record of the Site and adjacent areas as prior to the commencement of the Works and shall cover such portion of the works in progress and completion as the Architect shall direct. All prints shall be full plate size, unmounted, and marked on the reverse side with the date of exposure, identification reference and brief description. The copyright of all photographs shall be vested in the Procuring Entity. The negatives and four prints from each negative shall be delivered to the Architect within two weeks of exposure.

12. Figured dimensions are to be followed in preference to dimensions scaled from the Drawings, but whenever possible dimensions are to be taken on the Site or from the buildings. Before any work is commenced by Sub-Contractors or Specialist Firms, dimensions must be checked on the site comparable dimensions shown on the drawings. The Contractor shall be responsible for the accuracy of such dimensions.
13. Prior to commencement of any work the Contractor is to ascertain from the relevant Authorities the exact position, depth and level of all existing electric cables, waterpipes or other services in the area and he shall make whatever provisions may be required by the Authorities concerned for the support and protection of such services. Any damage or disturbance caused to any services shall be reported immediately to the Architect and the relevant Authority and shall be made good to their satisfaction at the Contractor's expense. Where appropriate the Contractor shall open up the ground in advance of the main work by hand digging if necessary, to locate precisely the position and details of the services which are likely to affect his operations.
14. The Contractor shall include in his prices for the transport of materials, workmen, etc./, to and from the site of the proposed works, at such hours and by such route as are permitted by the Authorities.
15. The Contractor will be required to make good, at his own expense and damage he may cause to the present road surface and pavements within or beyond the boundary of the Site, during the period of the works. All existing paths, storm water channels, etc., that may be destroyed or damaged during the progress of the Works shall be reinstated by the Contractor to the satisfaction of the Engineer.
16. The Contractor is to allow for complying with all instructions and regulations of the Police Authorities.
17. All water shall be fresh, clean and pure, free from earthly, vegetable or organic matter, acid or alkaline substance in solution. The Contractor shall provide at his own risk and cost all water for use in connection with the Works, (including works of sub-contractors). If need be, he shall make arrangements with the Local Water Authority for the installation of a separate meter for all water used by him throughout the Contract and pay all cost and fees in connection therewith. He shall also provide temporary storage tanks and tubing, etc., as may be necessary, and clear away at completion.
18. The Contractor shall provide all artificial lighting and power for his own use on the Works, (including Sub – Contractor's) including all temporary connections, wiring, fittings, etc., and clearing away on completion. The Contractor shall pay all fees and obtain all permits in connection therewith.
19. The Contractor shall constantly keep on the Works a Literate English-speaking Agent or Representative, competent and experienced in the kind of work involved, who shall give his whole time to the superintendence of the works. (Including works of sub – contractors). Such Agent or Representative shall receive on behalf of the Contractor directions and instruction from the Engineer, and such directions and instructions shall be deemed to be given to the contractor in accordance with the Conditions of Contract. The Agent shall not be replaced without the specific approval of the Engineer.
20. The Contractor shall ensure that the safety of his work people and all authorized visitors to the site are protected at all times. In particular, there shall be the proper provision of guard-rails to scaffolding, protection against falling materials, tools on site, dust, nail and other sharp objects. The site shall be kept tidy and clear of dangerous rubbish. The Architect shall be empowered to suspend work on site should it be considered this condition is not being observed and no claim arising from such suspension will be allowed.
21. The area as available to the Contractor for workyards, offices and other facilities shall be directed by the Architect and any existing features to remain shall be protected from damage throughout the Contract Period and handed back in good condition when they are vacated at the end of the Contract. If additional areas are required, the contractor shall source them at own cost.
22. The Contractor shall give the Architect reasonable notice of the intention to set out or take levels for any part of the Works so that arrangements may be made for checking the work. The accuracy of setting out and leveling shall be within the tolerances specified in the Specifications or on the Drawings. The checking of setting out or leveling by the Architect shall not relieve the Contractor of his duties or responsibilities under the Contract.
23. The Contractor must take steps necessary to safeguard and shall be held fully responsible for any damage caused to existing and adjacent property, including buildings that are not a subject of demolition. He shall make good at his own cost damage to persons and property caused there on, and he shall indemnify the Procuring Entity against any loss or claim that may arise.

24. The Contractor shall take such steps and exercise such care and diligence as to minimize nuisance arising from dust, noise or any other cause to the occupiers of the existing and adjacent property. He must provide such temporary and special screens and tarpaulins or gummy bags, hoarding, barriers, warning signs etc. as he considers necessary and sufficient for the protection of the existing and adjacent property and or prevention of nuisance etc. as directed by Engineer.
25. The Contractors attention is drawn to the standards levy order which was amended on 15th October 1998. Legal notice No.154 of 1998. The Contractor is required to pay a monthly level of 0.2% of his factory price of construction works with effect from January 1999. Tenderer shall allow for this in the build-up of his rates.
26. The Contractor shall provide temporary sheds, offices meshrooms, sanitary, accommodation and other temporary buildings for the use of the contractor and sub-contractors, including lighting furniture equipment and attendance.
27. Contractor shall provide/build labor camp sat areas to be agreed with the Engineer. Labor camps shall be complete with sanitary accommodation and fencing gates.
28. The Contractor must provide the necessary toilet facilities to the requirement and satisfaction of the Health Authorities and maintain the same in a thoroughly clean and sanitary condition and pay all conservancy fees during the period of the Works and remove when no longer required.
29. The Contractor shall provide at his own risk and cost all watching and lighting as necessary to safeguard the Works, Plant and materials against damage and theft.
30. The Contractor shall provide all necessary hoists, tackle, plant, equipment, vehicles, tools and appliances of every description for the due and satisfactory completion of the Works and shall remove the same on completion. All such plant, tools and equipment shall comply with all regulations in force throughout the period of the Contract and shall be altered or adopted during the Contract period as may be necessary to comply with any amendments in or additions to such regulations.
31. Provide, erect and maintain all necessary scaffolding, sufficiently strong and efficient for the due performance of the works, including Sub-Contract Works, provide special scaffolding as required by Sub-Contractors, alter and adopt all scaffolding as and when required during the Works, and remove on completion. No scaffolding is measured here in after and the Contractor must allow in his rates for this.
32. The Contractor shall take all necessary precautions such as temporaryf encing, hoarding fans, planked footways, guard-rails gantries screen, etc., for the safe custody of the Works, materials and public protection and adjacent properties.
33. Cover up all and protect from damage, including damage from in clement weather, all finished work and unfixed materials, including that of Sub-Contractors, etc., to the satisfaction of the Architect until the completion ofthe Contract.
34. The Contractor shall, after completion of the works, at his own expense, remove and clear away all surplus excavated demolition materials, plant, rubbish and unused materials and shall leave the whole of the Site and Works in a clean and tidy state to the satisfaction of the Engineer, sheds, camps, etc. Particular care shall be taken toleavecleanallfloors and windows and tore move all paint and cement all rubbis hand dirt as it accumulates. The Contractor is to find his own dump and shall pay all charges in connection there with.
35. Concrete test cubes shall be prepared in a set of three, as described including testing fees, labor and materials, making molds, transport, handling, etc. Allow in your rates for making at least four cubes on each occasion, from different batches; the concrete being taken from the point of deposit.
36. The Contractors hall furnish at the earliest possible opportunity before work commences, and at his own cost, any samples of materials and workmanship that may be called for by the Architect for the approval or rejection, and any further samples in the case of rejection, until such samples are approved by the Engineer. Such samples, when approved, shall be the minimum standard for the work to which they apply. The procedur ef or submitting samples of materials for testing or approval and the method of marking for identification shall be as laid down by the Engineer.The Contractor shall allow in his Tender for such samples and tests, including those in connection with his Sub-Contractors work.
37. The Contractors attention is drawn to the Finance Bill of the year 2000/2001 on withholding tax on contractual payment section 35(7)(i)(ii) which became effective on 1st July 2000. A 3% withholding tax will be applicable

to all in term payments exceeding Kshs..... for work done in respect of building or civil works. The contractor shall allow for any costs arising resulting there from in the build-up of rates.

38. Blasting will only be allowed with the express permission of the Architect in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost, in accordance with any Government regulations in force for the time being, and any special regulations laid down by the Architect governing the use and storage of explosives.
39. The National Construction Authority is a state corporation established under the national construction authority Act No.14 of 2011. The broad Mandate of the Authority is to over see the construction industry and coordinate its development. The National Construction Authority Regulations 2014 with an effective date of 6th June 2014, regulation 25, - Allow 0.5% of the tender sum/contract sum for construction levy.
40. The Contractor attention is drawn to Finance Bill of 1993 where VAT was introduced in all contracts for construction services. The tenderer is also drawn to VAT Act Cap 476 clause 19(9). The tenderer must allow for VAT 1.19 as instructed else where.
41. The contractor shall allow and pay for all insurance to cover risks and indemnities required Items 17 and 18 of the Conditions of contract and also specified in the Special Conditions of Contract.

BILL NO. 2: WORK ITEMS

(organized appropriately into work sections, such as foundations, walls/structure, finishes, doors and windows, mechanical installations. etc.

Bill No 2 - (Name of Section e.g. Foundations).

Item no.	Description	Unit	Quantity	Rate	Amount
Total for Bill No. 2 (carried forward to Summary, p. ____)					_____

Bill No. 3: Schedule of Daywork Rates - Labor

Item no.	Description	Unit	Nominal quantity	Rate	Amount
	Subtotal				
	Allow ____ percent ^a of Subtotal for Contractor's overhead, profit, etc., in accordance with paragraph 3 (b) above.				
	Total for Daywork (carried forward to Daywork Summary, p. __)				

a. To be entered by the Tenderer.

Bill No. 4: Schedule of Daywork Rates - Materials

Item no.	Description	Unit	Nominal quantity	Rate	Extended amount
	Subtotal				
	Allow ____ percent a. of Subtotal for Contractor's overhead, profit, etc., in accordance with paragraph 4 (b) above.				
	Total for Daywork: Materials (carried forward to Daywork Summary, p. _____)				

a. To be entered by theTenderer.

Bill No. 5: Schedule of Daywork Rates - Contractor's Equipment

<i>Item no.</i>	<i>Description</i>	<i>Nominal quantity (hours)</i>	<i>Basic hourly rental rate</i>	<i>Extended amount</i>
	Allow _ percent ^a of Subtotal for Contractor's overhead, profit, etc., in accordance with paragraph 5 above.			
Total for Daywork: Contractor's Equipment (carried forward to Daywork Summary, p. __)				

a. To be entered by the Tenderer.

Bill No. 6: Daywork Summary

	<i>Amount^a</i>	<i>% Foreign</i>	<i>Currency</i>
1. Total for Daywork: Labor			
2. Total for Daywork: Materials			
3. Total for Daywork: Contractor's Equipment			
Total for Daywork (Provisional Sum) (carried forward to Summary of Bills of Quantities, p. _____)			

Bill No. 7: Provisional Sums

<i>Bill no.</i>	<i>Item no.</i>	<i>Description</i>	<i>Amount</i>
1			
2			
3			
4			
etc.			
Total for Specified Provisional Sums (carried forward to Grand Summary			

GRAND SUMMARY

SUMMARY ITEMS	<i>Page</i>	<i>Amount</i>
Bill No. 1: Preliminary Items		
Bill No. 2: Work Items		
Bill No 3: Daywork Summary		
Bill No 4: Provisional Sums		
Subtotal of Bills No 1-4		
Allow for any Discounts ⁱ		
TOTAL TENDER PRICE Carried forward to Form of Tender		

(i) If a percentage used, it should be indicated on which Bill No. items but on Bill No.4 – Provisional Sums.

PART 2 - WORKS' REQUIREMENTS

PROPOSED MAKONGENI LEVEL III HOSPITAL.

BILL OF QUANTITIES

ITEM	DESCRIPTION	AMOUNT
	<u>BILL NO. 1</u> <u>PARTICULAR PRELIMINARIES</u> A <u>PRICING ITEMS OF PRELIMINARIES</u> Prices SHALL BE INSERTED against items of preliminaries in the tenderers priced Bills of Quantities. Please note that failure to price any item of general / particular preliminaries will be construed to mean that the tenderer has allowed for its costs elsewhere or wishes to provide for that item free of charge. B <u>FIRM PRICE CONTRACT</u> This is a firm price contract and the Contractor must allow in his tender rates for any increase in the cost of labour and/or materials during the currency of the contract. C <u>SCOPE OF CONTRACT</u> The works to be carried out under this contract comprise REFURBISHMENT WORKS (as itemised in the BQ's) D <u>FLOOR AREA</u> The total gross approximate floor area is N/A square metres. The total gross floor area is given without warranty but for guidance only. E <u>MEASUREMENTS</u> In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract document shall immediately be referred to the Project Manager. F <u>PRICING RATES</u> The tenderer shall include for all costs in executing the whole of the Works, including transport, replacing damaged items, fixing all to comply with the said Conditions of Contract.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
	<u>LOCATION OF SITE</u>	
A	The site for works is located within; KIAMBU COUNTY as indicated on the contract appendix The tenderer shall be deemed to have visited the site and familiarised himself with all site conditions prior to submission of tenders. No claims arising from the tenderers failure to do so will be entertained.	
	<u>EXISTING BUILDING SERVICES</u>	
B	Special precautions shall be required throughout the contract period to avoid damage to the existing cables, drains and other services. The Contractor shall allow for making good any damage arising from his actions during execution of this contract at his own expense.	
	<u>WORKING CONDITIONS</u>	
C	The Contractor shall allow in his rates for any interference that he may encounter in the course of execution of the works for the Client may in some cases ask the Contractor not to proceed with the works until some activities within the site are completed.	
	<u>LABOUR CAMPS</u>	
D	The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract.	
	<u>MATERIALS FROM DEMOLITIONS</u>	
E	Any materials arising from demolitions and not re-used shall become remain the property of the client. The Contractor shall allow in his rates the cost of assembling and keeping them in the client's premises.	
	<u>PROJECT MANAGEMENT EXPENSES</u>	
F	Provide a Provisional Sum of Kenya Shillings One Hundred Thousand (Kshs 100,000/=) only for Project Manager's Stationery and Office Equipment Allow for Contractor's overheads, taxes and profits (____)%	
G	Provide a Provisional Sum of Kenya Shillings Four Hundred Thousand only (Kshs 400,000/=) only for Project Manager's Allowances and Expenses Allow for Contractor's overheads, taxes and profits (____)%	
H	Provide a Provisional Sum of Kenya Shillings One Hundred Thousand (Kshs 100,000/=) only for Technical Training Allow for Contractor's overheads, taxes and profits (____)%	
H	Provide a Provisional Sum of Kenya Shillings Four Hundred Thousand (Kshs 400,000/=) only for Technical Training Allow for Contractor's overheads, taxes and profits (____)%	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>PARTICULAR INSERTIONS TO BE MADE IN APPENDIX TO CONTRACT AGREEMENT</u> 1. Period of Final measurements - 3 Months from Practical Completion 2. Defects liability Period - 3 Months from Practical Completion 3. Date for Possession – site Handover date 4. Date for Completion – 24 months 5. Liquidated and Ascertained Damages - At the rate of Kshs 20,000.00 per calendar week or part thereof 6. Period of issuing Interim Certificates - Monthly 7. Period of Honouring certificates - Thirty (60) Days 8. Percentage of Certificate value retained - 10%	
	CARRIED TO COLLECTION	

[illegible]

ITEM	DESCRIPTION	AMOUNT
	<u>BILL NO. 2</u> <u>GENERAL PRELIMINARIES</u> A <u>PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES</u> Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specification. The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract. B <u>ABBREVIATIONS</u> Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:- m³/C.M. Shall mean cubic metre m²/S.M. Shall mean square metre m/L.M. Shall mean linear metre mm/MM Shall mean Millimetre Kg. Shall mean Kilogramme No. Shall mean Number Prs. Shall mean Pairs B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.1 England. Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs. m.s. Shall mean measured separately. a.b.d Shall mean as before described. P.M. Shall mean Project Manager	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
B	<u>PROJECT MANAGER</u> The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the "Project Manager" as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorised to represent him on behalf of the Government. This shall be the: County Works Officer, P.O. Box 2344, Kiambu.	
C	<u>ARCHITECT</u> The term "Architect" shall be deemed to mean "The P.M." as defined above	
D	<u>QUANTITY SURVEYOR</u> The term "Quantity Surveyor" shall be deemed to mean "The P.M." as defined above	
E	<u>ELECTRICAL ENGINEER</u> The term "Electrical Engineer" shall be deemed to mean "The P.M." as defined above	
F	<u>MECHANICAL ENGINEER</u> The term "Mechanical Engineer" shall be deemed to mean "The P.M." as defined above	
G	<u>STRUCTURAL ENGINEER</u> The term "Structural Engineer" shall be deemed to mean "The P.M." as defined above	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
C	<u>PLANT, TOOLS AND VEHICLES</u> Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.	
D	<u>TRANSPORT.</u> Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.	
E	<u>MATERIALS AND WORKMANSHIP</u> All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>SIGN FOR MATERIALS SUPPLIED</u> The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER	
B	<u>STORAGE OF MATERIALS</u> The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use.	
C	<u>SAMPLES</u> The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Roads, Housing and Public Works. The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>GOVERNMENT ACTS REGARDING WORK PEOPLE ETC</u> Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople. The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps , passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.	
B	<u>SECURITY OF WORKS ETC</u> The Contractor shall be entirely responsible for the security of all the works stores materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.	
C	<u>PUBLIC AND PRIVATE ROADS.</u> Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER	
D	<u>EXISTING PROPERTY.</u> The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>VISIT SITE AND EXAMINE DRAWINGS</u> The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.	
B	<u>ACCESS TO SITE AND TEMPORARY ROADS.</u> Means of access to the Site shall be agreed with the PROJECT MANAGER prior commencement of the work and Contractor must allow for building any necessary temporary access roads (approximately 70 metres long) for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER The Contractor should also allow for relocating existing fence (approx. 30 metres long).	
C	<u>AREA TO BE OCCUPIED BY THE CONTRACTOR</u> The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>OFFICE ETC. FOR THE PROJECT MANAGER</u> The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the type approved by the Project Manager, complete with Furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen tape.	
B	<u>WATER AND ELECTRICITY SUPPLY FOR THE WORKS</u> The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER . The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub-contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.	
C	<u>SANITATION OF THE WORKS</u> The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>SUPERVISION AND WORKING HOURS</u> The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.	
B	<u>PROVISIONAL SUMS.</u> The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement mentioned in Condition No. 16 of the Conditions of Contract. Such sums are net and no addition shall be made to them for profit.	
C	<u>PRIME COST (OR P.C.) SUMS</u> The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement mentioned in Condition No. 16 of the Conditions of Contract. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods as stated in Condition No. 20 of the Conditions of Contract are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.	
D	<u>PROGRESS CHART</u> The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>ADJUSTMENT OF P.C. SUMS</u> In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them. Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.	
B	<u>ADJUSTMENT OF PROVISIONAL SUMS.</u> In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued as described for Variations in Conditions No. 13 of the Conditions of Contract, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>NOMINATED SUB-CONTRACTORS</u> When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts as described in Condition No. 8 of the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".	
B	<u>DIRECT CONTRACTS</u> Notwithstanding the foregoing conditions, the Government reserves the right to place a Direct Contract for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.	
C	<u>ATTENDANCE UPON OTHER TRADESMEN, ETC.</u> The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>INSURANCE</u> The Contractor shall insure as required in Conditions Nos. 30 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.	
B	<u>PROVISIONAL WORK</u> All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All Provisional and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER. Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.	
C	<u>ALTERATIONS TO BILLS, PRICING, ETC.</u> Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>BLASTING OPERATIONS</u> Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.	
B	<u>MATERIALS ARISING FROM EXCAVATIONS</u> Materials of any kind obtained from the excavations shall be the property of the Government. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.	
C	<u>PROTECTION OF THE WORKS.</u> Provide protection of the whole of the works contained in the Bills of Quantities, including casing , casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.	
D	<u>REMOVAL OF RUBBISH ETC.</u> Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>WORKS TO BE DELIVERED UP CLEAN</u> Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER	
B	<u>FIRM PRICE CONTRACT</u> Unless otherwise specifically stated in the Particular Preliminaries this is a firm price contract and the Contractor must allow in his tender rates for any increase in the cost of labour and/or materials during the currency of the contract.	
C	<u>GENERAL SPECIFICATION.</u> For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.	
D	<u>CONSTRUCTION TRAINING LEVY</u> The Contractor's attention is drawn to the legal notice which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 1,000,000.00 in value.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
A	<u>MATERIALS ON SITE</u> All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.	
B	<u>HOARDING</u> The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of gauge 30 iron sheets on 100 x 50 mm cypress timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails complete with 2No vehicular gates and 1No. pedestrian gate. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.	
C	<u>CONTRACTOR'S SUPERINTENDENCE/SITE AGENT</u> The Contractor shall constantly keep on the works a literate English speaking Agent or whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.	
D	<u>COPYRIGHT</u> The copyright of these documents is vested in County Works Office, Ministry of Public Works, Kiambu. No part of this document may be reproduced in any form or by any means without their prior permission.	
	CARRIED TO COLLECTION	

ITEM	DESCRIPTION	AMOUNT
	Section No. 1	
	Bill No. 2	
	GENERAL PRELIMINARIES	
	COLLECTION	
	Total Brought Forward from Page No.	
	G	
	G	
	G	
	G	
	G	
	G	
	G	
	G	
	G	
	G	
	G	
	G	
	CARRIED FORWARD TO GRAND SUMMARY	

MAIN BLOCK

	PROPOSED LEVEL 3 PROTOTYPE MEASURED WORKS BILL 3				
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
A	SUBSTRUCTURE All provisional <u>EXCAVATION & EARTHWORKS</u> Clear site of all shrubs and bushes and cart away the debris	SM	1250		
B	Excavate to remove top soil average 200mm and store as direced by the project manager	SM	1250		
C	Excavate in bulk to remove black cotton soil	CM	1500		
D	Supply deliver and lay including compacting , imported approved murrum and/or red soil filling to make up levels to approval	CM	1125		
E	Extra over excavation in normal soil for excavation in rock of all classes	CM	50		
F	Excavate for foundation trenches in normal soil depth not exceeding 1.5m deep and cart away	CM	648.4		
G	Excavate for column bases in normal soil depth not exceeding 1.5m deep and cart away	CM	365.0		
H	Cart away the arisings	CM	1835.0		
J	Return, fill and ram selected excavated materials	CM	299.0		
K	<u>FILLING</u> 350mm Thick handpacked well compacted hardcore	CM	315.6		
L	50mm Thick well rolled quarry dust blinding on hardcore	SM	745		
M	Treat the surface with insecticide as per the manufacturers instruction to the Architects approval	SM	1250		
N	600x600x50mm Thick precast concrete paving slabs including jointing and bedding to approval.	SM	150.0		
	Carried to collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	CONCRETE WORK				
A	50mm Thick mass concrete blinding to foundation	SM	676		
	<u>Vibrated reinforced concrete class20/20 to:</u>				
B	250mm thick foundation strip	CM	71.1		
B	Beam	CM	16.08		
C	Column bases	CM	97.0		
D	Columns	CM	11.0		
E	150mm Thick floor slab	SM	745		
	FORMWORK				
	<u>Sawn timber formwork to:</u>				
F	Edges of floor slab; 150-225mm high	LM	148.1		
G	Sides of column bases	SM	216.0		
H	Sides of columns	SM	141		
J	Sides of columns curved to radius	SM	1		
K	Sides of strip footing	SM	479.4		
	REINFORCEMENT				
L	Assorted high tensile mild steel reinforcement	kg	11355.3		
M	BRC mesh A142 laid with 300mm end and side laps	SM	745		
	WALLING				
N	200mm Thick natural stone walling jointed in cement sand mortar mix 1:4 and reinforced with hoop iron every alternate course	SM	832.5		
	DPM				
P	1000gauge damp proofing membrane laid with 150mm end laps	SM	745		
	Carried to collection				
	COLLECTION				
	From page 1				
	From page 2				
	Carried to Summary				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
A	SUPERSTRUCTURE EXTERNAL WALLS 200mm Thick machine cut stone walling jointed in mortar mix 1:4 and reinforced with hoop iron every alternate course	SM	627.0		
B	INTERNAL WALLS 200mm Thick machine cut stone walling jointed in mortar mix 1:4 and reinforced with hoop iron every alternate course	SM	1453.0		
C	100mm Thick ditto	SM	63.0		
D	Steel grill to detail	SM	0.0		
E	ALUMINIUM PARTITIONING <i>All Aluminium by "Booth Manufacturing Africa" or other equal and approved</i> <i>Note; The term composite size shall mean the extreme dimensions of the final completed sectional size after assembly of all manufacturer specified members including all required screwing/bolting so as to be ready to receive the panels</i> Approximately 2400mm high partitions comprising 2400mm high 5mm thick sandblasted patterned glass glazed panels fixed with approved rubber beading; all framed In approved powder coated finished aluminium composite size 80x80mm;set out as; studs at 900mmc/c, sole plate, head plate and 2 No. mid-rails	SM	105.0		
F	CONCRETE <i>VRC class 20/20</i> Beams and Gutter	CM	378.0		
G	Columns	CM	17.0		
H	150mm Thick suspended floor slab	SM	546.0		
J	FORMWORK <i>Sawn timber formwork to:</i> Sides of beams	SM	846.0		
K	Soffits of suspended slab	SM	546.0		
L	Sides of columns curved to radius	SM	23.0		
M	Sides of columns	SM	292.0		
N	Edges of suspended slab	LM	128.0		
P	Assorted reinforcemet	KG	22609.0		
Q	Gutter beam	SM	275.0		
	Carried to Summary				

[illegible]

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>STAIRCASE</u> Concrete work <i><u>V.R.C class 20/20 to:</u></i>				
A	Staircase waist and steps	CM	3		
B	200mm Thick landing slab	SM	4		
	<u>FORMWORK</u> <i><u>Sawn timber formwork to:</u></i>				
C	Sloping soffits of staircase	SM	9		
D	Soffits of suspended landing	SM	4		
E	Edges of waist ;225-300mm high, including cutting formwork to stair profiles	LM	13		
F	Edges of treads; 75-150mm high	LM	25		
G	Edges of landing;150-225mm high	LM	11		
	<u>FINISHES</u> <i><u>Cement sand backing 1:3 to receive terrazo to:</u></i>				
H	28mm Thick intermediate landings	SM	4		
J	28mm Thick x320mm wide treads	LM	25		
K	28mm Thick x 150mm high risers	LM	25		
L	28mm Thick x 100mm high moulded skirting coved at the junction to floors, with rounded top, including labours to stair profiles	LM	13		
M	12mm Thick terrazzo paving to intermediate landings	SM	4		
N	12mm Thick terrazzo paving to 320mm wide treads	LM	25		
P	12mm Thick terrazzo paving to 150mm high risers	LM	25		
Q	12mm Thick x 100mm high moulded skirting coved at the junction to floors, with rounded top, including labours to stair profiles	LM	13		
R	32x3mm Thick plastic dividing strip set in terrazzo pavings to approved pattern.	LM	10		
S	Extra over terrazzo pavings for 25mm wide carborandum non slip insert.	LM	19		
	<u>BALUSTRADES AND RAILING</u>		0		
T	900mm High,25x25x4mm Thick RHS baluster, fish tailed and grouted on one end at 500mm centres and screwed/bolted on the other to handrail infilled with 25x25x4mm Thick flats all cut and welded to approved detail	SM	15		
	<u>Prepare and apply one undercoat and two finishing coats gloss paint on</u>		0		
U	General surfaces of mild steel balustrades	SM	15		
	Carried to collection				
	<u>COLLECTION</u> RAMP STAIRCASE				
	Carried to summary				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	ALL PROVISIONAL <u>STEEL STRUCTURES, ROOF AND RAIN WATER DISPOSAL</u> <u>Structural Steelwork</u> <u>complete with and including all welded (6mm fill et</u> <u>weld) and bolted connections; delivery to site a</u> <u>nd</u> <u>erection with and including one shop coat of</u> <u>red</u> <u>oxide zinc chromate primer or similar and two</u> <u>finishing coats including hoisting and fixing</u> <u>approximate 8m above the ground level. Allo</u> <u>w for</u> <u>flat Sections gusset plates, connections, bolts</u> <u>etc. All</u> <u>works to be painted with three coats of gloss oil</u> <u>paint</u>				
A	100x50x 4mm RHS main frame	Kgs	3594		
B	100x50x 4mm RHS main frame	Kgs	1811		
C	75X75X6mm RHS bracing	Kgs	1370		
D	100x50x2mm Z purlins	LM	1127		
	<u>Roof Covering</u> <u>sheets on Z-section purlin (m.s) pre formed box</u> <u>profile roofing sheets; including edging trim, fixi</u> <u>ng</u> <u>to steel structure, complete with approved</u> <u>washers, j-</u> <u>bolts, caps, plastic washers etc. including all</u> <u>necessary curvatures, hoisting, placing and</u> <u>connections; (Measured nett. Bidder to include f</u> <u>or laps)</u>				
E	Roof covering	SM	900		
F	Ditto ridge cap	LM	67		
G	Barge flushing	LM	73		
	<u>Galvanised steel; gauge 26; pre-</u> <u>painted; Rainwater</u> <u>goods with lapped, rivetted and soldered joints o</u> <u>r seams including all labours :-</u>				
H	250 x 200 mm x 2mm Galvanised Box gutter: Welded to angle line stifeners 60 4mm; including flat steel brackets at 1500 mm (maximum) centres: holes for down pipes as necessary:	LM	0		
J	100mm diameter rain water downpipe	LM	158		
K	Extra over for closed ends, shoes and swan neck offset	NO	16		
M	<u>Prepare and apply three gloss oil paint on:-</u> General surfaces of down pipes	LM	158		
	TOTAL CARRIED TO SUMMARY				

[illegible]

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
A	<u>Wrot celcured hardwood frames and framing</u> 250x50mm; 2 no.Labours plugged door frame	LM	463.0		
B	40x25mm weathered architrave	LM	463.0		
C	25mm rounded quandrant	LM	463.0		
	<u>45mm Thick solid core flush doors veneered boh sides with first quality mahogany veneer and lip ped on all edges in approved hardwood</u>				
D	Door size 900x2400mm high single swing	NO	54.0		
E	1800 x2400 double swing,double leaf doors	NO	1.0		
F	Overall door size 1100*2400mm high single leaf door .	NO	14.0		
G	Mild steel grill doors to approval including fixing and priming and all necessary ioronmongery	SM	17.0		
H	4mm thick clear glass and glazing with putty in panes not exceeding 0.10SM	SM	8.0		
	<u>IRONMONGERY</u> Supply and fix the following ironmongery with screws to match.				
J	3-lever mortice lock as complete with lever furniture.	NO.	67.0		
K	100mm steel butt hinges with steel screws	Prs	213.0		
L	Ditto duble swing hinges.	Pr.	3.0		
M	Rubber door stop fixed to concrete floor or masonry walling with and including 38mm rawl bolt	NO.	71.0		
	Carried to collection				
A	<u>PAINTING AND DECORATING</u> Back of wood surface exceeding 100mm girth but not exceeding 200mm girth	LM	1389.0		
B	<u>Knot, prime, stop prepare and apply polyurethan e varnish on</u> General surfaces of timber doors	SM	375.0		
	Carried to collection				
	<u>COLLECTION</u> <u>From page 7</u> <u>From page 8</u> <u>From page 9</u>				
	Carried to Summary				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>FINISHES</u>				
	<u>FLOOR FINISHES</u>				
A	<u>Cement and sand (1:4) screed to floor: in</u> 32mm Thick finished to receive ceramic tiles	SM	1400.0		
	<u>330 x330 x 8mm Approved ceramic floor tiles in</u> <u>appropriate adhesive and to approved pattern</u> <u>including grouting joints in matching cement; to</u>				
B	Floors; on level screed (m/s)	SM	107.0		
	<u>500 x500 x 8mm Approved ceramic non slip f</u> <u>loor tiles in appropriate adhesive and to</u> <u>approved pattern</u>				
C	<u>including grouting joints in matching cement; to</u> Floors; on level screed (m/s)	SM	1221.0		
D	Ditto 100 mm high skirting	LM	1182.0		
E	Average 38mm thick polished terrazzo comprising 26mm thick cement sand screed backing and 12mm thick grano layer in approved colour ,pattern with and including dividing strips to approval.	SM	72.0		
	<u>Epoxy Floor</u>				
E	Supply and apply resigard primer SF with aggregate and color for coving	Lm	109		
E	Supply and apply TekniFloor SLS 10 coating to receive primer	Sm	137		
F	Supply and apply TekniFloor SLS 10 with primer at 2mm to fill in undulations to receive eopxy finish	Sm	137		
F	Supply and apply resigard prier SL 12 with solvent free epoxy primer (ResiGard Primer SF), with anti-scratch finish	Sm	137		
	<u>WALL FINISHES</u>				
F	15mm Thick gauged lime plaster	SM	1790.0		
G	Prepare and apply one undercoat and two finishing coats of silk vinyl emulsion paint	SM	1790.0		
H	15mm Thick gauged lime plaster wood floated to receive tiles	SM	90.0		
J	300x600mm ceramic glazed wall tiles in appropriate adhesive and grouting to approval.	SM	90.0		
	<u>Epoxy Walls</u>				
K	Supply and apply resigard primer SF with aggregate and color for coving	Lm	109		
K	Supply and apply TekniFloor SLS 10 coating to receive primer	Sm	266		
K	Supply and apply TekniFloor SLS 10 with primer at 2mm to fill in undulations to receive eopxy finish	Sm	266		
K	Supply and apply resigard prier SL 12 with solvent free epoxy primer (ResiGard Primer SF), with anti-scratch finish	Sm	266		
	<u>CEILING FINISHES</u>				
K	15mm Thick cement sand lime	SM	655.0		
L	Prepare and apply one undercoat and two finishing coats of premium emulsion paint to approval	SM	655.0		
	Carried Forward				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	Brought Forward				
	<u>Timber Brandering</u>				
A	12mm Thick gypsum ceiling on and including metal framework to approval.	SM	546.0		
B	Prepare and apply one undercoat and two finishing coats of premium emulsion paint to approval	SM	546.0		
C	UPVC heavy gauge ceiling on and including brandering to approval.	SM	154.0		
	<u>EXTERNAL FINISHES</u>				
D	15mm thick cement sand plaster to approval.	SM	698.0		
E	Prepare and apply wallmaster to approval	SM	698.0		
	<u>SLAB PROTECTION</u>				
F	75mm Thick waterproofed screed laid to slope.	SM	50.00		
G	PCC jointed and bedded in mortar mix 1:3	LM	60.00		
	<u>WATER-PROOFING OF GUTTER BEAM</u>				
H	4mm A.P.P. or other equal and approved waterproofing membrane on concrete gutters laid in accordance with the manufacturers printed specifications to the Architect's approval.	SM	243.00		
J	Turn edge of A.P.P. waterproofing membrane into and including groove in concrete beam or wall and point in gauged mortar.	LM	192.00		
K	Dress roofing around 100mm diameter rainwater outlet.	NO	22.00		
	Carried to Summary				
	<u>SUMMARY</u>				
1	SUBSTRUCTURE				
2	SUPERSTRUCTURE				
3	STAIRCASE & RAMP				
4	ROOFING				
5	OPENINGS				
6	FINISHES				
	TOTAL CARRIED TO MAIN SUMMARY				

TOILET BLOCK

[illegible]

ITEM	DESCRIPTION	QTY	UNIT		
A	<u>Insitu concrete; reinforced; class 20 / (20mm); vibrate d</u> Foundations in trenches, 200mm thick	5	CM		
B	150mm thick ground floor slab Extra over ground floor slab for thicknessing for steps	36 0	SM LM		
C	<u>Reinforcement</u> <u>Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks</u> Assorted reinforcement	400	KG		
D	<u>Fabric; B.S. 4483</u> Reference A142 mesh 200 x 200 mm , weight 2.22 kgs per square meter (measured net - no allowance made for laps(inclunding bends, tying wire and distance blocks	36	SM		
E	<u>Sawn formwork to insitu concrete as described:-</u> Edges of ground floor slab; 75 to 150mm wide	26	LM		
F	<u>Walling</u> 200mm thick approved local natural stone; roughly squared to foundation walling; bedding and jointing in cement sand (1:3) mortar	82.0000	SM		
G	<u>Damp proofing</u> Polythene; 1000 gauge, 150mm laps (no allowance made to laps), horizontal; 1 no. layer laid on	36	SM		
H	200mm wide; B.S. 743 Type A bitumen hessian base 150 mm laps (no allowance made for laps); <u>Insitu finishings</u>	49	LM		
I	14mm thick 2 No. coatwork cement sand (1:3) render; wood floated to concrete or blockwork base <u>Prepare and apply three coats exterior quality paint to approval on:-</u>	0	SM		
J	Rendered plinths, externally.	0	SM		
	<u>Carried to collection</u>				
	<u>COLLECTION</u>				
1	From page 1				
2	From page 2				
	TOTAL FOR SUBSTRUCTURES CARRIED TO SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT		
	<u>ELEMENT NO. 2</u> <u>RING BEAM</u> <u>Insitu concrete; reinforced; class 20 / (20mm); vibrated</u>				
A	Ringbeam	3	CM		
B	150mm thick suspended slab	6	SM		
C	Columns	3	CM		
	<u>Reinforcement</u> <u>Bars; high yield steel; cold worked to B.S. 4461 including bends, hooks, tying wire and distance blocks</u>				
D	Assorted reinforcemnt bars	312	KG		
	<u>Sawn formwork to insitu concrete as described:-</u>				
E	To sides and soffits of beams	40	SM		
E	Ditto column sides	16	SM		
F	Soffits of suspended slab	6	SM		
G	Edges of suspended slab; girth 75-150mm	14	LM		
	TOTAL FOR FRAME CARRIED TO SUMMARY				
	<u>ELEMENT NO. 3:WALLING</u> <u>EXTERNAL & INTERNAL WALLING</u> <u>NATURAL STONE WALLING</u>				
A	200 mm thick approved local; machine cut; bedding, jointing and pointing in cement sand (1:3) mortar externally	51	SM		
B	Ditto but internally	38	SM		
C	Ditto parapet wall	24	SM		
	TOTAL FOR EXTERNAL & INTERNAL WALLING CARRIED TO SUMMARY				
	<u>ELEMENT NO. 5:DOORS</u> <u>45mm thick solid cored flush door,to BS 459:part 2,overall faced both sides with scratch proof laminate to approval with rounded and post-formed edges to approval</u>				
A	Door overall size 900x2100mm high	3	NO		
	Door overall 1100x2100mm high	1	NO		
B	Double swing double leaf 1200 x 2100mm high	0	NO		
	<u>Wrot hardwood frames and framings</u>				
C	150 x 50 mm; 2 No. labours; plugged door frame	26	LM		
	40mm architrave	26	LM		
	25mm quadrant	26	LM		
	<u>Iron mongery</u>				
D	2 lever mortice lock as 'UNION'	0	NO		
	Indicator bolt	4	No		
	Rebated indicator bolt	0	NO		
E	100mm steel butt hinges	6	PRS		
	<u>Aluminium primer or other equal and approved wood primer before fixing: -</u>				
F	Backs of frame, board, etc over 100mm but not exceeding 200mm girth	60	LM		
	<u>Prepare and apply three coats polyurethane clear varnish on woodwork internally</u>				
G	Frames; over 100mm but not exceeding 200mm girth	60	LM		
H	General surfaces of doors both sides	15	SM		
	<u>Supply deliver and fix steel doors</u>				
J	Single leaf steel panel door including fixing in position, all necessary ironmongery and painting to approval.	11	SM		
K	Steel casement windows to detail and approval by the Architect including window sills glazing and painting to approval	25	SM		
	TOTAL FOR OPENINGS CARRIED TO SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT		
	SUMMARY				
1	SUBSTRUCTURE				
2	FRAME				
3	EXTERNAL & INTERNAL WALLING				
4	ROOFING				
5	OPENINGS				
6	FINISHES				
6	ELECTRICAL WORKS				
6	MECHANICAL WORKS				
	TOTAL CARRIED TO MAIN SUMMARY				

ELECTRICAL BILLS OF QUANTITIES FOR PROPOSED CONSTRUCTION OF TOILET BLOCK

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<i>Supply,install,test and commision the following;</i>				
	<i>NOTE: RATES TO INCLUDE ALL APPLICABLE GOVERNMENT TAXES</i>				
A	4 way Consumer as Siemens original or equal and approved equivalent	No	1		
B	Mcbs for the CU above as Siemens Original or equal and approved being;				
	a) 10A SP MCB	No	2		
	b) 20A SP MCB	No	1		
C	Submain cable 3X4 mm Sq SC PVC cable from nearest point as directed by client or PEE	LM	15		
	<u>LIGHTING POINTS</u>				
D	Lighting points wired in 3X 1.5mm Sq SC PVC CU cables as east african in 20mm H/G conduits concealed in walls being;				
	i) one way switching	NO	9		
	ii) Two way switching	NO	4		
E	Light fittings being;				
	i) 1X600 mm 18W LED slim fitting complete with tube as T&J or equal and approved equivalent	NO	9		
	ii) Bulky head fitting LED type	NO	4		
	<u>SWITCHING</u>				
F	6A Switches as T&J or equal and approved as;				
	a) 4 gang 2 way	NO	1		
	b) 2 gang 2 way	NO	1		
	TOTAL				

ITEM	DESCRIPTION	UNIT		RATE	AMOUNT
	POWER POINTS				
A	Socket outlet points wired in 3 X 2.5 mm sq SC CU cables in HG super high impact PVC conduits in slab or walls complete with boxes FOR WATER PUMP	NO	2		
B	13A 240V Twin Socket outlet as T&J or approved equal	NO	2		
C	EARTHING				
i)	Earthing to PME standard complete with 4 ft cooper plated earth electrode and clamping kit, 300X300X300mm concrete earthing chamber with cover, to approval by the Project electrical Engineer.	Item	1		

[illegible]

	COLLECTION				
	Total from page 1				
	Total from above				
	TOTAL carried to summary page				

SUMMARY PAGE

	ELEMENT	PAGE		AMOUNT
1	TOTAL FOR ELECTRICAL WORKS	2		
2	TESTING AND COMMISSIONING IN ACCORDANCE TO ALL TECHNICAL PROCEDURES COMPLETE WITH TEST CERTIFICATE APPROVED BY PEE			
	TOTAL FOR ELECTRICAL WORKS TO ABOLITION BLOCK			

AMOUNT IN WORDS:

Company name and adress:

Stamp:

Signature:

PROPOSED CONSTRUCTION OF MEDIUM ABLUTION BLOCK IN KIAMBU COUNTY
MECHANICAL WORKS

	Description	Unit	Qty	Rate (Kshs.)	Amount (Kshs.)
	SANITARY FITTINGS				
	Supply, deliver, install and fix the following sanitary fittings including all materials and jointing to supply, waste/soil and overflow pipes. Duravit products are specified only as indication of quality. Equal and approved appliances may be supplied. Where trade names are mentioned, the Ref. no is intended only as a guide to the type of quality of fittings.				
	Water Closet				
A	Closed Couple WC Suite in Vitereous China and approved colour comprising of WC bowl, 'P' or 'S' trap connector, heavy duty matching seat and cover with metal fixed chrome plated hinges and chrome plated push button with all other necessary accessories. All fittings to be approved.	No.	2		
B	Squatting water closet suite in vitreous china comprising of water closet bowl with top plate and integral foot threads, with 'P' or 'S' trap connector complete with ceramic 9L cistern	No.	3		
C	600 x 35mm stainless steel grab rails (3No.) with 600 x 35mm stainless steel swivel arm (1No.)	Item	2		
	Toilet roll holder				
D	Toilet roll holder in vitreous china to BS 3402 in white colour of size 165x165mm and recessed into wall. Toilet roll holder to be as Twyford's "SEMI RECESSED & ORNAMENTAL" accessories	No.	5		
	Hand Driers				
E	Automatic Hand Drier in white colour, operating on an infra-red automatic sensing system with safety cut-out complete with plastic rawl plugs and fixing screws. The hand drier to have a heating capacity of 1.8 kw and to be of size 270 x 64 x 143mm deep	No.	4		
	Wash Hand Basin				
F	Pedestal wash hand basin size 575 x 500mm with two tap hole, 32mm diameter chrome chain waste, chain stay hole, chrome plated non-conclusive time delay press, action pillar tap as COBRA model and heavy duty chrome plated bottle trap (32mm 'P' trap) with 75mm seal. All fittings to be approved.	No.	2		
Total C/F to collection page 6					

	Description	Unit	Qty	Rate	Amount (Kshs.)
A	Wash Hand Basin Counter-top wash hand basin size 575 x 500mm with two tap hole, 32mm diameter chrome chain waste, chain stay hole, chrome plated non-conclusive time delay press, action pillar tap as COBRA model and heavy duty chrome plated bottle trap (32mm 'P' trap) with 75mm seal. All fittings to be approved.	No.	2		
B	Robe Hook Single chrome robe hooks complete with fixing plates, wall flanges and screws, All fittings to be approved.	No.	5		
C	Soap Dispenser Soap dispenser, capacity 1.136 litres complete with plastic rawl plugs, fixing screws, lock and key complete initial fill of soap gel. The soap dispenser to be as ZAPLON'S MARK 7 model, size 125 x 100 x290mm high or approved equivalent.	No.	4		
D	6mm thick polished plate glass, silver backed mirror with bevelled edge size 610x497mm plugged and screwed to wall with 4No. Chrome plated.	No.	4		
Total C/F to collection page 6					

	Description	Unit	Qty	Rate	Amount (Kshs.)
	INTERNAL PLUMBING WORKS Supply, deliver and install pipes, tubing and fittings as described and shown on drawings. The pipes shall PPR pipes where exposed to adverse weather conditions and all conforming to the current European standards for PPR installations and to the Engineers approval, pipe jointing shall be by polyfusion or use of electric coupling. rates must allow for all metal/plastic threaded adaptors where required for the connection of sanitary fixtures, valves sockets, sliding and fixed joints etc. as required in the running lengths of pipe work and also where necessary, for pipe fixing clips, holder bats plugged and screwed for proper and satisfactory functioning of the system. The pipes will be pressure tested before the plastering of wall commences and as per the manufacturers recommended testing pressure.				
	PPR				
A	40mm -ditto-	Lm	4		
B	32mm -ditto-	Lm	21		
C	25mm -ditto-	Lm	32		
D	20mm -ditto-	Lm	18		
	Bends				
E	20mm Diameter Bend	No.	4		
F	25mm Diameter Bend	No.	7		
G	32mm Diameter Bend	No.	6		
	Tees				
H	40 -ditto-	No.	2		
I	32 -ditto-	No.	4		
J	25 -ditto-	No.	4		
	Reducers				
K	40x32 -ditto-	No.	2		
L	32x25 -ditto-	No.	2		
M	32x20 -ditto-	No.	4		
N	25x20 -ditto-	No.	6		
Total C/F to collection page 6					

	Description	Unit	Qty	Rate	Amount (Kshs.)
	Threaded Fittings				
A	20mm diameter male/female threaded 90° elbow	No.	10		
	Valves				
B	40mm -ditto-	No.	1		
C	25mm -ditto-	No.	3		
	Unions				
D	40mm ditto	No	2		
E	25mm ditto	No	6		
	Water storage tank - Roof tank				
F	Supply and install water storage loft tanks of capacity 1,500 litres made of plastic of dimensions 1.9m length x 1.2m width x 1.2m height as Rotor or equivalent approved. The tank shall be complete with inlet, outlet, overflow and drain connection. It should have a 20mm diameter medium ball valve with silencer pipe, bronze lever and copper float all as "Glenfield or approved equivalent. The tank shall be firmly supported in the roof at high level. Mounted on a plynth for as approved	No.	2		
G	Supply and install water storage tanks of capacity 3000 litres made of plastic of dimensions 2.4m diameter and 1.25m height as Rotor or equivalent approved. The tank shall be complete with inlet, outlet, overflow and drain connection. It should have a 20mm diameter medium ball valve with silencer pipe, bronze lever and copper float all as "Glenfield or approved equivalent. The tank shall be firmly supported in the roof at high level. Mounted on a plynth for as approved	No.	1		
H	20mm diameter x 300mm long flexible connectors complete with integral chrome plated angle valve for connecting the sanitary fitting to water supply. To be as Cobra or equal and approved.	No	10		
	Water Meter and Water Connection				
I	Allow for water connection to local council mains and 32mm water meter as 'Kent' or approved equivalent complete with water connection charges.	Item	1		
J	Pressure testing and commissioning the internal drainage installations	Item	1		
Total C/F to collection page 6					

	Description	Unit	Qty	Rate	Amount (Kshs.)
	INTERNAL FOUL DRAINAGE Supply, deliver and install the following UPVC, MUPVC, soil and waste system respectively to B.S 5255 with fittings fixed to manufacturers printed instructions and manufactured by reputable manufacturers. Tenderers must allow in their pipework prices for all the couplings, clippings, connectors, joints etc. as required in the running lengths of pipework and allow for connection to the nearest manholes and also where necessary, for pipe fixing clips, holder bats plugged and screwed for the proper and satisfactory functioning of the system.				
	UPVC and MUPVC Soil and Waste				
A	150mm diameter Heavy gauge golden brown UPVC pipe	Lm	35		
B	100mm diameter Heavy gauge golden brown UPVC pipe	Lm	26		
C	100mm diameter Heavy gauge grey UPVC pipe	Lm	8		
D	50mm -ditto-	Lm	6		
E	40mm -ditto-	Lm	6		
F	32mm -ditto-	Lm	6		
	Bends				
G	100mm diameter bend with access	No.	16		
H	50mm diameter sweep bend	No.	6		
I	40mm diameter sweep bend	No.	4		
J	32mm diameter sweep bend	No.	4		
	Tees				
K	32mm diameter sweep tee	No.	4		
	Reducing Socket				
L	40 x 32 reducing socket	No.	4		
M	100mm diameter WC connector	No.	5		
	Traps				
N	100 x 50mm diameter four way floor trap and grating	No.	5		
O	Standard 300 x 300 x 450mm masonry gully trap complete with 125mm reinforced concrete cover	No.	3		
	Weathering slates and vent cowls				
P	100mm weathering slate and apron	No.	2		
Q	100mm vent cowl	No.	2		
R	Inspection channel complete with heavy duty cover (600 x 450 mm)	No.	9		
S	Testing and commissioning the internal drainage installations	Item	1		
Total C/F to collection page 6					

COLLECTION PAGE FOR SANITARY FITTINGS, PLUMBING, DRAINAGE AND FIRE PROTECTION SERVICES

Item	Description	Amount (Ksh)
1	Total Carried Forward from Page 1	
3	Total Carried Forward from Page 2	
4	Total Carried Forward from Page 3	
5	Total Carried Forward from Page 4	
6	Total Carried Forward from Page 5	
	Total for Sanitary fittings, Plumbing and Drainage Carried forward to Main Summary page 7	

GRAND SUMMARY		
	Description	Amount (Kshs.)
1	Preliminaries	
2	Total for Sanitary Fittings, Plumbing, Drainage and Fire Protection Services	
TOTAL		

Amount in Words:

.....

Tenderer’s Name and Stamp:

Sub contract period. Weeks

Signature Date:

PIN NO. VAT CERTIFICATE No.
(Provide copy)

(Provide copy)

Witness Address:

Signature Date:

SEPTIC TANK

Item	Description	Site Qty	Unit		
	BILL NO. 7: SEPTIC TANK				
	45,000 LITRES CAPACITY SEPTIC TANK.				
	Excavation				
	Excavate in pit for septic tank starting from ground level				
A	Depth not exceeding (ne) 1.5m	188	CM		
B	Ditto,depth not limited to t.n 1.5 m but n.e 3.0m	117	CM		
C	Ditto,depth not limited to 3.0 m but n.e 4.5m	59	CM		
D	Ditto,depth not limited to 4.5m but n.e 6.0 m	59	CM		
E	Trim bottom of excavated surface	192	SM		
F	Extra over for excavation in rock class II	117	CM		
D	Load wheel and cart away	422	CM		
D	Return, fill and ram	26	CM		
	Planking & Strutting				
G	Allow for planking and strutting to sides of trenches tank pit				
	Dewatering				
H	Allow for keeping trenches free of under ground water				
	Concrete class 15 (mix 1 :3:6)				
J	Mix and place 50mm concrete blinding	57	SM		
	Vibrated reinforced concrete class 20/20 (mix 1 :2:4)				
K	Mix and place 200/300 mm thick concrete in base slab	20	CM		
L	Ditto,but in 250 mm thick wall	26	CM		
N	Ditto,but in 200 mm thick wall	6	CM		
P	Ditto,but in 150 mm thick scum baffle wall	5	CM		
Q	Ditto,but in 200mm thick suspended cover slab	15	CM		
	Carried to collection				

Item	Description	Site Qty	Unit
A	Ribbed bar steel reinforcement Assorted bars	6983	Kg.
D	Mesh fabric B.R.C. type A142 in two layers	8	SM
E	Formwork Sawn formwork to:- Interior sides of vertical walls	140	SM
F	External sides of vertical walls	117	SM
G	Soffits of suspended slab	57	SM
H	Sides of suspended slab, 150 mm-225 mm wide	35	LM
J	Ditto to sides of entry and exit manholes	6	SM
K	Boxing in formwork to form opening in cover slab for 600 x 450 mm manhole cover and frame, 150 - 225 mm wide	8	LM
L	WATER PROOF CEMENT RENDERING 12mm thick sulphate resisting cement sand (mix 1:3) to base slab	57	SM
M	Ditto to sides of vertical walls	140	SM
M	Suspended slab	114	SM
	Carried to collection		

Item	Description	Site Qty	Unit		
	SOAK PITS AND MANHOLES				
	Excavate pit for circular soak pit as per detailed drawing				
A	Depth not exceeding (ne) 1.5m	15	CM		
B	Ditto,depth not limited to t.n(1.5 m but n.e 3.0m	15	CM		
C	Ditto,depth not limited to 3.0 m but n.e 4.5m	15	CM		
D	Ditto,depth not limited to 4.5m but n.e 6.0 m	8	CM		
D	Load wheel and cart away	53	CM		
D	Return, fill and ram	27	CM		
	Concrete class 15 (mix 1 :3:6)				
E	Mix and place 50mm thick concrete blinding in footing	12	SM		
F	Ditto but 200mm thick footing	3	CM		
	Walling				
G	150mm thick dressed natural stone to detail to soakpits & Man holes 50(5345)	20	SM		
H	12mm thick water proof cement rendering to vertical walls	140	SM		
	Vibrated reinforced concrete class 20/20 (mix1:2:4)				
J	Mix and place concrete class 20/20 in 150mm thick suspended slab	3	CM		
	Ribbed steel reinforcement bars to				
K	10mm diameter round bars	38	Kg		
L	Provide 200 mm diameter stone block or hardcore in soak pits	0	CM		
M	32mm thick CEMENT/SAND (1:3) screed with smooth finish to all concreted surfaces	72	SM		
N	Provide and fix 100mm G.I. pipe for septic tank breather		ITEM		
	Carried to collection				
Item	Description	Qty	Rate	Amount	
	COLLECTION				
	Brought from pg 1 of 3				
	Brought from pg 2 of 3				
	Brought from above				
	TOTALS CARRIED TO SUMMARY				

STORM WATER DRAINAGE

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>STORMWATER DRAINAGE</u>				
A	Excavate trench for pipes: part backfill and compact selected excavated materials : spread surplus excavated materials on site : grade and compact bottoms : for drain pipes 450mm Diameter pipe: not exceeding 1500mm deep : 1000mm (average) deep <u>Planking & Strutting and keeping excavations free from all water</u>	m	150		
B	Allow for planking and strutting	Item	1		
C	Allow for keeping excavations free from water	Item	1		
D	Provide and lay precast concrete pipes to BS 556 part 2: spigot and socket joints in running length: standard BS 556: sand and cement mortar (1:3) joints; laid and jointed in trenches (measured separately); including mass concrete bed surround : to Engineers detail 450mm Diameter pipes : laid and jointed in trenches (measured separately) <u>Drainage manholes</u> Provide materials and construct square manholes as per Engineer's details : consisting of 200mm thick reinforced concrete class 20 walls : 200mm thick class 20 concrete bed and cover slab : A142 BRC mesh reinforcement to concrete walls :125mm class 20 concrete haunching to manhole cover frame reinforced as necessary : 12mm thick (1:3) cement and sand render to sides of walls and benching : excavation and disposal from site : formwork complete with cover and frame	m	150		
E	900 x 900mm internal dimensions x 1500mm depth average to invert level <u>SUB-TOTAL C/F</u>	No	5		
	<u>SUB-TOTAL B/F</u>				
A	<u>Road Gulleys</u> Supply and fix PCC road gulleys as supplied by M/s Bilco Engineering or from other approved manufacturers;rate to include for ground preparation,fixing and surround and connection to grid line all to approval.	No	12		
B	Supply and fix cover and frame as described :Heavy duty galvanized mild steel grating: 356 x 406mm : comprising 50 x 10mm mild steel flats at 50mm centres in 50 x 50 x 5mm angle frame: 50 x 50 x 5mm angle frame all round to receive grating: frame set in concrete with lugs: all joints welded and ground smooth: one coat primer and three coats gloss oil paint <u>Sundries</u>	No	12		
C	Provide labour only for building in ends of pipes into manholes	No.	6		
D	Allow for testing whole installation to Engineer's satisfaction Total for Drainage Works	Item	1		

ELECTRICAL WORKS

BILL NO. 1 FLOORS (G,1ST)

Item	Description	Qty	Unit	Rate	Amount
1.1.00	Supply, Install, test and commission the following:- <u>LIGHTING POINTS</u>				
1.1.01	Lighting points wired in 1.5mm ² SC CU cables drawn in concealed 20mm diameter HG P.V.C. conduits for:-				
	a) One way switching	55	No		
	b) Two way switching	18	No		
	c) Unswitched	10	No		
	<u>SWITCHES</u>				
1.1.02	10Amps, switch plate as T&G, PANASONIC or approved equivalent as				
	a) One gang one way	30	No		
	b) One gang two way	7	No		
	c) Two gang two way	4	No		
	d) Three gang two way	5	No		
	<u>LIGHT FITTINGS</u>				
1.1.03	Lighting fittings complete with bulbs or tubes as follows:-				
	(a) 1200mm, 1x36 Watts LED fluorescent fitting as philips complete with lamp or approved equivalent	68	No		
	(b) 1200mm x 2 x 36 watts ditto	3	No		
	(c) 600mm, 1x18 Watts LED fluorescent fitting as philips complete with lamp or approved equivalent	12	No		
1.1.04	(a) standard circular surface luminaire with polycarbonate body and white trion, polycarbonate opal diffuser and integral control gear or 28 W 2D compact fluorescent lamp as THORN St. superclub or approved equivalent	6	No		
	(b) 15W 240v Compact LED fitting as Philips 6000k (daylight)	5	No		
	SUB TOTAL C/F TO NEXT PAGE				

Item	Description	Qty	Unit	Rate	Amount
	Sub-total B/F from previous page				
1.1.05	1x8 Watts, Double sided non maintained EXIT emergency lighting luminaire as THORN or approved equivalent (TYPE EXIT)	2	No		
1.1.06	Bedhead unit comprising of 1No 18 Watts reading fluorescent light. 1 No. night light, pull cord nurse call point, RJ45 Telephone outlet and 1 No 13Amps 240V twin socket outlet as THORN or approved equivalent.	15	No		
	<u>SOCKET OUTLETS AND OTHER POWER POINTS</u>				
1.1.07	200X50mm, 3 compartment, 16 WG powder coated steel trunking complete with inner and outer corners and punchouts for data and power points	150	LM		
1.1.08 a	Power points wired ring comprising of 3x2.5 mm sq. single core PVC copper cables drawn in concealed 25mmsq HG PVC conduits and steel trunking	34	No		
1.1.08 b	13 Amps Socket outlet wall mounted at 400mm AFFF	24	No		
1.1.08 c	13 Amps non spark Socket outlet wall mounted at 1500mm AFFF in the theatre area	10	No		
1.1.09	Hand drier point comprising wiring in 3x2.5mm ² PVC-SC-CU cables in concealed PVC conduits	3	No		
1.1.10	32Amps double pole switches with neon indicator as CLIPSAL or approved equivalent for item 1.1.09 above	3	No		
1.1.11	Sub-mains cables consisting of 4x25mm sq +1x16mm sq E.C.C in concealed 50mm diameter HG PVC conduits and all other accessories	80	LM		
1.1.12	18 SWG surface mounted and spray painted Meter board to accommodate 1No. threephase tariff Meters and 1No. KPLC outs, 125A TPN MCCB and all other necessary accessories to KP&L Co. and MOR&PW standard.	1	No		
	SUB TOTAL				

Item	Description	Qty	Unit	Rate	Amount
	SUB-TOTAL B/F FROM PREVIOUS PAGE				
1.1.13	Earthing of Meter board with 6mm ² SC Earth cable and 1500mm long, 12mm diameter earth rod.	1	No.		
1.1.14	a) 35mmsq x 4 core PVC/SWA/PVC cables or power distribution	120	LM		
	b) Tiling with hatari tiles	120	LM		
1.1.15	600X450X1050mm Manholes	4	No		
1.1.16	Trenching for cables in Hard rock to 750mm depth and backfilling	125	LM		
1.1.17	Trenching for Cables in soft soil to 750mm depth and backfilling	125	LM		
1.1. 18	Weatherproof metallic cable loop-in box complete with all accessories to project Engineer's approval	1	No		
	<u>DISTRIBUTION BOARDS</u>				
1.1.24	TP&N, flush mounted distribution boards complete with 100A intergral isolator a HAGER or approved equivalent complete with all accessories but excluding MCBs				
	(a) 8 way TPN Distribution board	1	No		
	(a) 6 way SP consumer unit	1	No		
1.1.25	MCB's for item 1.1.25 above				
	a) 10A, SP	8	No		
	b) 20A,SP	4	No		
	c) 30A,SP	6	No		
	d) Blanking plates	2	No		
	FLOORS TOTAL CARRIED TO SUMMARY PAGE				

BILL NO. 2 – FIRE ALARM SYSTEM

Item	Description	Qty	Unit	Rate	Amount
	FIRE ALARM SYSTEM				
2.1.1	Fire Alarm Control Panel (F.A.C.P) power point comprising box, completely wired in 3x2.5mm. sq. SC Cu cables drawn in 25mm diameter concealed HG PVC conduit, complete with piloted, fused, non-switched 20A DP connection unit (with neon light) and outlet plate.	1	No		
2.1.2	4-zone expandable Fire alarm panel flush mounted on the wall complete with 72 hour standby battery as MENVIER MF 9304	1	No		
2.1.3	Fire alarm points wired in 3x2.5mm ² Heat resistant SC PVC copper cables drawn in concealed HG PVC conduits	9	No		
2.1.4	Smoke detectors as MENVIER or approved equivalent	9	No		
2.1.5	Fire break glass manual call point a MENVIER or approved equivalent complete with a packet of 5 spare glasses a packet of 5 spare test keys, a spare box and hinged cover	6	No		
FIRE SYSTEM Total carried to Grand Summary Page					

BILL NO. 3 – LIGHTENING PROTECTION

Item	Description	Qty	Unit	Rate	Amount
	<u>LIGHTNING PROTECTION</u>				
	<u>AIR TERMINATION</u>				
3.1.2	Supply and lay 25mmx3mm thick bare copper tape as Furse P. NO. TCO30	10	Lm		
3.1.3	State Holdfast saddles as Furse Cat No. HF015 to fix the above tape to the roof	9	No		
3.1.4	Air termination spike 2000mm by 15mm diameter copper rod as Furse P. NO RA240 complete with; copper multiple point as Furse	2	No		
	<u>DOWN WARD CONDUCTOR</u>				
3.1.5	Downward conductor comprising 25mm x 3mm thick bare copper tape	16	Lm		
3.1.6	Copper square tape clamp for making crossing tape joints	2	No		
3.1.7	Copper test clamp as Furse P.NO CN 105	2	No		
3.1.8	Steel conduits 32mm diam. For securing the down conductors	5	Lm		
	<u>EARTHING</u>				
3.1.9	Earth inspection concrete chamber 300x300x300 mm with an air tight inspection cover to approval of PEE	2	No		
3.1.10	16mm nominal diameter by 12500mm threaded copper bond earth rod as Furse P. NO 310 driven to ground	2	No		
3.1.11	Driving stud	2	No		
3.1.12	Earth electrode to downward conductor copper tape clamps as Furse CR 105	2	No		
	LIGHTENING ARRESTOR TOTAL CARRIED TO SUMMARY PAGE				

SUMMARY PAGE

ITEM NO.	DESCRIPTION	PAGE	FOR OFFICIAL USE	TOTAL
S. 01	FLOORS	F 3		
S. 02	FIRE SYSTEM	FSY 1		
S. 03	LIGHTENING ARRESTORS	LT/A 1		
S. 04	ALLOW 100,000 FOR CONTINGENCY			
S. 05	ALLOW 700,000 FOR POWER SUPPLY BY KPLC			

MECHANICAL WORKS

**PROPOSED CONSTRUCTION OF CIANDA LEVEL III HOSPITAL
MECHANICAL WORKS**

	Description	Unit	Qty	Rate (Kshs.)	BQ Amount (Ksh.)
	SANITARY FITTINGS Supply, deliver, install and fix the following sanitary fittings including all materials and jointing to supply, waste/soil and overflow pipes. Duravit products are specified only as indication of quality. Equal and approved appliances may be supplied. Where trade names are mentioned, the Ref. no is intended only as a guide to the type of quality of fittings.				
A	Water Closet Closed Couple WC Suite in Vitereous China and approved colour comprising of WC bowl, 'P' or 'S' trap connector, heavy duty matching seat and cover with metal fixed chrome plated hinges and chrome plated push button with all other necessary accessories.	No.	14		
B	600 x 35mm stainless steel grab rails (4No.)	No.	2		
C	Toilet roll holder Toilet roll holder in vitreous china to BS 3402 in white colour of size 165x165mm and recessed into wall. Toilet roll holder to be as Twyford's "SEMI RECESSED & ORNAMENTAL" accessories	No.	14		
D	Hand Driers Automatic Hand Drier in white colour, operating on an infra-red automatic sensing system with safety cut-out complete with plastic rawl plugs and fixing screws. The hand drier to have a heating capacity of 1.8 kw and to be of size 270 x 64 x 143mm deep	No.	11		
E	Wash Hand Basin Pedestal wash hand basin size 575 x 500mm with two tap hole, 32mm diameter chrome chain waste, chain stay hole, chrome plated non-conclusive time delay press, action pillar tap as COBRA model and heavy duty chrome plated bottle trap (32mm 'P' trap) with 75mm seal. All fittings to be approved.	No.	34		
Total C/F to collection page 9					

	Description	Unit	Qty	Rate (Kshs.)	BQ Amount (Ksh.)
A	Soap Dish wall mounted soap dish, frosted glass in approved colour of size 140mmx119mm. To be as Duravit toilet accessories	No.	6		
B	Robe Hook Single chrome robe hooks complete with fixing plates, wall flanges and screws as a Jaguar or approved equivalent	No.	21		
C	Soap Dispenser Soap dispenser, capacity 1.136 litres complete with plastic rawl plugs, fixing screws, lock and key complete initial fill of soap gel. The soap dispenser to be as ZAPLON'S MARK 7 model, size 125 x 100 x290mm high or approved equivalent.	No.	34		
D	6mm thick polished plate glass, silver backed mirror with bevelled edge size 610x497mm plugged and screwed to wall with 4No. Chrome platted.	No.	34		
E	Urinals bowls Ceramic urinal bowl complete with 40mm heavy duty plastic bottle trap and 40mm diameter chrome plated outlet with grating firmly fixed on the wall with chrome plated screws. To include 9L automatic flash cistern. The fittings to be approved.	No.	3		
F	Solar Panels and Hot Water Storage Cylinder Solar water heating system comprising of 1No. 300 litres capacity hot water cylinder with 1.5KW electric booster element, with double layered borosilicate glass vacuum tube with clear outer layer and inner layer specially coated for maximum solar irradiation absorption, with mounting structure, fittings and frames. The insulated cylinder shall be treated against corrosion by ceramic lining and shall be fitted with an anode. The system shall be a closed circuit type of the solar heating system as UltraSun 300L VacRod Solar Water Heater equal or approved.	No.	3		
Total C/F to collection page 9					

	Description	Unit	Qty	Rate (Kshs.)	BQ Amount (Ksh.)
A	Shower fittings Shower fittings comprising of stop cock concealed riser pipe and bib tap	No	6		
B	Kitchen sink Double Bowl Double Drainer, (DBDD) stainless steel sink, size 1500x600mm, bowl size 430x420mm complete with, waste fittings, plugs, chain stays and 40mm diameter heavy duty plastic bottle with 75mm deep seal complete with a chrome plated swivel action mixer trap.	No.	2		
C	Lab sink Laboratory sink to be 492x419x165mm deep manufactured from polypropylene black in colour. The sink to be complete with 38mm diameter BSP waste, and black nut, Butyl rubber gasket, Water taps to be as Laboratory sink two-way mounting fitting tap with inlets concealed supply, one swivel outlet with nozzle as Vultex Labline equipment. All fittings to be approved.	No.	2		
D	Combined slop hopper sink and drainer Slop hopper, sink and drainer with disposal unit assembly comprising Dee right hand slop hopper with sink in stainless steel, P trap, concealed high level duct cistern and cover, 9 litre capacity with Freeflo plastics syphon fittings, 1/2 inch microvalve high pressure ballvalve, side supply, 3/4 inch side overflow, lever extended through wall with chain plastics flushpipe. To be as armitage shanks DHSS HTM64 or equal and approved	Set	2		
E	Cleaner Sink Heavy duty sink size 465 x 410 x 285mm deep in enamelled fireclay complete with hardwood pad on the front edge and fitted bucket stainless steel grating and 20mm chrome plated wall mounted inclined bricon tap, chrome plate chain and rubber stopper and heavy gauge 40mm chrome plated bottle trap, stainless steel legs and bearers and 32mm grid waste fitting. All fittings to be approved.	No.	2		
F	Surgical Stainless Steel Scrub Sink Wall mounted surgical Stainless Steel Scrub Sink comprising of double-Station Sinks of 26.67cm deep tub 30.48cm high backsplash, and coved sides and corners to eliminate any cracks or crevices where dirt and debris could accumulate and two elbow action taps and heavy duty chrome plated bottle trap (32mm 'P' trap) with 75mm seal.	Set	1		
Total C/F to collection page 9					

	Description	Unit	Qty	Rate (Kshs.)	BQ Amount (Ksh.)
	INTERNAL PLUMBING WORKS Supply, deliver and install pipes, tubing and fittings as described and shown on drawings. The pipes shall PPR pipes where exposed to adverse weather conditions and all conforming to the current European standards for PPR installations and to the Engineers approval, pipe jointing shall be by polyfusion or use of electric coupling. rates must allow for all metal/plastic threaded adaptors where required for the connection of sanitary fixtures, valves sockets, sliding and fixed joints etc. as required in the running lengths of pipe work and also where necessary, for pipe fixing clips, holder bats plugged and screwed for proper and satisfactory functioning of the system. The pipes will be pressure tested before the plastering of wall commences and as per the manufacturers recommended testing pressure.				
	PPR				
A	63mm diameter pipe work	Lm	10		
B	50mm -ditto-	Lm	120		
C	40mm -ditto-	Lm	155		
D	32mm -ditto-	Lm	180		
E	25mm -ditto-	Lm	75		
F	20mm -ditto-	Lm	30		
	Bends				
G	20mm Diameter Bend	No.	60		
H	25mm Diameter Bend	No.	20		
I	32mm Diameter Bend	No.	15		
J	40mm -ditto-	No.	6		
K	50mm -ditto-	No.	7		
L	63mm -ditto-	No.	5		
	Tees				
M	63 equal tee	No.	2		
N	50 equal tee	No.	20		
O	40 -ditto-	No.	10		
P	32 -ditto-	No.	25		
Q	25 -ditto-	No.	50		
R	20 -ditto-	No.	5		
	Reducers				
S	63x50 -ditto-	No.	3		
T	50x40 -ditto-	No.	3		
U	50x32 -ditto-	No.	8		
V	50x25 -ditto-	No.	5		
W	40x32 -ditto-	No.	5		
X	40x25 -ditto-	No.	3		
Y	32x25 -ditto-	No.	20		
Total C/F to collection page 9					

	Description	Unit	Qty	Rate (Kshs.)	BQ Amount (Ksh.)
	Reducers				
A	32x20 -ditto-	No.	20		
B	25x20 -ditto-	No.	60		
	Threaded Fittings				
C	20mm diameter male/female threaded 90° elbow	No.	115		
D	50mm diameter male/female threaded 90° elbow	No.	5		
	Valves				
E	63mm dia. Approved medium pressure screw down full way non-rising stem wedge gate valve to BS 5154 or series b rating, with wheel and head joints to steel tubing and complete with male threaded transition fittings. The gate valve to be as "Pegler" or approved equivalent	No.	1		
F	50mm -ditto-	No.	7		
G	40mm -ditto-	No.	5		
H	32mm -ditto-	No.	14		
I	25mm -ditto-	No.	8		
	Non-Return Valve				
J	40mm ditto	No	2		
	Unions				
K	63mm diameter union	No	2		
L	50mm ditto	No	14		
M	40mm ditto	No	14		
N	32mm ditto	No	28		
O	25mm ditto	No	16		
	Water storage tank - Roof tank				
P	Supply and install water storage tanks of capacity 5000 litres made of plastic of dimensions 2.4m diameter and 1.25m height as Rotor or equivalent approved. The tank shall be complete with inlet, outlet, overflow and drain connection. It should have a 20mm diameter medium ball valve with silencer pipe, bronze lever and copper float all as "Glenfield or approved equivalent. The tank shall be firmly supported in the roof at high level. Mounted on a plynth for as approved	No.	4		
Q	20mm diameter x 300mm long flexible connectors complete with integral chrome plated angle valves for connecting the sanitary fitting to water supply. To be as Cobra or equal and	No.	105		
	Water Meter and Water Connection				
R	Allow for water connection to local council mains and 32mm water meter as 'Kent' or approved equivalent complete with water connection charges.	Item	1		
S	Pressure testing and commissioning the internal drainage installations	Item	2		
Total C/F to collection page 9					

	Description	Unit	Qty	Rate (Kshs.)	BQ Amount (Ksh.)
	INTERNAL FOUL DRAINAGE Supply, deliver and install the following UPVC, MUPVC, soil and waste system respectively to B.S 5255 with fittings fixed to manufacturers printed instructions and manufactured by reputable manufacturers. Tenderers must allow in their pipework prices for all the couplings, clippings, connectors, joints etc. as required in the running lengths of pipework and allow for connection to the nearest manholes and also where necessary, for pipe fixing clips, holder bats plugged and screwed for the proper and satisfactory functioning of the system.				
	UPVC and MUPVC Soil and Waste				
A	150mm diameter Heavy gauge golden brown UPVC pipe	Lm	160		
B	100mm diameter Heavy gauge golden brown UPVC pipe	Lm	120		
C	100mm diameter Heavy gauge grey UPVC pipe	Lm	35		
D	50mm -ditto-	Lm	100		
E	40mm -ditto-	Lm	30		
F	32mm -ditto-	Lm	30		
	Bends				
G	100mm diameter bend with access	No.	34		
H	50mm diameter sweep bend	No.	75		
I	40mm diameter sweep bend	No.	40		
J	32mm diameter sweep bend	No.	22		
	Tees				
K	100mm diameter sweep tee	No.	20		
L	50mm diameter sweep tee	No.	20		
M	40mm diameter sweep tee	No.	15		
N	32mm diameter sweep tee	No.	30		
	Reducing Socket				
O	100 x 50 reducing socket	No.	12		
P	50x40 reducing socket	No.	20		
Q	40 x 32 reducing socket	No.	22		
R	100mm diameter WC connector	No.	13		
	Traps				
S	100 x 50mm diameter four way floor trap and grating	No.	17		
T	Standard 300 x 300 x 450mm masonry gully trap complete with 125mm reinforced concrete cover	No.	10		
	Weathering slates and vent cowl				
U	100mm weathering slate and apron	No.	8		
V	100mm vent cowl	No.	8		
W	Inspection channel complete with heavy duty cover (600 x 450 mm)	No.	23		
X	Testing and commissioning the internal drainage installations	Item	2		
Total C/F to collection page 9					

FIRE FIGHTING INTALLATION					
	Description	Unit	Qty	Rate (Kshs.)	BQ Amount (Ksh.)
	FIRE FIGHTING EQUIPMENT Supply, deliver and install the following fire fighting equipment in the position indicated on the contract drawing or as shall be instructed by the Engineer. Supply and install the following fire fighting equipment as described and shown on the drawings. Tenderers should allow for all fittings, joints, couplings including unions and clamps where necessary for the proper functioning of the installation when pricing.				
A	Hose reel 20mm diameter 30m long swinging type hose reel complete with delivery valve, mild steel feed pipe, isolation valve, guide and all accessories as "Angular Fire Armour" or equal and approved	No.	4		
B	GMS Pipe work, class B 25mm diameter pipe work	Lm	15		
C	50mm diameter pipe work	Lm	120		
D	25mm diameter bends	No.	8		
E	50mm diameter bends	No.	4		
F	50mm Equal Tee	No.	4		
G	Valves 25mm diameter approved medium pressure screw down full way non rising stem wedge gate valve to BS 1952, with wheel and head joints to steel tubing. The gate valve to be as PEGLER or equal and approved	No.	4		
H	50mm diameter -ditto-	No.	5		
I	Unions 25mm diameter pipe unions	No.	8		
J	50mm diameter pipe unions	No.	10		
K	Reducers 50 x 25mm diameter reducer	No.	4		
L	Hose reel pump set Hose reel pump set, one duty,, the other stand by mounted on a frame and mild steel base plate. Each pump shall have a duty 5m ³ /hr. against 10m head as Grundfos mode; CH 4 - 40 or approved equivalent. In addition, there be a 60 liters diaphragm pressure vessel (as Varem or approved equivalent). Pressure switches, a switch to protect dry run, 65mm foot valve and strainer, tank connections, gate valves and non - return valves. Control shall be effected via a pressure switch through a pre-wired control panel which shall give automatic change over from duty to standby pump within 5 seconds should the duty pump fail to deliver for any reason. The pump set shall include all non-return valves, timer, isolating valves and pipe connectors.	Set	1		
Total C/F to collection page 9					

Item	Description	Unit	Qty	Rate	Amount (Kshs.)
A	Control Panel Control Panel for the above pumps with contactors, over voltage and under voltage protection relays, MCBs, start/stop push buttons and indicator lights. All this shall be housed in a lockable cabinet (with integral isolator) made from SWG 18 mild steel sheet that is oven powder coated. The control shall also include a float switch or flow switch for prevention against dry running complete with cable.	Item	1		
B	Painting Allow for painting of the hose reel installation with 2 coats of super gloss paint on a primer coat to the approval of the Project Engineer	Item	4		
C	Standard Printing Label Standard printing label for the fire cupboards	No.	4		
D	Portable fire extinguishers Supply, deliver, install, test and commissioning of the following portable fire extinguishers and conforming to BS EN 3/ BS 1449 9 litres water/carbon dioxide gas portable fire extinguisher complete with pressure gauge, initial charge and mounting brackets	No.	4		
E	5kg carbon dioxide gas portable fire extinguisher complete with pressure gauge, initial charge and mounting brackets	No.	4		
F	9kg chemical powder portable fire extinguisher complete with pressure gauge, initial charge and mounting brackets	No.	4		
G	Manual alarm bell 9" (225mm) manual operated alarm bell (gong) fire blanket made of cloth woven with pre-asbestos yarn or any other fire proof material and to measure 1800 x 1210mm	No.	4		
H	Fire Blanket It shall be fitted with special tapes folded so as to offer instantaneous single action to release blanket from storing jacket BS 1721	No.	4		
I	Fire Notices Allow for fire signage for the hose reel system, fire exits, fire instructions and must include fire assembly point as described in the particular specifications and to the Project Engineer's approval	Item	2		
Total C/F to collection page 9					

COLLECTION PAGE FOR SANITARY FITTINGS, PLUMBING, DRAINAGE AND FIRE PROTECTION SERVICES

Item	Description	BQ Amount (Ksh)
1	Total Carried Forward from Page 1	
2	Total Carried Forward from Page 2	
3	Total Carried Forward from Page 3	
4	Total Carried Forward from Page 4	
5	Total Carried Forward from Page 5	
6	Total Carried Forward from Page 6	
7	Total Carried Forward from Page 7	
8	Total Carried Forward from Page 8	
	Total for Sanitary fittings, Plumbing, Drainage and Fire Protection services C/F to Grand Summary page 10	

GRAND SUMMARY		
Item	Description	BQ Amount (Ksh)
1	Preliminaries carried Forward from Page	
2		
4		
	TOTAL	

PRIME COST AND PROVISIONAL SUMS

ITEM	DESCRIPTION	UNIT	RATE	BQ AMOUNT	RE-AMOUNT
	<u>PROVISIONAL SUMS</u> <i>The following provisional items are to be measured on completion of the works and priced in accordance with rates contained in these bills of quantities or pro-rata hereto in whole if not required</i>				
A	Allow a sum of KShs. 4,000,000/= as a Contingency	Item			
B	Allow a provisional sum of KShs.2,500,000.00/= for cabinetry and other joinery fittings	Item			
C	Allow Kenya Shillings Three Hundred Thousand (300,000/=) Only for placenta pit	Item			
D	Allow Kenya Shillings One million, Five Hundred Thousand (1,500,000/=) Only for work stations for nurse, customer care and secretary	Item			
E	Allow Kenya Shillings Four Hundred Thousand (400,000/=) Only for publicity signage doors and charter boards	Item			
F	Allow Kenya Shillings Two Hundred Thousand (200,000/=) Only for burning chamber	Item			
G	Allow Kenya Shillings five Hundred Thousand (500,000/=) Only for project management	Item			
	Total PC and provisional sums carried to Grand Summary				

	<u>MAIN SUMMARY</u>		
ITEM	DESCRIPTION		OFFICIAL USE ONLY
1	PARTICULAR PRELIMINARIES		
2	GENERAL PRELIMINARIES		
3	MAIN BLOCK - BUILDER'S WORKS		
4	TOILET BLOCK		
5	STORM WATER DRAINAGE		
6	SEPTIC TANK & SOAK AWAY PIT		
7	ELECTRICAL WORKS		
8	MECHANICAL WORKS		
9	PRIME COST AND PROVISIONAL SUMS		
	TOTAL CARRIED TO FORM OF TENDER		

Amount in words.....

.....

CONTRACTORS NAME:.....

.....

ADDRESS :

SIGNATURE : DATE:.....

WITNESS'S NAME :

ADDRESS :

SIGNATURE : DATE:.....

**ALL PRICES QUOTED MUST INCLUDE ALL APPLICABLE TAXES, INCLUDING 0.03% PPRA
TRAINING LEVY**

GS

SECTION VI - SPECIFICATIONS

Notes for preparing Specifications

1. Specifications must be drafted to present a clear and precise statement of the required standards of materials, and workmanship for tenderers to respond realistically and competitively to the requirements of the Procuring Entity and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models, and incorporating all recent improvements in design and materials unless provided otherwise in the Contract. Where the Contractor is responsible for the design of any part of the permanent Works, the extent of his obligations must be stated.
2. Specifications from previous similar projects are useful and may not be necessary to re-write specifications for every Works Contract.
3. There are considerable advantages in standardizing **General Specifications** for repetitive Works in recognized public sectors, such as high ways, urban housing, irrigation and water supply. The General Specifications should cover all classes of workmanship, materials and equipment commonly involved in constructions, although not necessarily to be used in a particular works contract. Deletions or addenda should then adapt the General Specifications to the particular Works.
4. Care must be taken in drafting Specifications to ensure they are not restrictive. In the Specifications of standards for materials, plant and workmanship, existing Kenya Standards should be used as much as possible, otherwise recognized international standards may also be used.
5. The Procuring Entity should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in tender documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential tenderers.
6. The Procuring Entity should provide a description of the selected parts of the Works with appropriate reference to Drawings, Specifications, Bills of Quantities, and Design or Performance criteria, stating that the alternative solutions shall be at least structurally and functionally equivalent to the basic design parameters and Specifications.
7. Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details. Technical alternatives permitted in this manner shall be considered by the Procuring Entity each on its own merits and independently of whether the tenderer has priced the item as described in the Procuring Entity's design included with the tender documents.

SECTION VII - DRAWINGS

Note A list of drawings should be inserted here. The actual drawings including Site plans should be annexed in a separate booklet.

PART III - THE CONDITIONS OF CONTRACT AND CONTRACT

SECTION VIII - GENERAL CONDITIONS OF CONTRACT (GCC)

[Name of Procuring Entity]

[Name of Contract]

[Architect Name and Address]

General Conditions of Contract

1 GENERAL PROVISIONS

1.1 Definitions

In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated below. Words indicating persons or parties include corporations and other legal entities, except where the context requires otherwise.

“Accepted Contract Amount” means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.

“Base Date” means a date 30 day prior to the submission of tenders.

“Bill of Quantities” means the priced and completed Bill of Quantities forming part of the tender.

“Completion Date” means the date of completion of the Works as certified by the Engineer.

“Contract Price” means the price defined in the contract and there after as adjusted in accordance with the provisions of the Contract.

“Contract” means the agreement entered into between the Procuring Entity and the Contractor as recorded in the Agreement Form and signed by the parties including all attachments and appendices thereto and all documents incorporated by reference therein to execute, complete, and maintain the Works.

“Contractor's Documents” means the calculations, computer programs and other software, progress reports, drawings, manuals, models and other documents of a technical nature (if any) supplied by the Contractor under the Contract.

“Contractor's Equipment” means all apparatus, machinery, vehicles and other things required for the execution and completion of the Works and the remedying of any defects. However, Contractor's Equipment excludes Temporary Works, Procuring Entity's Equipment (if any), Plant, Materials and any other things intended to form or forming part of the Permanent Works.

“Contractor's Personnel” means the Contractor's Representative and all personnel whom the Contractor utilizes on Site, who may include the staff, labor and other employees of the Contractor and of each Subcontractor; and any other personnel assisting the Contractor in the execution of the Works.

“Contractor's Representative” means the person named by the Contractor in the Contractor appointed from time to time by the Contractor who acts on behalf of the Contractor.

“Contractor” means the person(s) named as contractor in the Form of Tender accepted by the Procuring Entity.

“Cost” means expenditure reasonably incurred (or to be incurred) by the Contractor, whether on or off the Site, including overhead and similar charges, but does not include profit.

“Day” means a calendar day and **“year”** means 365 days.

“Dayworks” means Work inputs subject to payment on a time basis for labour and the associated materials and plant.

“Defect” means any part of the Works not completed in accordance with the Contract.

“Defects Liability Certificate” means the certificate issued by Architect upon correction of defects by the Contractor.

“Defects Liability Period” means the period named in the Special Conditions of Contract and calculated from the Completion Date, within which the contractor is liable for any defects that may develop in the handed over works.

“Defects Notification Period” means the period for notifying defects in the Works or a Section (as the case may be) under Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects], which extends over the days stated in the Special Conditions of Contract.

“Drawings” means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Procuring Entity in accordance with the Contract.

“Final Payment Certificate” means the payment certificate issued under Sub-Clause 14.13 [Issue of Final Payment Certificate].

“Final Statement” means the statement defined in Sub-Clause 14.11 [Application for Final Payment Certificate].

“Force Majeure” is defined in Clause 19 [Force Majeure].

“Foreign Currency” means a currency of another country (not Kenya) in which part (or all) of the Contract Price is payable, but not the Local Currency.

“Goods” means Contractor's Equipment, Materials, Plant and Temporary Works, or any of them as appropriate.

“Interim Payment Certificate” means a payment certificate issued under Clause 14 [Contract Price and Payment], other than the Final Payment Certificate.

“Laws” means all national legislation, statutes, ordinances, and regulations and by-laws of any legally constituted public authority.

“Letter of Acceptance” means the letter of formal acceptance of a tender, signed by Procuring Entity, including any annexed memoranda comprising agreements between and signed by both Parties.

“Local Currency” means the currency of Kenya.

“Materials” means things of all kinds (other than Plant) intended to form or forming part of the Permanent Works, including the supply-only materials (if any) to be supplied by the Contractor under the Contract.

“Notice of Dissatisfaction” means the notice given by either Party to the other under Sub-Clause 20.3 indicating its dissatisfaction and intention to commence arbitration.

“Special Conditions of Contract” means the pages completed by the Procuring Entity entitled Special Conditions of Contract which constitute Part A of the Special Conditions.

“Party” means the Procuring Entity or the Contractor, as the context requires.

“Payment Certificate” means a payment certificate issued under Clause 14 [Contract Price and Payment].

“Performance Certificate” means the certificate issued under Sub-Clause 11.9 [Performance Certificate].

“Performance Security” means the security (or securities, if any) under Sub-Clause 4.2 [Performance Security].

“Permanent Works” means the permanent works to be executed by the Contractor under the Contract.

“Plant” means the apparatus, machinery and other equipment intended to form or forming part of the Permanent Works, including vehicles purchased for the Procuring Entity and relating to the construction or operation of the Works.

“Procuring Entity's Equipment” means the apparatus, machinery and vehicles (if any) made available by the

Procuring Entity for the use of the Contract or in the execution of the Works, as stated in the Specification; but does not include Plant which has not been taken over by the Procuring Entity.

“Procuring Entity's Personnel” means the Engineer, the Engineer, the assistants and all other staff, labor and other employees of the Architect and of the Procuring Entity; and any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as Procuring Entity's Personnel.

“Procuring Entity” means the Entity named in the Special Conditions of Contract.

“Engineer” is the person named in the Appendix to Conditions of Contract (or any other competent person appointed by the Procuring Entity and notified to the Contractor, to act in replacement of the Engineer) who is responsible for supervising the execution of the Works and administering the Contract and shall be an “Architect” or a “Quantity Surveyor” registered under the Architects and Quantity Surveyors Act Cap 525 or an “Engineer” registered under Engineers Registration Act Cap 530.

“Engineer” means the person appointed by the Procuring Entity to act as the Architect for the purposes of the Contract and named in the Special Conditions of Contract, or other person appointed from time to time by the Procuring Entity and notified to the Contractor

“Provisional Sum” means a sum (if any) which is specified in the Contract as a provisional sum, for the execution of any part of the Works or for the supply of Plant, Materials or services under Sub-Clause 13.5 [Provisional Sums].

“Retention Money” means the accumulated retention moneys which the Procuring Entity retains under Sub-Clause 14.3 [Application for Interim Payment Certificates] and pays under Sub-Clause 14.9 [Payment of Retention Money].

“Schedules” means the document(s) entitled schedules, completed by the Contractor and submitted with the Form of Tender, as included in the Contract.

“Section” means a part of the Works specified in the Special Conditions of Contract as a Section (if any)

“Site Investigation Reports” are those reports that may be included in the tendering documents which a ref actual and interpretative about the surface and sub-surface condition sat the Site.

“Site” means the places where the Permanent Works are to be executed, including storage and working areas, and to which Plant and Materials are to be delivered, and any other places as may be specified in the Contract as forming part of the Site.

“Specification” means the document entitled specification, as included in the Contract, and any additions and modifications to the specification in accordance with the Contract. Such document specifies the Works.

“Start Date” or “Commencement Date” is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with the Site possession date(s).

“Statement” means a statement submitted by the Contractor as part of an application, under Clause 14 [Contract Price and Payment], for a payment certificate.

“Subcontractor” means any person named in the Contract as a subcontractor, or any person appointed as a subcontractor, for a part of the Works.

“Taking-Over Certificate” means a certificate issued under Clause 10 [Procuring Entity's Taking Over].

“Temporary Works” means all temporary works of every kind (other than Contractor's Equipment) required on Site for the execution and completion of the Permanent Works and the remedying of any defects.

“Temporary works” means works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.

“Tender” means the Form of Tender and all other documents which the Contractor submitted with the Form of Tender, as included in the Contract.

“Tests after Completion” means the tests (if any) which are specified in the Contract and which are carried out in

accordance with the Specification after the Works or a Section (as the case may be) are taken over by the Procuring Entity.

“Tests on Completion” means the tests which are specified in the Contract agreed by both Parties or instructed as a Variation, and which are carried out under Clause 9 [Tests on Completion] before the Works or a Section (as the case may be) are taken over by the Procuring Entity.

“Time for Completion” means the time for completing the Works or a Section (as the case may be) as stated in the Special Conditions of Contract (with any extension calculated from the Commencement Date.

“Unforeseeable” means not reasonably foreseeable by an experienced contractor by the Base Date.

“Variation” means any change to the Works, which is instructed or approved as a variation under Clause 13 [Variations and Adjustments].

“Works” means the items the Procuring Entity requires the Contractor to undertake as defined in the Appendix to Conditions of Contract. **“Works” may** also mean the Permanent Works and the Temporary Works, or either of them as appropriate.

1.2 Interpretation

In the Contract, except where the context requires otherwise:

- a) Words indicating one gender include all genders;
- b) words indicating the singular also include the plural and words indicating the plural also include the singular;
- c) provisions including the word “agree”, “agreed” or “agreement” require the agreement to be recorded in writing;
- d) “written” or “in writing” means hand-written, type-written, printed or electronically made, and resulting in a permanent record; and

The marginal words and other headings shall not be taken into consideration in the interpretation of these Conditions.

1.3 Communications

1.3.1 Wherever these Conditions provide for the giving or issuing of approvals, certificates, consents, determinations, notices, requests and discharges, these communications shall be:

- a) In writing and delivered by hand (against receipt), sent by mail or courier, or transmitted using any of the agreed systems of electronic transmission as stated in the Special Conditions of Contract; and
- b) delivered, sent or transmitted to the address of the recipient's communications as stated in the Special Conditions of Contract. However:
 - i) if the recipient gives notice of another address, communications shall thereafter be delivered accordingly; and
 - ii) if the recipient has not stated otherwise when requesting an approval or consent, it may be sent to the address from which the request was issued.

1.3.2 Approvals, certificates, consents and determinations shall not be unreasonably withheld or delayed. When a certificate is issued to a Party, the certifier shall send a copy to the other Party. When a notice is issued to a Party, by the other Party or the Engineer, a copy shall be sent to the Architect or the other Party, as the case may be.

1.4 Law and Language

1.4.1 The Contract shall be governed by the laws of **Kenya**.

1.4.2 The ruling language of the Contract shall be **English**.

1.5 Priority of Documents

The documents forming the Contract are to be taken as mutually explanatory of one another. For the purposes of interpretation, the priority of the documents shall be in accordance with the following sequence:

- a) The Contract Agreement,
- b) The Letter of Acceptance,
- c) The Special Conditions – Part A,
- d) the Special Conditions – Part B
- e) the General Conditions of Contract
- f) the Form of Tender,
- g) the Specifications and Bills of Quantities
- h) the Drawings, and
- i) the Schedules and any other documents forming part of the Contract.

If an ambiguity or discrepancy is found in the documents, the Architect shall issue any necessary clarification or instruction.

1.6 Contract Agreement

The Parties shall enter into a Contract Agreement within 14 days after the Contractor receives the Contract Agreement, unless the Special Conditions establish otherwise. The Contract Agreement shall be based upon the form annexed to the Special Conditions. The costs of stamp duties and similar charges (if any) imposed by law in connection with entry into the Contract Agreement shall be borne by the Procuring Entity.

1.7 Assignment

The Contractor shall not assign the whole or any part of the Contract or any benefit or interest in or under the Contract. However, the contractor:

- a) May as sign the whole or any part with the prior consent of the Procuring Entity, and
- b) may, as security in favor of a bank or financial institution, assign its right to moneys due, or to become due, under the Contract.

1.8 Care and Supply of Documents

- 1.81 The Specifications and Drawings shall be in the custody and care of the Procuring Entity. Unless otherwise stated in the Contract, two copies of the Contract and of each subsequent Drawings and Bills of Quantities shall be supplied to the Contractor, who may make or request further copies at the cost of the Contractor.
- 1.82 Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over by the Procuring Entity. Unless otherwise stated in the Contract, the Contractor shall supply to the Architect two copies of each of the Contractor's Documents.
- 1.83 The Contractor shall keep, on the Site, a copy of the Contract, publications named in the Specification, the Contractor's Documents (if any), the Drawings and Variations and other communications given under the Contract. The Procuring Entity's Personnel shall have the right of access to all these documents at all reasonable times.
- 1.84 If a Party becomes aware of an error or defect in a document which was prepared for use in executing the Works, the Party shall promptly give notice to the other Party of such error or defect.

1.9 Timely provision of Drawings or Instructions

- 1.91 The Contractor shall give notice to the Architect whenever the Works are likely to be delayed or disrupted if any necessary drawing or instruction is not issued to the Contractor within a particular time, which shall be reasonable. The notice shall include details of the necessary drawing or instruction, details of why and by when it should be issued, and the nature and amount of the delay or disruption likely to be suffered if it is late.
- 1.92 If the Contractor suffers delay and/or incurs Cost as a result of a failure of the Architect to issue the notified drawing or instruction within a time which is reasonable and is specified in the notice with supporting details, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and

b) payment of any other associated costs accrued, which shall be included in the Contract Price.

1.93 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

1.94 However, if and to the extent that the Architect failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, or costs accrued.

1.10 Procuring Entity's Use of Contractor's Documents

1.10.1 As agreed between the Parties, the Contractor shall retain the copyright and other intellectual property rights in the Contractor's Documents and other design documents made by (or on behalf of) the Contractor.

1.10.2 The Contractor shall be deemed (by signing the Contract) to give to the Procuring Entity a non-terminable transferable non-exclusive royalty-free license to copy, use and communicate the Contractor's Documents, including making and using modifications of them. This license shall:

- a) apply throughout the actual or intended working life (whichever is longer) of the relevant parts of the Works,
- b) entitle any person in proper possession of the relevant part of the Works to copy, use and communicate the Contractor's Documents for the purposes of completing, operating, maintaining, altering, adjusting, repairing and demolishing the Works, and
- c) in the case of Contractor's Documents which are in the form of computer programs and other software, permit their use on any computer on the Site and other places as envisaged by the Contract, including replacements of any computers supplied by the Contractor.

1.10.3 The Contractor's Documents and other design documents made by (or on behalf of) the Contractor shall not, without the Contractor's consent, be used, copied or communicated to a third party by (or on behalf of) the Procuring Entity for purposes other than those permitted under Sub-Clause 1.10.2.

1.11 Contractor's Use of Procuring Entity's Documents

As agreed between the Parties, the Procuring Entity shall retain the copyright and other intellectual property rights in the Specification, the Drawings and other documents made by (or on behalf of) the Procuring Entity. The Contractor may, at his cost, copy, use, and obtain communication of these documents for the purposes of the Contract. They shall not, without the Procuring Entity's consent, be copied, used or communicated to a third party by the Contractor, except as necessary for the purposes of the Contract.

1.12 Confidential Details

1.12.1 The Contractor's and the Procuring Entity's Personnel shall ensure confidentiality at all times. The confidentiality shall survive termination or completion of the contract. They shall disclose all such confidential and other information as may be reasonably required in order to verify compliance with the Contract and allow its proper implementation.

1.12.2 The Contractor's and the Procuring Entity's Personnel shall also treat the details of the Contract as private and confidential, except to the extent necessary to carry out their respective obligations under the Contract or to comply with applicable Laws. Each of them shall not publish or disclose any particulars of the Works prepared by the other Party without the previous agreement of the other Party. However, the Contractor shall be permitted to disclose any publicly available information, or information otherwise required to establish his qualifications to compete for other projects.

1.13 Compliance with Laws

The Contractor shall, in performing the Contract, comply with applicable Laws. Unless otherwise stated in the Special Conditions of Contract:

- a) The Procuring Entity shall have obtained (or shall obtain) the planning, zoning, building permit or similar permission for the Permanent Works, and any other permissions described in the Specifications as having been (or to be) obtained by the Procuring Entity; and the Procuring Entity shall indemnify and hold the Contractor harmless against and from the consequences of any failure to do so; and

- b) the Contractor shall give all notices, pay all taxes, duties and fees, and obtain all permits, licenses and approvals, as required by the Laws in relation to the execution and completion of the Works and the remedying of any defects; and the Contractor shall indemnify and hold the Procuring Entity harmless against and from the consequences of any failure to do so, unless the Contractor is impeded to accomplish these actions and shows evidence of its diligence.

1.14 Joint and Several Liability

If the Contractor constitutes (under applicable Laws) a joint venture, consortium or other unincorporated grouping of two or more persons:

- a) These persons shall be deemed to be jointly and severally liable to the Procuring Entity for the performance of the Contract;
- b) these persons shall notify the Procuring Entity of their leader who shall have authority to bind the Contractor and each of these persons; and
- c) the Contractor shall not alter its composition or legal status without the prior consent of the Procuring Entity.

1.15 Inspections and Audit by the Procuring Entity

Pursuant to paragraph 2.2(e). of Appendix B to the General Conditions, the Contractor shall permit and shall cause its subcontractors and sub-consultants to permit, the Public Procurement Regulatory Authority, Procuring Entity and/or persons appointed or designated by the Government of Kenya to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Procuring Entity if requested by the Procuring Entity. The Contractor's and its Subcontractors' and sub-consultants' attention is drawn to Sub-Clause 15.6 (Fraud and Corruption) which provides, inter alia, that acts intended to materially impede the exercise of the Procuring Entity's inspection and audit rights constitute a prohibited practice subject to contract termination (as well as to a determination of ineligibility pursuant to the Procuring Entity's prevailing sanctions procedures).

2 THE PROCURING ENTITY

21 Right of Access to the Site

- 21.1 The Procuring Entity shall give the Contractor right of access to, and possession of, all parts of the Site within the time (or times) stated in the **Special Conditions of Contract**. The right and possession may not be exclusive to the Contractor. If, under the Contract, the Procuring Entity is required to give (to the Contractor) possession of any foundation, structure, plant or means of access, the Procuring Entity shall do so in the time and manner stated in the Specification. However, the Procuring Entity may withhold any such right or possession until the Performance Security has been received.
- 21.2 If no such time is stated in the Special Conditions of Contract, the Procuring Entity shall give the Contractor right of access to, and possession of, the Site within such times as required to enable the Contractor to proceed without disruption in accordance with the programme submitted under Sub-Clause 8.3 [Programme].
- 21.3 If the Contractor suffers delay and/or incurs Cost as a result of a failure by the Procuring Entity to give any such right or possession within such time, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- 21.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 21.5 However, if and to the extent that the Procuring Entity's failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, Cost or profit.

22 Permits, Licenses or Approvals

22.1 The Procuring Entity shall provide, at the request of the Contractor, such reasonable assistance as to allow the Contractor to obtain properly:

- a) Copies of the Laws of Kenya which are relevant to the Contract but are not readily available, and
 - b) any permits, licenses or approvals required by the Laws of Kenya:
- i) which the Contractor is required to obtain under Sub-Clause 1.13 [Compliance with Laws],
 - ii) for the delivery of Goods, including clearance through customs, and
 - iii) for the export of Contractor's Equipment when it is removed from the Site.

23 Procuring Entity's Personnel

The Procuring Entity shall be responsible for ensuring that the Procuring Entity's Personnel and the Procuring Entity's other contractor son the Site:

- a) co-operate with the Contractor's efforts under Sub-Clause 4.6 [Co-operation], and
- b) take action ssimilar to those which the Contractor is required to take under sub-paragraphs (a), (b) and (c) of Sub-Clause 4.8 [Safety Procedures] and under Sub-Clause 4.18 [Protection of the Environment].

24 Procuring Entity's Financial Arrangements

The Procuring Entity shall make and maintain all necessary financial arrangements which will enable the Procuring Entity to pay the Contract Price punctually (as estimated at that time) in accordance with Clause14 [Contract Price and Payment].

3 THE ENGINEER

3.1 Architect Duties and Authority

3.1.1 The Procuring Entity shall appoint the Architect who shall carry out the duties as signed to him in the Contract. The Architect staff shall include suitably qualified Assistants and other professionals who are competent to carry out these duties. The Architect Name and Address shall be provided in the **Special Conditions of Contract**.

3.1.2 The Architect shall have no authority to amend the Contract.

3.1.3 The Architect May exercise the authority attributable to the Architect as specified in or necessarily to be implied from the Contract. If the Architectis required to obtain the approval of the Procuring Entity before exercising a specified authority, the requirements shall be as stated in the **Special Conditions of Contract**. The Procuring Entity shall promptly inform the Contractor of any change to the authority attributed to the Engineer.

3.1.4 However, whenever the Architect exercises a specified authority for which the Procuring Entity's approvalis required, then (for the purposes of the Contract) the contractor shall require the Architect toprovideevidence of such approval before complying with the instruction.

3.1.5 Except as otherwise stated in these Conditions:

- a) Whenever carrying out duties or exercising authority, specified in or implied by the Contract, the Architect shallbedeemedtoactfortheProcuring Entity;
- b) the Architect has no authority to relieve either Party of any duties, obligations or responsibilities under the Contract;
- c) any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by the Architect (including absence of disapproval) shall not relieve the Contractor from any responsibility he has under the Contract, including responsibility for errors, omissions, discrepancies and non-compliances; and
- d) anyact by the Architect in response to a Contractor's request shall be notified in writing to the Contractor within 14 days of receipt.

316 The following provisions shall apply:

The Architect shall obtain the specific approval of the Procuring Entity before taking action under the following Sub-Clauses of these Conditions:

- a) Sub-Clause 4.12: agreeing or determining an extension of time and/or additional cost.
- b) Sub-Clause 13.1: instructing a Variation, except;
 - i) In an emergency situation as determined by the Engineer, or
 - ii) If such a Variation would increase the Accepted Contract Amount by less than the percentage specified in the **Special Conditions of Contract**.
- c) Sub-Clause 13.3: Approving a proposal for Variation submitted by the Contractor in accordance with Sub Clause 13.1 or 13.2.
- d) Sub-Clause 13.4: Specifying the amount payable in each of the applicable three currencies.

317 Notwithstanding the obligation, as set out above, to obtain approval, if, in the opinion of the Engineer, an emergency occurs affecting the safety of life or of the Works or of adjoining property, he may, without relieving the Contractor of any of his duties and responsibility under the Contract, instruct the Contractor to execute all such work or to do all such things as may, in the opinion of the Engineer, be necessary to abate or reduce the risk. The Contractor shall forth with comply, despite the absence of approval of the Procuring Entity, with any such instruction of the Engineer. The Architect shall determine an addition to the Contract Price, in respect of such instruction, in accordance with Clause 13 and shall notify the Contractor accordingly, with a copy to the Procuring Entity.

32 Delegation by the Engineer

321 The Architect may from time to time assign duties and delegate authority to assistants and may also revoke such assignment or delegation. These assistants may include a resident Engineer, and/or independent inspectors appointed to inspect and/ or test items of Plant and/or Materials. The assignment, delegation or revocation shall be in writing and shall not take effect until copies have been received by both Parties. However, unless otherwise agreed by both Parties, the Architect shall not delegate the authority to determine any matter in accordance with Sub-Clause 3.5 [Determinations].

322 Each assistant, to whom duties have been assigned or authority has been delegated, shall only be authorized to issue instructions to the Contractor to the extent defined by the delegation. Any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by an assistant, in accordance with the delegation, shall have the same effect as though the act had been an act of the Engineer. However:

- a) Any failure to disapprove any work, Plant or Materials shall not constitute approval, and shall therefore not prejudice the right of the Architect to reject the work, Plant or Materials;
- b) If the Contractor questions any determination or instruction of an assistant, the Contractor may refer the matter to the Engineer, who shall promptly confirm, reverse or vary the determination or instruction.

33 Instructions of the Engineer

331 The Architect may issue to the Contractor (at anytime) instructions and additional or modified Drawings which may be necessary for the execution of the Works and the remedying of any defects, all in accordance with the Contract. The Contractor shall only take instructions from the Engineer, or from an assistant to whom the appropriate authority has been delegated under Clause 3.2.1.

332 The Contractor shall comply with the instructions given by the Architect or delegated assistant, on any matter related to the Contract. Whenever practicable, their instructions shall be given in writing. If the Architect or a delegated assistant:

- a) Gives an oral instruction,
- b) receives a written confirmation of the instruction, from (or on behalf of) the Contractor, within two working days after giving the instruction, and

- c) does not reply by issuing a written rejection and/or instruction within two working days after receiving the confirmation,

Then the confirmation shall constitute the written instruction of the Architect or delegated assistant (as the case may be).

34 Replacement of the Engineer

If the Procuring Entity intends to replace the Engineer, the Procuring Entity shall, in not less than 21 days before the intended date of replacement, give notice to the Contractor of the name, address and relevant experience of the intended person to replace the Engineer.

35 Determinations

3.5.1 Whenever these Conditions provide that the Architect shall proceed in accordance with this Sub-Clause 3.5 to agree or determine any matter, the Architect shall consult with each Party in an endeavor to reach agreement. If agreement is not achieved, the Architect shall make a fair determination in accordance with the Contract, taking due regard of all relevant circumstances.

3.5.1 The Architect shall give notice to both Parties of each agreement or determination, with supporting particulars, within 30 days from the receipt of the corresponding claim or request except when otherwise specified. Each Party shall give effect to each agreement or determination unless and until revised under Clause 20 [Claims, Disputes and Arbitration].

4 THE CONTRACTOR

4.1 Contractor's General Obligations

4.1.1 The Contractor shall design (to the extent specified in the Contract), execute and complete the Works in accordance with the Contract and with the Architect instructions, and shall remedy any defects in the Works.

4.1.2 The Contractor shall provide the Plant and Contractor's Documents specified in the Contract, and all Contractor's Personnel, Goods, consumables and other things and services, whether of a temporary or permanent nature, required in and for this design, execution, completion and remedying of defects.

4.1.3 All equipment, material, and services to be incorporated in or required for the Works shall have their origin in any eligible source country.

4.1.4 The Contractor shall be responsible for the adequacy, stability and safety of all Site operations and of all methods of construction. Except to the extent specified in the Contract, the Contractor (i) shall be responsible for all Contractor's Documents, Temporary Works, and such design of each item of Plant and Materials as is required for the item to be in accordance with the Contract, and (ii) shall not otherwise be responsible for the design or specification of the Permanent Works.

4.1.5 The Contractor shall, whenever required by the Engineer, submit details of the arrangements and methods which the Contractor proposes to adopt for the execution of the Works. No significant alteration to these arrangements and methods shall be made without this having previously been notified to the Engineer.

4.1.6 If the Contract specifies that the Contractor shall design any part of the Permanent Works, then unless otherwise stated in the Special Conditions:

- a) The Contractor shall submit to the Architect the Contractor's Documents for this part in accordance with the procedures specified in the Contract;
- b) these Contractor's Documents shall be in accordance with the Specification and Drawings, shall be written in the language for communications defined in Sub-Clause 1.4 [Law and Language], and shall include additional information required by the Architect to add to the Drawings for co-ordination of each Party's designs;
- c) the Contractor shall be responsible for this part and it shall, when the Works are completed, be fit for such purposes for which the part is intended as are specified in the Contract; and
- d) prior to the commencement of the Tests on Completion, the Contractor shall submit to the Architect the "as-built" documents and, if applicable, operation and maintenance manuals in accordance with the Specification and in sufficient detail for the Procuring Entity to operate, maintain, dismantle, reassemble, adjust and repair this part of the Works. Such part shall not be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections] until these documents and manuals have been submitted to the Engineer.

42 Performance Security

- 421 The Contractor shall obtain (at his cost) a Performance Security for proper performance, in the amount stated in the **Special Conditions of Contract** and denominated in the currency (ies) of the Contract or in a freely convertible currency acceptable to the Procuring Entity. If an amount is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.
- 422 The Contractor shall deliver the Performance Security to the Procuring Entity within 30 days after receiving the Notification of Award and shall send a copy to the Engineer. The Performance Security shall be issued by a reputable bank selected by the Contractor and shall be in the form annexed to the Special Conditions, as stipulated by the Procuring Entity in the Special Conditions of Contract, or in another form approved by the Procuring Entity.
- 423 The Contractor shall ensure that the Performance Security is valid and enforceable until the Contractor has executed and completed the Works and remedied any defects. If the terms of the Performance Security specify its expiry date, and the Contractor has not become entitled to receive the Performance Certificate by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the Performance Security until the Works have been completed and any defects have been remedied.
- 424 The Procuring Entity shall not make a claim under the Performance Security, except for amounts to which the Procuring Entity is entitled under the Contract.
- 425 The Procuring Entity shall indemnify and hold the Contractor harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from a claim under the Performance Security to the extent to which the Procuring Entity was not entitled to make the claim.
- 426 The Procuring Entity shall return the Performance Security to the Contractor within 14 days after receiving a copy of the Taking-Over Certificate.
- 427 Without limitation to the provisions of the rest of this Sub-Clause, whenever the Architect determines an addition or a reduction to the Contract Price as a result of a change in cost and/ or legislation, or as a result of a Variation, amounting to more than 25 percent of the portion of the Contract Price payable in a specific currency, the Contractor shall at the Architect request promptly increase, or may decrease, as the case may be, the value of the Performance Security in that currency by an equal percentage.

43 Contractor's Representative

- 431 The Contractor shall appoint the Contractor's Representative and shall give him all authority necessary to act on the Contractor's behalf under the Contract. The Contractor's Representative's Name and Address shall be provided in the **Special Conditions of Contract**.
- 432 Unless the Contractor's Representative **is named in the Contract**, the Contractor shall, prior to the Commencement Date, submit to the Architect for consent the name and particulars of the person the Contractor proposes to appoint as Contractor's Representative. If consent is withheld or subsequently revoked in terms of Sub-Clause 6.9 [Contractor's Personnel], or if the appointed person fails to act as Contractor's Representative, the Contractor shall similarly submit the name and particulars of an other suitable person for such appointment.
- 433 The Contractor shall not, without the prior consent of the Engineer, revoke the appointment of the Contractor's Representative or appoint a replacement.
- 434 The whole time of the Contractor's Representative shall be given to directing the Contractor's performance of the Contract. If the Contractor's Representative is to be temporarily absent from the Site during the execution of the Works, a suitable replacement person shall be appointed, subject to the Architect prior consent, and the Architect shall be notified accordingly.
- 435 The Contractor's Representative shall, on behalf of the Contractor, receive instructions under Sub-Clause 3.3 [Instructions of the Engineer].
- 436 The Contractor's Representative may delegate any powers, functions and authority to any competent person, and may at any time revoke the delegation. Any delegation or revocation shall not take effect until the Architect has received prior notice signed by the Contractor's Representative, naming the person and specifying the powers, functions and authority being delegated or revoked.
- 437 The Contractor's Representative shall be fluent in the language for communications defined in Sub-Clause 1.4

[Law and Language]. If the Contractor's Representative's delegates are not fluent in the said language, the Contractor shall make competent interpreter savailable during all working hours in a number deemed sufficient by the Engineer.

44 Sub-contractors

- 441 The Contractor shall not subcontract the whole of the Works. The contractor may however subcontract the works as provided in Clause 34.2.
- 442 The Contractor shall be responsible for the acts or defaults of any Subcontractor, his agents or employees, as if theyweret heacts or defaults of the Contractor. Unless otherwise stated in the Special Conditions:
- a) The Contractor shall not be required to obtain consent to suppliers solely of Materials, or to a subcontract for which the Subcontractor is named in the Contract;
 - b) The prior consent of the Procuring Entity shall be obtained to other proposed Subcontractors;
 - c) the Contractor shall give the Procuring Entity not less than 14 days' notice of the intended date of the commencement of each Subcontractor's work, and of the commencement of such work on the Site; and
 - d) each subcontract shall include provisions which would entitle the Procuring Entity to require the subcontract to be assigned to the Procuring Entity under Sub-Clause 4.5 [Assignment of Benefit of Subcontract] (if or when applicable) or in the event of termination under Sub-Clause 15.2 [Termination by Procuring Entity].
- 443 The Contractor shall ensure that the requirements imposed on the Contractor by Sub-Clause 1.12 [Confidential Details] apply equally to each Subcontractor.
- 444 Wher epracticable, the Contractor shall give fair and reasonable opportunity for contractors from Kenya to be appointed as Subcontractors.

45 Assignment of Benefit of Subcontract

If a Subcontractor's obligations extend beyond the expiry date of the relevant Defects Notification Period and the Engineer, prior to this date, instructs the Contractor to assign the benefit of such obligations to the Procuring Entity, then the Contractor shall do so. Unless otherwise stated in the assignment, the Contractor shall have no liability to the Procuring Entity for the work carried out by the Subcontractor after the assignment takes effect.

46 Co-operation

- 461 The Contractor shall, as specified in the Contract or as instructed by the Engineer, allow appropriate opportunities for carrying out work to:
- a) The Procuring Entity's Personnel,
 - b) Any other contractors employed by the Procuring Entity, and
 - c) The personnel of any legally constituted public authorities, who may be employed in the execution on or near the Site of any work not included in the Contract.
- 462 Any such instruction shall constitute a Variation if and to the extent that it cause sthe Contractor to suffer delays and/or to incur Unforeseeable Cost. Services for these personnel and other contractors may include the use of Contractor's Equipment, Temporary Works or access arrangements which are the responsibility of the Contractor.
- 463 If, under the Contract, the Procuring Entity is required to give to the Contractor possession of any foundation, structure, plant or means of access in accordance with Contractor's Documents, the Contractor shall submit such documents to the Architect in the time and manner stated in the Specification.

47 Setting Out of the Works

- 471 The Contractor shall set out the Works in relation to original points, lines and levels of reference specified in the Contractor notified by the Engineer. The Contractor shall be responsible for the correct positioning of all parts of the Works, and shall rectify any error in the positions, levels, dimensions or alignment of the Works.
- 472 The Procuring Entity shall be responsible for any errors in these specified or notified items of reference, but the Contractor shall use reasonable efforts to verify their accuracy before they are used.

- 4.7.3 If the Contractor suffers delay and/or incurs Cost from executing work which was necessitated by an error in these items of reference, and an experienced contractor could not reasonably have discovered such error and avoided this delay and/or Cost, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such costs accrued, which shall be included in the Contract Price.
- 4.7.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent the error could not reasonably have been discovered, and (ii) the matters described in sub-paragraphs (a) and (b) above related to this.

48 Safety Procedures

The Contractor shall:

- a) Comply with all applicable safety regulations,
- b) Take care for the safety of all persons entitled to be on the Site,
- c) Use reasonable efforts to keep the Site and Works clear of unnecessary obstruction so as to avoid danger to these persons,
- d) provide fencing, lighting, guarding and watching of the Works until completion and taking over under Clause 10 [Procuring Entity's Taking Over], and
- e) provide any Temporary Works (including roadways, footways, guards and fences) which may be necessary, because of the execution of the Works, for the use and protection of the public and of owners and occupiers of adjacent land.

49 Quality Assurance

- 49.1 The Contractor shall institute a quality assurance system to demonstrate compliance with the requirements of the Contract. The system shall be in accordance with the details stated in the Contract. The Architect shall be entitled to audit any aspect of the system.
- 49.2 Details of all procedures and compliance documents shall be submitted to the Architect before each design and execution stage is commenced. When any document of a technical nature is issued to the Engineer, evidence of the prior approval by the Contractor itself shall be apparent on the document itself.

Compliance with the quality assurance system shall not relieve the Contractor of any of his duties, obligations or responsibilities under the Contract.

4.10 Site Data

- 4.10.1 The Procuring Entity shall have made available to the Contractor for his information, prior to the Base Date, all relevant data in the Procuring Entity's possession on sub-surface and hydrological conditions at the Site, including environmental aspects. The Procuring Entity shall similarly make available to the Contractor all such data which come into the Procuring Entity's possession after the Base Date. The Contractor shall be responsible for interpreting all such data.
- 4.10.2 To the extent which was practicable (taking account of cost and time), the Contractor shall be deemed to have obtained all necessary information as to risks, contingencies and other circumstances which may influence or affect the Tender or Works. To the same extent, the Contractor shall be deemed to have inspected and examined the Site, its surroundings, the above data and other available information, and to have been satisfied before submitting the Tender as to all relevant matters, including (without limitation):
- a) The form and nature of the Site, including sub-surface conditions,
 - b) the hydrological and climatic conditions,
 - c) the extent and nature of the work and Goods necessary for the execution and completion of the Works and the remedying of any defects,
 - d) the Laws, procedures and labour practices of Kenya, and
 - e) the Contractor's requirements for access, accommodation, facilities, personnel, power, transport, water and other services.

4.11 Sufficiency of the Accepted Contract Amount

4.11.1 The Contractor shall be deemed to:

- a) Have satisfied itself as to the correctness and sufficiency of the Accepted Contract Amount, and
- b) have based the Accepted Contract Amount on the data, interpretations, necessary information, inspections, examinations and satisfaction as to all relevant matters referred to in Sub-Clause 4.10 [Site Data].

4.11.2 Unless otherwise stated in the Contract, the Accepted Contract Amount covers all the Contractor's obligations under the Contract (including those under Provisional Sums, if any) and all things necessary for the proper execution and completion of the Works and the remedying of any defects.

4.12 Unforeseeable Physical Conditions

4.12.1 In this Sub-Clause, "physical conditions" means natural physical conditions and man-made and other physical obstructions and pollutants, which the Contractor encounters at the Site when executing the Works, including sub-surface and hydrological conditions but excluding climatic conditions.

4.12.2 If the Contractor encounters adverse physical conditions which he considers to have been Unforeseeable, the Contractor shall give notice to the Architect as soon as practicable.

4.12.3 This notice shall describe the physical conditions, so that they can be inspected by the Architect and shall set out the reasons why the Contractor considers them to be Unforeseeable. The Contractor shall continue executing the Works, using such proper and reasonable measures as are appropriate for the physical conditions, and shall comply with any instructions which the Architect may give. If an instruction constitutes a Variation, Clause 13 [Variations and Adjustments] shall apply.

4.12.4 If and to the extent that the Contractor encounters physical conditions which are Unforeseeable, gives such a notice, and suffers delay and/or incurs Cost due to these conditions, the Contractor shall be entitled subject to notice under Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- b) payment of any such Cost, which shall be included in the Contract Price.

4.12.5 Upon receiving such notice and inspecting and/or investigating these physical conditions, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent these physical conditions were Unforeseeable, and (ii) the matters described in sub-paragraphs (a) and (b) above related to this extent.

4.12.6 However, before additional Cost is finally agreed or determined under sub-paragraph (ii), the Architect may also review whether other physical conditions in similar parts of the Works (if any) were more favorable than could reasonably have been foreseen when the Contractor submitted the Tender. If and to the extent that these more favorable conditions were encountered, the Architect may proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the reductions in Cost which were due to these conditions, which may be included (as deductions) in the Contract Price and Payment Certificates. However, the net effect of all adjustments under sub-paragraph (b) and all these reductions, for all the physical conditions encountered in similar parts of the Works, shall not result in a net reduction in the Contract Price.

4.12.7 The Architect shall take account of any evidence of the physical conditions foreseen by the Contractor when submitting the Tender, which shall be made available by the Contractor, but shall not be bound by the Contractor's interpretation of any such evidence.

4.13 Rights of Way and Facilities

Unless otherwise specified in the Contract the Procuring Entity shall provide effective access to and possession of the Site including special and/or temporary rights-of-way which are necessary for the Works. The Contractor shall obtain, at his risk and cost, any additional rights of way or facilities outside the Site

which he may require for the purposes of the Works.

4.14 Avoidance of Interference

4.14.1 The Contractor shall not interfere unnecessarily or improperly with:

- a) The convenience of the public, or
- b) The access to and use and occupation of all roads and foot paths, irrespective of whether they are public or in the possession of the Procuring Entity or of others.

4.14.2 The Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from any such unnecessary or improper interference.

4.15 Access Route

4.15.1 The Contractor shall be deemed to have been satisfied as to the suitability and availability of access routes to the Site at Base Date. The Contractor shall use reasonable efforts to prevent any road or bridge from being damaged by the Contractor's traffic or by the Contractor's Personnel. These efforts shall include the proper use of appropriate vehicles and routes.

4.15.2 Except as otherwise stated in these Conditions:

- a) The Contractor shall (as between the Parties) be responsible for any maintenance which may be required for his use of access routes;
- b) the Contractor shall provide all necessary signs or directions along access routes, and shall obtain any permission which may be required from the relevant authorities for his use of routes, signs and directions;
- c) the Procuring Entity shall not be responsible for any claims which may arise from the use or otherwise of any access route;
- d) the Procuring Entity does not guarantee the suitability or a availability of particular access routes; and
- e) Costs due to non-suitability or non-availability, for the use required by the Contractor, of access routes shall be borne by the Contractor.

4.16 Transport of Goods

Unless otherwise stated in the Special Conditions:

- a) the Contractor shall give the Architect not less than 21 days' notice of the date on which any Plant or a major item of other Goods will be delivered to the Site;
- b) the Contractor shall be responsible for packing, loading, transporting, receiving, unloading, storing and protecting all Goods and other things required for the Works; and
- c) the Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from the transport of Goods and shall negotiate and pay all claims arising from their transport.

4.17 Contractor's Equipment

The Contractor shall be responsible for all Contractor's Equipment. When brought on to the Site, Contractor's Equipment shall be deemed to be exclusively intended for the execution of the Works. The Contractor shall not remove from the Site any major items of Contractor's Equipment without the consent of the Engineer. However, consent shall not be required for vehicles transporting Goods or Contractor's Personnel off Site.

4.18 Protection of the Environment

4.18.1 The contractor shall comply with the applicable environmental laws, regulations and policies.

4.18.2 The Contractor shall take all reasonable steps to protect the environment (both on and off the Site) and to limit damage and nuisance to people and property resulting from pollution, noise and other results of his operations.

4.18.3 The Contractors shall ensure that emissions, surfaced is charges and effluent from the Contractor's activities shall not exceed the values stated in the Specification or prescribed by applicable Laws.

4.19 Electricity, Water and Gas

- 4.19.1 The Contractor shall, except as stated below, be responsible for the provision of all power, water and other services he may require for his construction activities and to the extent defined in the Specifications, for the tests.
- 4.19.2 The Contractor shall be entitled to use for the purposes of the Works such supplies of electricity, water, gas and other services as may be available on the Site and of which details and prices are given in the Specifications. The Contractor shall, at his risk and cost, provide any apparatus necessary for his use of these services and for measuring the quantities consumed.
- 4.19.3 The quantities consumed and the amounts due (at these prices) for such services shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations]. The Contractor shall pay these amounts to the Procuring Entity.

4.20 Procuring Entity's Equipment and Free-Issue Materials

- 4.20.1 The Procuring Entity shall make the Procuring Entity's Equipment (if any) available for the use of the Contractor in the execution of the Works in accordance with the details, arrangements and prices stated in the Specification. Unless otherwise stated in the Specification:
- a) The Procuring Entity shall be responsible for the Procuring Entity's Equipment, except that
 - b) the Contractor shall be responsible for each item of Procuring Entity's Equipment whilst any of the Contractor's Personnel is operating it, driving it, directing it or in possession or control of it.
- 4.20.1 The appropriate quantities and the amounts due (at such stated prices) for the use of Procuring Entity's Equipment shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations]. The Contractor shall pay these amounts to the Procuring Entity.
- 4.20.2 The Procuring Entity shall supply, free of charge, the "free-issue materials" (if any) in accordance with the details stated in the Specification. The Procuring Entity shall, at his risk and cost, provide these materials at the time and place specified in the Contract. The Contractor shall then visually inspect them and shall promptly give notice to the Architect of any shortage, defect or default in these materials. Unless otherwise agreed by both Parties, the Procuring Entity shall immediately rectify the notified shortage, defect or default.
- 4.20.3 After this visual inspection, the free-issue materials shall come under the care, custody and control of the Contractor. The Contractor's obligations of inspection, care, custody and control shall not relieve the Procuring Entity of liability for any shortage, defect or default not apparent from a visual inspection.

4.21 Progress Reports

- 4.21.1 Unless otherwise stated in the Special Conditions, monthly progress reports shall be prepared by the Contractor and submitted to the Architect in six copies. The first report shall cover the period up to the end of the first calendar month following the Commencement Date. Reports shall be submitted monthly thereafter, each within 7 days after the last day of the period to which it relates.
- 4.21.2 Reporting shall continue until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works. Each report shall include:
- a) charts and detailed descriptions of progress, including each stage of design (if any), Contractor's Documents, procurement, manufacture, delivery to Site, construction, erection and testing; and including these stages for work by each nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]),
 - b) photographs showing the status of manufacture and of progress on the Site;
 - c) for the manufacture of each main item of Plant and Materials, the name of the manufacturer, manufacture location, percentage progress, and the actual or expected dates of:
 - i) commencement of manufacture,
 - ii) Contractor's inspections,
 - iii) tests, and

- iv) shipment and arrival at the Site;
- d) the details described in Sub-Clause 6.10 [Records of Contractor's Personnel and Equipment];
- e) copies of quality assurance documents, test results and certificates of Materials;
- f) list of notices given under Sub-Clause 2.5 [Procuring Entity's Claims] and notices given under Sub-Clause 20.1 [Contractor's Claims];
- g) safety statistics, including details of any hazardous incidents and activities relating to environmental aspects and public relations; and
- h) comparison so factual and planned progress, with details of any events or circumstances which may jeopardize the completion in accordance with the Contract, and the measures being (or to be) adopted to overcome delays.

4.22 Security of the Site

Unless otherwise stated in the Special Conditions:

- a) The Contractor shall be responsible for keeping unauthorized persons off the Site, and
- b) authorized persons shall be limited to the Contractor's Personnel and the Procuring Entity's Personnel; and to any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as authorized personnel of the Procuring Entity's other contractors on the Site.

4.23 Contractor's Operations on Site

423.1 The Contractor shall confine his operations to the Site, and to any additional areas which may be obtained by the Contractor and agreed by the Architect as additional working areas. The Contractor shall take all necessary precautions to keep Contractor's Equipment and Contractor's Personnel within the Site and these additional areas, and to keep them off adjacentl and.

423.2 During the execution of the Works, the Contractor shall keep the Site free from all unnecessary obstruction and shall store or dispose of any Contractor's Equipment or surplus materials. The Contractor shall clear away and remove from the Site any wreckage, rubbish and Temporary Works which are no longer required.

423.3 Upon the issue of a Taking-Over Certificate, the Contractor shall clear away and remove, from that part of the Site and Works to which the Taking-Over Certificate refers, all Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works. The Contractor shall leave that part of the Site and the Works in a clean and safe condition. However, the Contractor may retain on Site, during the Defects Notification Period, such Goods as are required for the Contractor to fulfil obligations under the Contract.

4.24 Fossils

424.1 All fossils, coins, articles of value or antiquity, and structures and other remains or items of geological or archaeological interest found on the Site shall be placed under the care and authority of the Procuring Entity. The Contractor shall take reasonable precautions to prevent Contractor's Personnel or other persons from removing or damaging any of these findings.

424.2 The Contractor shall, upon discovery of any such finding, promptly give notice to the Engineer, who shall issue instructions for dealing with it. If the Contractor suffers delay and/or incurs Cost from complying with the instructions, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- b) payment of any such Cost, which shall be included in the Contract Price.
After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

5 NOMINATED SUBCONTRACTORS

5.1 Definition of "nominated Subcontractor"

In this Contract, "nominated Subcontractor" means a Subcontractor:

- a) Who is nominated by the Procuring Entity, or
- b) Contractor has nominated as a Subcontractor subject to Sub-Clause 5.2 [Objection to Notification].

52 Objection to Nomination

The Contractor shall not be under any obligation to employ a nominated Subcontractor against whom the Contractor raises reasonable objection by notice to the Procuring Entity as soon as practicable, with supporting particulars. An objection shall be deemed reasonable if it arises from (among other things) any of the following matters, unless the Procuring Entity agrees in writing to indemnify the Contractor against and from the consequences of the matter:

- a) there are reasons to believe that the Subcontractor does not have sufficient competence, resources or financial strength;
- b) the nominated Subcontractor does not accept to indemnify the Contractor against and from any negligence or misuse of Goods by the nominated Subcontractor, his agents and employees; or
- c) the nominated Subcontractor does not accept to enter into a subcontract which specifies that, for the subcontracted work (including design, if any), the nominated Subcontractor shall:
 - i) undertake to the Contractor such obligations and liabilities as will enable the Contractor to discharge his obligations and liabilities under the Contract;
 - ii) indemnify the Contractor against and from all obligations and liabilities arising under or in connection with the Contract and from the consequences of any failure by the Subcontractor to perform these obligations or to fulfil these liabilities, and
 - iii) be paid only if and when the Contractor has received from the Procuring Entity payments for sums due under the Subcontract referred to under Sub-Clause 5.3 [Payment to nominated Subcontractors].

53 Payments to nominated Subcontractors

The Contractor shall pay to the nominated Subcontractor the amounts shown on the nominated Subcontractor's invoices approved by the Contractor which the Architect certifies to be due in accordance with the subcontract. These amounts plus other charges shall be included in the Contract Price in accordance with sub-paragraph (b) of Sub-Clause 13.5 [Provisional Sums], except as stated in Sub-Clause 5.4 [Evidence of Payments].

54 Evidence of Payments

541 Before issuing a Payment Certificate which includes an amount payable to a nominated Subcontractor, the Architect may request the Contractor to supply reasonable evidence that the nominated Subcontractor has received all amounts due in accordance with previous Payment Certificates, less applicable deductions for retention or otherwise. Unless the Contractor:

- (a) Submits this reasonable evidence to the Engineer, or
- (b)
 - i) Satisfies the Architect in writing that the Contractor is reasonably entitled to withhold or refuse to pay these amounts, and
 - ii) Submits to the Architect reasonable evidence that the nominated Subcontractor has been notified of the Contractor's entitlement, then the Procuring Entity may (at his sole discretion) pay, directly to the nominated Subcontractor, part or all of such amounts previously certified (less applicable deductions) as are due to the nominated Subcontractor and for which the Contractor has failed to submit the evidence described in sub-paragraphs (a) or (b) above. The Contractor shall then repay, to the Procuring Entity, the amount which the nominated Subcontractor was directly paid by the Procuring Entity.

6 STAFF AND LABOR

61 Engagement of Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall make arrangements for the engagement of all staff and labor, local or otherwise, and for their payment, feeding, transport, and, when appropriate, housing. The Contractor is encouraged, to the extent practicable and reasonable, to employ staff and labor with appropriate qualifications and experience from sources within Kenya.

62 Rates of Wages and Conditions of Labor

621 The Contractor shall pay rates of wages, and observe conditions of labor, which are not lower than those established for the trade or industry where the work is carried out. If no established rates or conditions are applicable, the Contractor shall pay rates of wages and observe conditions which are not lower than the general level of wages and conditions observed locally by Procuring Entity's whose trade or industry is similar

to that of the Contractor.

- 622 The Contractor shall inform the Contractor's Personnel about their liability to pay personal income taxes in Kenya in respect of such of their salaries, wages, allowances and any benefits as are subject to tax under the Laws of Kenya for the time being in force, and the Contractor shall perform such duties in regard to such deductions there of as may be imposed on him by such Laws.

63 Persons in the Service of Procuring Entity

The Contractor shall not recruit, or attempt to recruit, staff and labour from amongst the Procuring Entity's Personnel.

64 Lab or Laws

The Contractor shall comply with all the relevant labour Laws applicable to the Contractor's Personnel, including Laws relating to their employment, employment of children, health, safety, welfare, immigration and emigration, and shall allow them all their legal rights. The Contractor shall require his employees to obey all applicable Laws, including those concerning safety at work.

65 Working Hours

Nowork shall be carried out on the Site on locally recognized days of rest, or outside the normal working hours stated in the **Special Conditions of Contract**, unless:

- a) Otherwise stated in the Contract,
- b) The Architect gives consent, or
- c) The work is unavoidable, or necessary for the protection of life or property or for the safety of the Works, in which case the Contractor shall immediately advise the Engineer, provided that work done outside the normal working hours shall be considered and paid for as overtime.

66 Facilities for Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall provide and maintain all necessary accommodation and welfare facilities on site for the Contractor's Personnel. The Contractor shall also provide facilities for the Procuring Entity's Personnel as stated in the Specifications. The Contractor shall not permit any of the Contractor's Personnel to maintain any temporary or permanent living quarters within the structures forming part of the Permanent Works.

67 Health and Safety

- 67.1 The Contractor shall at all times take all reasonable precautions to maintain the health and safety of the Contractor's Personnel. In collaboration with loca lhealth authorities, the Contractor shall ensure that medical staff, first aid facilities, sick bay and ambulance service are available at all times at the Site and at any accommodation for Contractor's and Procuring Entity's Personnel, and that suitable arrangements are made for all necessary welfare and hygiene requirements and for the prevention of epidemics.
- 67.2 The Contractor shall appoint an accident prevention officer at the Site, responsible for maintaining safety and protection against accidents. This person shall be qualified for this responsibility and shall have the authority to issue instructions and take protective measures to prevent accidents. Throughout the execution of the Works, the Contractor shall provide what ever is required by this person to exercise this responsibility and authority.
- 67.3 The Contractor shall send, to the Engineer, details of any accident as soon as practicable after its occurrence. The Contractor shall maintain records and make reports concerning health, safety and welfare of persons, and damage to property, as the Architect may reasonably require.
- 67.4 The Contractor shall conduct an awareness programme on HIV and other sexually transmitted diseases via an approved service provider and shall undertake such other measures taken to reduce the risk of the transfer of these diseases between and among the Contractor's Personnel and the local community, to promote early diagnosis and to assist affected individuals.

68 Contractor's Superintendence

- 68.1 Throughout the execution of the Works, and as long thereafter as is necessary to fulfil the Contractor's obligations, the Contractor shall provide all necessary super intendence to plan, arrange, direct, manage, inspect and test the work.

6.82 Superintendence shall be given by a sufficient number of persons having adequate knowledge of the language for communications (defined in Sub-Clause 1.4 [Law and Language]) and of the operations to be carried out (including the methods and techniques required, the hazards likely to be encountered and methods of preventing accidents), for the satisfactory and safe execution of the Works.

6.9 Contractor's Personnel

6.9.1 The Contractor's Personnel shall be appropriately qualified, skilled and experienced in their respective trades or occupations. The Contractor's Key personnel shall be named in the Special Conditions of Contract. The Architect may require the Contractor to remove (or cause to be removed) any person employed on the Site or Works, including the Contractor's Representative if applicable, who:

- a) Persists in any misconduct or lack of care,
- b) Carries out duties in competently or negligently,
- c) fails to conform with any provisions of the Contract,
- d) persists in any conduct which is prejudicial to safety, health, or the protection of the environment, or
- e) based on reasonable evidence, is determined to have engaged in Fraud and Corruption during the execution of the Works.

6.9.2 If appropriate, the Contractor shall then appoint (or cause to be appointed) a suitable replacement person.

6.10 Records of Contractor's Personnel and Equipment

The Contractor shall submit, to the Engineer, details showing the number of each class of Contractor's Personnel and of each type of Contractor's Equipment on the Site. Details shall be submitted each calendar month, in a form approved by the Engineer, until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works.

6.11 Disorderly Conduct

The Contractor shall at all times take all reasonable precautions to prevent any unlawful, riotous or disorderly conduct by or amongst the Contractor's Personnel, and to preserve peace and protection of persons and property on and near the Site.

6.12 Foreign Personnel

6.12.1 The Contractor shall not employ foreign personnel unless the contractor demonstrates that there are no Kenyans with the required skills.

6.12.2 The Contractor shall be responsible for the return of any foreign personnel to the place where they were recruited or to their domicile. In the event of the death in Kenya of any of these personnel or members of their families, the Contractor shall similarly be responsible for making the appropriate arrangements for their return or burial.

6.13 Supply of Water

The Contractor shall, having regard to local conditions, provide on the Site an adequate supply of drinking and other water for the use of the Contractor's Personnel.

6.14 Measures against Insect and Pest Nuisance

The Contractor shall at all times take the necessary precautions to protect the Contractor's Personnel employed on the Site from insect and pest nuisance, and to reduce the danger to their health. The Contractor shall comply with all the regulations of the local health authorities, including use of appropriate insecticide.

6.15 Alcoholic Liquor or Drugs

The Contractor shall not, otherwise than in accordance with the Laws of Kenya, onsite, import, sell, give, barter or otherwise dispose of any alcoholic liquor or drugs, or permit or allow importation, sale, gift, barter or disposal thereof by Contractor's Personnel.

6.16 Prohibition of Forced or Compulsory Labour

The Contractor shall not employ forced labor, which consists of any work or service, not voluntarily performed, that is exacted from an individual under threat of force or penalty, and includes any kind of

involuntary or compulsory labor, such as indentured labor, bonded labor or similar labor-contracting arrangements.

6.17 Prohibition of Harmful Child Labor

The Contractor shall not employ children in a manner that is economically exploitative, or is likely to be hazardous, or to interfere with, the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development. Where the relevant labour laws of Kenya have provisions for employment of minors, the Contractor shall follow those laws applicable to the Contractor. Children below the age of 18 years shall not be employed in dangerous work.

6.18 Employment Records of Workers

The Contractor shall keep complete and accurate records of the employment of labour at the Site. The records shall include the names, ages, genders, hours worked and wages paid to all workers. These records shall be summarized on a monthly basis and submitted to the Engineer. These records shall be included in the details to be submitted by the Contractor under Sub-Clause 6.10 [Records of Contractor's Personnel and Equipment].

6.19 Workers' Organizations

The Contractor shall comply with the relevant labor laws that recognize workers' rights to form and to join workers' organizations of their choosing without interference.

6.20 Non-Discrimination and Equal Opportunity

The Contractor shall base the labour employment on the principle of equal opportunity and fair treatment and shall not discriminate with respect to aspects of the employment relationship, including recruitment and hiring, compensation (including wages and benefits), working conditions and terms of employment, access to training, promotion, termination of employment, retirement, and discipline.

7. PLANT, MATERIALS AND WORKMANSHIP

7.1 Manner of Execution

The Contractor shall carry out the manufacture/assemble of plant, the production and manufacture of Materials, and all other execution of the Works:

- a) In the manner (if any) specified in the Contract,
- b) in a proper workman like and careful manner, in accordance with recognized good practice, and
- c) with properly equipped facilities and non-hazardous Materials, except as otherwise specified in the Contract.

7.2 Samples

The Contractor shall submit the following samples of Materials, and relevant information, to the Architect for consent prior to using the Material in or for the Works:

- a) manufacturer's standard samples of Materials and samples specified in the Contract, all at the Contractor's cost, and
- b) additional samples instructed by the Architect as a Variation.

Each sample shall be labeled as to origin and intended use in the Works.

7.3 Inspection

7.3.1 The Procuring Entity's Personnel shall at all reasonable times:

- a) Have full access to all parts of the Site and to all places from which natural Materials are being obtained, and
- b) during production, manufacture and construction (at the Site and elsewhere), be entitled to examine, inspect, measure and test the materials and workmanship, and to check the progress of manufacture of Plant and production and manufacture of Materials.

7.3.2 The Contractor shall give the Procuring Entity's Personnel full opportunity to carry out these activities,

including providing access, facilities, permissions and safety equipment. No such activity shall relieve the Contractor from any obligation or responsibility.

- 733 The Contractor shall give notice to the Architect whenever any work is ready and before it is covered up, put out of sight, or packaged for storage or transport. The Architect shall then either carry out the examination, inspection, measurement or testing without unreasonable delay, or promptly give notice to the Contractor that the Architect does not require to do so. If the Contractor fails to give the notice, he shall, if and when required by the Engineer, uncover the work and there after reinstate and make good, all at the Contractor's cost.

74 Testing

- 741 This Sub-Clause shall apply to all tests specified in the Contract.
- 742 Except as otherwise specified in the Contract, the Contractor shall provide all apparatus, assistance, documents and other information, electricity, equipment, fuel, consumables, instruments, labor, materials, and suitably qualified and experienced staff, as are necessary to carry out the specified tests efficiently. The Contractor shall agree, with the Engineer, the time and place for the specified testing of any Plant, Materials and other parts of the Works.
- 743 The Architect may, under Clause 13 [Variations and Adjustments], vary the location or details of specified tests, or instruct the Contractor to carry out additional tests. If these varied or additional tests show that the tested Plant, Materials or workmanship is not in accordance with the Contract, the cost of carrying out this Variation shall be borne by the Contractor, notwithstanding other provisions of the Contract.
- 744 The Architect shall give the Contractor not less than 24 hours' notice of the Architect intention to attend the tests. If the Architect does not attend at the time and place agreed, the Contractor may proceed with the tests, unless otherwise instructed by the Engineer, and the tests shall then be deemed to have been made in the Architect presence.
- 745 If the Contractor suffers delay and/ or incurs Cost from complying with these instructions or as a result of a delay for which the Procuring Entity is responsible, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- 746 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 747 The Contractor shall promptly forward to the Architect duly certified reports of the tests. When the specified tests have been completed, the Architect shall endorse the Contractor's test certificate, or issue a certificate to him, to that effect. If the Architect has not attended the tests, he shall be deemed to have accepted the readings as accurate.

75 Rejection

- 751 If, as a result of an examination, inspection, measurement or testing, any Plant, Materials or workmanship is found to be defective or otherwise not in accordance with the Contract, the Architect may reject the Plant, Materials or workmanship by giving notice to the Contractor, with reasons. The Contractor shall then promptly make good the defect and ensure that the rejected item complies with the Contract.
- 752 If the Architect requires this Plant, Materials or workmanship to be retested, the tests shall be repeated under the same terms and conditions. If the rejection and retesting cause the Procuring Entity to incur additional costs, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity.

76 Remedial Work

- 761 Notwithstanding any previous test or certification, the Architect may instruct the Contractor to:
- a) Remove from the Site and replace any Plant or Materials which is not in accordance with the Contract,
 - b) remove and re-execute any other work which is not in accordance with the Contract, and
 - c) execute any work which is urgently required for the safety of the Works, whether because of an accident, unforeseen event or otherwise.

- 7.62 The Contractor shall comply with the instruction within a reasonable time, which shall be the time (if any) specified in the instruction, or immediately if urgency is specified under sub-paragraph (c).
- 7.63 If the Contractor fails to comply with the instruction, the Procuring Entity shall be entitled to employ and pay other persons to carry out the work. Except to the extent that the Contractor would have been entitled to payment for the work, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity all costs arising from this failure.
- 7.64 If the contractor repeatedly delivers defective work, the Procuring Entity may consider termination in accordance with Clause 15.

7.7 Ownership of Plant and Materials

Except as otherwise provided in the Contract, each item of Plant and Materials shall become the property of the Procuring Entity at whichever is the earlier of the following times, free from liens and other encumbrances:

- a) When it is incorporated in the Works;
- b) when the Contractor is paid the corresponding value of the Plant and Materials under Sub-Clause 8.10 [Payment for Plant and Materials in Event of Suspension].

7.8 Royalties

Unless otherwise stated in the Specification, the Contractor shall pay all royalties, rents and other payments for:

- a) Natural materials obtained from outside the Site, and
- b) the disposal of material from demolitions and excavations and of other surplus material (whether natural or man-made), except to the extent that disposal are as within the Site are specified in the Contract.

8 COMMENCEMENT, DELAYS AND SUSPENSION

8.1 Commencement of Works

- 8.1.1 Except as otherwise specified in the Special Conditions of Contract, the Commencement Date shall be the date at which the following precedent conditions have all been fulfilled and the Architect notification recording the agreement of both Parties on such fulfilment and instructing to commence the Work is received by the Contractor:

- a) Signature of the Contract Agreement by both Parties, and if required, approval of the Contract by relevant authorities of Kenya;
- b) except if otherwise specified in the Special Conditions of Contract, effective access to and possession of the Site given to the Contractor together with such permission(s) under (a) of Sub-Clause 1.13 [Compliance with Laws] as required for the commencement of the Works.
- c) Receipt by the Contractor of the Advance Payment under Sub-Clause 14.2 [Advance Payment] provided that the corresponding bank guarantee has been delivered by the Contractor.

- 8.1.2 If the said Architect instruction is not received by the Contractor within 180 days from his receipt of the Letter of Acceptance, the Contractor shall be entitled to terminate the Contract under Sub-Clause 16.2 [Termination by Contractor].

- 8.1.3 The Contractor shall commence the execution of the Works as soon as is reasonably practicable after the Commencement Date and shall then proceed with the Works with due expedition and without delay.

8.2 Time for Completion

The Contractor shall complete the whole of the Works, and each Section (if any), within the Time for Completion for the Works or Section (as the case may be), including:

- a) Achieving the passing of the Test on Completion, and
- b) completing all work which is stated in the Contract as being required for the Works or Section to be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections].

8.3 Programme

- 8.3.1 The Contractor shall submit a detailed time programme to the Architect within 14 days after receiving the

notice under Sub-Clause 8.1 [Commencement of Works]. The Contractor shall also submit a revised programme whenever the previous programme is inconsistent with actual progress or with the Contractor's obligations. Each programme shall include:

- a) The order in which the Contractor intends to carry out the Works, including the anticipated timing of each stage of design (if any), Contractor's Documents, procurement, manufacture of Plant, delivery to Site, construction, erection and testing,
- b) each of these stages for work by each nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]),
- c) the sequence and timing of inspections and tests specified in the Contract, and
- d) a supporting report which includes:
 - i) a general description of the methods which the Contractor intends to adopt, and of the major stages, in the execution of the Works, and
 - ii) details showing the Contractor's reasonable estimate of the number of each class of Contractor's Personnel and of each type of Contractor's Equipment, required on the Site for each major stage.

832 Unless the Engineer, within 14 days after receiving a programme, gives notice to the Contractor stating the extent to which it does not comply with the Contract, the Contractor shall proceed in accordance with the programme, subject to his other obligations under the Contract. The Procuring Entity's Personnel shall be entitled to rely upon the programme when planning their activities.

833 The Contractor shall promptly give notice to the Architect of specific probable future events or circumstances which may adversely affect the work, increase the Contract Price or delay the execution of the Works.

834 If, at anytime, the Architect gives notice to the Contractor that a programme fails (to the extent stated) to comply with the Contractor to be consistent with actual progress and the Contractor's stated intentions, the Contractor shall submit a revised programme to the Architect in accordance with this Sub-Clause.

8.4 Extension of Time for Completion

841 The Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to an extension of the Time for Completion if and to the extent that completion for the purposes of Sub-Clause 10.1 [Taking Over of the Works and Sections] is or will be delayed by any of the following causes:

- a) a Variation (unless an adjustment to the Time for Completion has been agreed under Sub-Clause 13.3 [Variation Procedure]) or other substantial change in the quantity of an item of work included in the Contract,
- b) a cause of delay giving an entitlement to extension of time under a Sub-Clause of these Conditions,
- c) exceptionally adverse climatic conditions,
- d) Unforeseeable shortages in the availability of personnel or Goods caused by epidemic or governmental actions, or
- e) any delay, impediment or prevention caused by or attributable to the Procuring Entity, the Procuring Entity's Personnel, or the Procuring Entity's other contractors.

842 If the Contractor considers itself to be entitled to an extension of the Time for Completion, the Contractor shall give notice to the Architect in accordance with Sub-Clause 20.1 [Contractor's Claims]. When determining each extension of time under Sub-Clause 20.1, the Architect shall review previous determinations and may increase, but shall not decrease, the total extension of time.

8.5 Delays Caused by Authorities

If the following conditions apply, namely:

- a) The Contractor has diligently followed the procedures laid down by the relevant legally constituted public authorities in Kenya,
- b) These authorities delay or disrupt the Contractor's work, and
- c) the delay or disruption was Unforeseeable, then this delay or disruption will be considered as a cause of delay under sub-paragraph (b) of Sub-Clause 8.4 [Extension of Time for Completion].

8.6 Rate of Progress

- 861 If, at anytime:
- a) Actual progress is too slow to complete within the Time for Completion, and/or
 - b) Progress has fallen (or will fall) behind the current programme under Sub-Clause 8.3 [Programme], other than as a result of a cause listed in Sub-Clause 8.4 [Extension of Time for Completion], then the Architect may instruct the Contractor to submit, under Sub-Clause 8.3 [Programme], a revised programme and supporting report describing the revised methods which the Contractor proposes to adopt in order to expedite progress and complete within the Time for Completion.
- 862 Unless the Architect notifies otherwise, the Contractor shall adopt these revised methods, which may require increases in the working hours and/or in the numbers of Contractor's Personnel and/or Goods, at the risk and cost of the Contractor. If these revised methods cause the Procuring Entity to incur additional costs, the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity, in addition to delay damages (if any) under Sub-Clause 8.7 below.
- 863 Additional costs of revised methods including acceleration measures, instructed by the Architect to reduce delays resulting from causes listed under Sub-Clause 8.4 [Extension of Time for Completion] shall be paid by the Procuring Entity, without generating, however, any other additional payment benefit to the Contractor.

8.7 Delay Damages

- 871 If the Contractor fails to comply with Sub-Clause 8.2 [Time for Completion], the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay delay damages to the Procuring Entity for this default. These delay damages shall be the sum stated in the **Special Conditions of Contract**, which shall be paid for everyday which shall elapse between the relevant Time for Completion and the date stated in the taking-Over Certificate. However, the total amount due under this Sub-Clause shall not exceed the maximum amount of delay damages (if any) stated in the Special Conditions of Contract.
- 872 These delay damages shall be the only damages due from the Contractor for such default, other than in the event of termination under Sub-Clause 15.2 [Termination by Procuring Entity] prior to completion of the Works. These damages shall not relieve the Contractor from his obligation to complete the Works, or from any other duties, obligations or responsibilities which he may have under the Contract.

8.8 Suspension of Work

- 881 The Architect may at anytime instruct the Contractor to suspend progress of part or all of the Works. During such suspension, the Contractor shall protect, store and secure such part or the Works against any deterioration, loss or damage.
- 882 The Architect may also notify the cause for the suspension. If and to the extent that the cause is notified and is the responsibility of the Contractor, the following Sub-Clauses 8.9, 8.10 and 8.11 shall not apply.

8.9 Consequences of Suspension

- 891 If the Contractor suffers delay and/or incurs Cost from complying with the Architect instructions under Sub-Clause 8.8 [Suspension of Work] and/or from resuming the work, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) Payment of any such Cost, which shall be included in the Contract Price.
- 892 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 893 The Contractor shall not be entitled to an extension of time for, or to payment of the Cost incurred in, making good the consequences of the Contractor's faulty design, workmanship or materials, or of the Contractor's failure to protect, store or secure in accordance with Sub-Clause 8.8 [Suspension of Work].

8.10 Payment for Plant and Materials in Event of Suspension

The Contractor shall be entitled to payment of the value (as at the date of suspension) of Plant and/ or

Materials which have not been delivered to Site, if:

- a) The work on Plant or delivery of Plant and/ or Materials has been suspended for more than 30 days, and
- b) the Contractor has marked the Plant and/or Materials as the Procuring Entity's property in accordance with the Architect instructions.

8.11 Prolonged Suspension

If the suspension under Sub-Clause 8.8 [Suspension of Work] has continued for more than 84 days, the Contractor may request the Architect permission to proceed. If the Architect does not give permission within 30 days after being requested to do so, the Contractor may, by giving notice to the Engineer, treat the suspension as an omission under Clause 13 [Variations and Adjustments] of the affected part of the Works. If the suspension affects the whole of the Works, the Contractor may give notice of termination under Sub-Clause 16.2 [Termination by Contractor].

8.12 Resumption of Work

After the permission or instruction to proceed is given, the Contractor and the Architect shall jointly examine the Works and the Plant and Materials affected by the suspension. The Contractor shall make good any deterioration or defect in or loss of the Works or Plant or Materials, which has occurred during the suspension after receiving from the Architect an instruction to this effect under Clause 13 [Variations and Adjustments].

9 TESTS ON COMPLETION

9.1 Contractor's Obligations

9.1.1 The Contractor shall carry out the Tests on Completion in accordance with this Clause and Sub-Clause 7.4 [Testing], after providing the documents in accordance with sub-paragraph (d) of Sub-Clause 4.1 [Contractor's General Obligations].

9.1.2 The Contractor shall give to the Architect not less than 21 days' notice of the date after which the Contractor will be ready to carry out each of the Tests on Completion. Unless otherwise agreed, Tests on Completion shall be carried out within 14 days after this date, on such day or days as the Architect shall instruct.

9.1.3 In considering the results of the Tests on Completion, the Architect shall make allowances for the effect of any use of the Works by the Procuring Entity on the performance or other characteristics of the Works. As soon as the Works, or a Section, have passed any Tests on Completion, the Contractor shall submit a certified report of the results of these Tests to the Engineer.

9.2 Delayed Tests

9.2.1 If the Tests on Completion are being unduly delayed by the Procuring Entity, Sub-Clause 7.4 [Testing] (fifth paragraph) and/ or Sub-Clause 10.3 [Interference with Tests on Completion] shall be applicable.

9.2.2 If the Tests on Completion are being unduly delayed by the Contractor, the Architect may by notice require the Contractor to carry out the Tests within 21 days after receiving the notice. The Contractor shall carry out the Tests on such day or days within that period as the Contractor may fix and of which he shall give notice to the Engineer.

9.2.3 If the Contractor fails to carry out the Tests on Completion within the period of 21 days, the Procuring Entity's Personnel may proceed with the Tests at the risk and cost of the Contractor. The Tests on Completion shall then be deemed to have been carried out in the presence of the Contractor and the results of the Tests shall be accepted as accurate.

9.3 Retesting of related works

If the Works, or a Section, fail to pass the Tests on Completion, Sub-Clause 7.5 [Rejection] shall apply, and the Architect or the Contractor may require the failed Tests, and Tests on Completion on any related work, to be repeated under the same terms and conditions.

9.4 Failure to Pass Tests on Completion

9.4.1 If the Works, or a Section, fail to pass the Tests on Completion repeated under Sub-Clause 9.3 [Retesting], the Architect shall be entitled to:

- a) Order further repetition of Tests on Completion under Sub-Clause 9.3; or
- b) if the failure deprives the Procuring Entity of substantially the whole benefit of the Works or Section, reject the Works or Section (as the case may be), in which event the Procuring Entity shall have the same remedies as are provided in sub-paragraph (c) of Sub-Clause 1.4 [Failure to Remedy Defects].

10. PROCURING ENTITY'S TAKING OVER

10.1 Taking Over of the Works and Sections

- 10.1.1 Except as stated in Sub-Clause 9.4 [Failure to Pass Tests on Completion], the Works shall be taken over by the Procuring Entity when (i) the Works have been completed in accordance with the Contract, including the matters described in Sub-Clause 8.2 [Time for Completion] and except as allowed in sub-paragraph (a) below, and (ii) a Taking-Over Certificate for the Works has been issued, or is deemed to have been issued in accordance with this Sub-Clause.
- 10.1.2 The Contractor may apply by notice to the Architect for a Taking-Over Certificate not earlier than 14 days before the Works will, in the Contractor's opinion, be complete and ready for taking over. If the Works are divided into Sections, the Contractor may similarly apply for a Taking-Over Certificate for each Section.
- 10.1.3 The Architect shall, within 30 days after receiving the Contractor's application:
- a) Issue the Taking-Over Certificate to the Contractor, stating the date on which the Works or Section were completed in accordance with the Contract, except for any minor outstanding work and defects which will not substantially affect the use of the Works or Section for their intended purpose (either until or whilst this work is completed and these defects are remedied); or
 - b) reject the application, giving reasons and specifying the work required to be done by the Contractor to enable the Taking-Over Certificate to be issued. The Contractor shall then complete this work before issuing a further notice under this Sub-Clause.
- 10.1.4 If the Architect fails either to issue the Taking-Over Certificate or to reject the Contractor's application within the period of 30 days, and if the Works or Section (as the case may be) are substantially in accordance with the Contract, the Taking-Over Certificate shall be deemed to have been issued on the last day of that period.

10.2 Taking Over of Parts of the Works

- 10.2.1 The Architect may, at the sole discretion of the Procuring Entity, issue a Taking-Over Certificate for any part of the Permanent Works.
- 10.2.2 The Procuring Entity shall not use any part of the Works (other than as a temporary measure which is either specified in the Contract or agreed by both Parties) unless and until the Architect has issued a Taking-Over Certificate for this part. However, if the Procuring Entity does use any part of the Works before the Taking-Over Certificate is issued:
- a) The part which is used shall be deemed to have been taken over as from the date on which it is used,
 - b) the Contractor shall cease to be liable for the care of such part as from this date, when responsibility shall pass to the Procuring Entity, and
 - c) if requested by the Contractor, the Architect shall issue a Taking-Over Certificate for this part.
- 10.2.3 After the Architect has issued a Taking-Over Certificate for a part of the Works, the Contractor shall be given the earliest opportunity to take such steps as may be necessary to carry out any outstanding Tests on Completion. The Contractor shall carry out these Tests on Completion as soon as practicable before the expiry date of the relevant Defects Notification Period.
- 10.2.4 If the Contractor incurs Cost as a result of the Procuring Entity taking over and/or using a part of the Works, other than such use as is specified in the Contract agreed by the Contractor, the Contractor shall (i) give notice to the Architect and (ii) be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to payment of any such accrued costs, which shall be included in the Contract Price. After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this accrued cost.
- 10.2.5 If a Taking-Over Certificate has been issued for a part of the Works (other than a Section), the delay damages there after for completion of the remainder of the Works shall be reduced. Similarly, the delay damages for the remainder of the Section (if any) in which this part is included shall also be reduced. For any period of delay after the date stated in this Taking-Over Certificate, the proportional reduction in these delay damages shall be calculated as the proportion which the value of the part so certified bears to the value of the Works or Section (as the case may be) as a whole. The Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these proportions. The provisions of this paragraph shall only apply

to the daily rate of delay damages under Sub-Clause 8.7 [Delay Damages] and shall not affect the maximum amount of these damages.

103 Interference with Tests on Completion

- 103.1 If the Contractor is prevented, for more than 14 days, from carrying out the Tests on Completion by a cause for which the Procuring Entity is responsible, the Procuring Entity shall be deemed to have taken over the Works or Section (as the case may be) on the date when the Tests on Completion would otherwise have been completed.
- 103.2 The Architect shall then issue a Taking-Over Certificate accordingly, and the Contractor shall carry out the Tests on Completion as soon as practicable, before the expiry date of the Defects Notification Period. The Architect shall require the Tests on Completion to be carried out by giving 14 days' notice and in accordance with the relevant provisions of the Contract.
- 103.3 If the Contractor suffers delay and/or incurs Cost as a result of this delay in carrying out the Tests on Completion, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such accrued costs, which shall be included in the Contract Price.
- 103.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

104 Surfaces Requiring Reinstatement

Except as otherwise stated in a Taking-Over Certificate, a certificate for a Section or part of the Works shall not be deemed to certify completion of any ground or other surfaces requiring reinstatement.

11. DEFECTS LIABILITY

11.1 Completion of Outstanding Work and Remedying Defects

- 11.1.1 In order that the Works and Contractor's Documents, and each Section, shall be in the condition required by the Contract (fair wear and tear excepted) by the expiry date of the relevant Defects Notification Period or as soon as practicable thereafter, the Contractor shall:
- a) complete any work which is outstanding on the date stated in a Taking-Over Certificate, within such reasonable time as is instructed by the Engineer, and
 - b) execute all work required to remedy defects or damage, as may be notified by (or on behalf of) the Procuring Entity on or before the expiry date of the Defects Notification Period for the Works or Section (as the case may be).
- 11.1.2 If a defect appears or damage occurs, the Contractor shall be notified accordingly by the Engineer.

11.2 Cost of Remedying Defects

- 11.2.1 All work referred to in sub-paragraph (b) of Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects] shall be executed at the risk and cost of the Contractor, if and to the extent that the work is attributable to:
- a) Any design for which the Contractor is responsible,
 - b) Plant, Materials or workmanship not being in accordance with the Contract, or
 - c) Failure by the Contractor to comply with any other obligation.
- 11.2.2 If and to the extent that such work is attributable to any other cause, the Contractor shall be notified promptly by (or on behalf of) the Procuring Entity, and Sub-Clause 13.3 [Variation Procedure] shall apply.

11.3 Extension of Defects Notification Period

- 11.3.1 The Procuring Entity shall be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to an extension of the Defects Notification Period for the Works or a Section if and to the extent that the Works, Section or a major item of Plant (as the case may be, and after taking over) cannot be used for the purposes for which they

are intended by reason of a defect or by reason of damage attributable to the Contractor. However, a Defects Notification Period shall not be extended by more than two years.

- 11.3.2 If delivery and/ or erection of Plant and/ or Materials was suspended under Sub-Clause 8.8 [Suspension of Work] or Sub-Clause 16.1 [Contractor's Entitlement to Suspend Work], the Contractor's obligations under this Clause shall not apply to any defect or damage occurring more than two years after the Defects Notification Period for the Plant and/ or Materials would otherwise have expired.

11.4 Failure to Remedy Defects

- 11.4.1 If the Contractor fails to remedy any defect or damage within a reasonable time, a date may be fixed by the Engineer, on or by which the defect or damage is to be remedied. The Contractor shall be given reasonable notice of this date.
- 11.4.2 If the Contractor fails to remedy the defect or damage by this notified date and this remedial work was to be executed at the cost of the Contractor under Sub-Clause 11.2 [Cost of Remedying Defects], the Procuring Entity may (at his option):
- (a) Carry out the work itself or by others, in a reasonable manner and at the Contractor's cost, but the Contractor shall have no responsibility for this work; and the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity the costs reasonably incurred by the Procuring Entity in remedying the defect or damage;
 - (b) Require the Architect to agree or determine a reasonable reduction in the Contract Price in accordance with Sub-Clause 3.5 [Determinations]; or
 - (c) if the defect or damage deprives the Procuring Entity of substantially the whole benefit of the Works or any major part of the Works, terminate the Contract as a whole, or in respect of such major part which cannot be put to the intended use. Without prejudice to any other rights, under the Contract otherwise, the Procuring Entity shall then be entitled to recover all sums paid for the Works or for such part (as the case may be), plus financing costs and the cost of dismantling the same, clearing the Site and returning Plant and Materials to the Contractor.

11.5 Removal of Defective Work

If the defect or damage cannot be remedied expeditiously on the Site and the Procuring Entity gives consent, the Contractor may remove from the Site for the purposes of repair such items of Plant as are defective or damaged. This consent may require the Contractor to increase the amount of the Performance Security by the full replacement cost of these items, or to provide other appropriate security.

11.6 Further Tests

- 11.6.1 If the work of remedying of any defect or damage may affect the performance of the Works, the Architect may require the repetition of any of the tests described in the Contract. The requirement shall be made by notice within 14 days after the defect or damage is remedied.
- 11.6.2 These tests shall be carried out in accordance with the terms applicable to the previous tests, except that they shall be carried out at the risk and cost of the Party liable, under Sub-Clause 11.2 [Cost of Remedying Defects], for the cost of the remedial work.

11.7 Right of Access

Until the Completion Certificate has been issued, the Contractor shall have such right of access to the Works as is reasonably required in order to comply with this Clause, except as may be inconsistent with the Procuring Entity's reasonable security restrictions.

11.8 Contractor to Search

The Contractor shall, if required by the Engineer, search for the cause of any defect or parts of the works that have already accepted, under the direction of the Engineer. Unless the defect is to be remedied at the cost of the Contractor under Sub-Clause 11.2 [Cost of Remedying Defects], the Cost of the search plus profit shall be agreed or determined by the Architect in accordance with Sub-Clause 3.5 [Determinations] and shall be included in the Contract Price.

11.9 Completion Certificate

- 11.9.1 Performance of the Contractor's obligations shall not be considered to have been completed until the Architect has issued the Completion Certificate to the Contractor, stating the date on which the Contractor completed

his obligations under the Contract.

11.92 The Architect shall issue the Completion Certificate within 30 days after the latest of the expiry dates of the Defects Liability Period, or as soon thereafter as the Contractor has supplied all the Contractor's Documents and completed and tested all the Works, including remedying any defects. A copy of the Completion Certificate shall be issued to the Procuring Entity.

11.93 Only the Completion Certificate shall be deemed to constitute acceptance of the Works.

11.10 Unfulfilled Obligations

After the Completion Certificate has been issued, each Party shall remain liable for the fulfilment of any obligation which remains unperformed at that time. For the purposes of determining the nature and extent of unperformed obligations, the Contract shall be deemed to remain in force.

11.11 Clearance of Site

11.11.1 Upon receiving the Completion Certificate, the Contractor shall remove any remaining Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works from the Site.

11.11.2 If all these items have not been removed within 30 days after receipt by the Contractor of the Completion Certificate, the Procuring Entity may sell or otherwise dispose of any remaining items. The Procuring Entity shall be entitled to be paid the costs incurred in connection with, or attributable to, such sale or disposal and restoring the Site.

11.11.3 Any balance of the moneys from the sale shall be paid to the Contractor. If these moneys are less than the Procuring Entity's costs, the Contractor shall pay the outstanding balance to the Procuring Entity.

12 MEASUREMENT AND DEVALUATION

12.1 Works to be Measured

12.1.1 The Works shall be measured, and valued for payment, in accordance with this Clause. The Contractor shall show in each application under Sub-Clauses 14.3 [Application for Interim Payment Certificates], 14.10 [Statement on Completion] and 14.11 [Application for Final Payment Certificate] the quantities and other particulars detailing the amounts which he considers to be entitled under the Contract.

12.1.2 Whenever the Architect requires any part of the Works to be measured, reasonable notice shall be given to the Contractor's Representative, who shall:

- a) promptly either attend or send another qualified representative to assist the Architect in making the measurement, and
- b) supply any particulars requested by the Engineer.

12.1.3 If the Contractor fails to attend or send a representative, the measurement made by the Architect shall be accepted as accurate.

12.1.4 Except as otherwise stated in the Contract, wherever any Permanent Works are to be measured from records, these shall be prepared by the Engineer. The Contractor shall, as and when requested, attend to examine and agree the records with the Engineer, and shall sign the same when agreed. If the Contractor does not attend, the records shall be accepted as accurate.

12.1.5 If the Contractor examines and disagrees the records, and/ or does not sign them as agreed, then the Contractor shall give notice to the Architect of the respects in which the records are asserted to be inaccurate. After receiving this notice, the Architect shall review the records and either confirm or vary them and certify the payment of the undisputed part. If the Contractor does not so give notice to the Architect within 14 days after being requested to examine the records, they shall be accepted as accurate.

12.2 Method of Measurement

Except as otherwise stated in the Contract:

- a) Measurement shall be made of the net actual quantity of each item of the Permanent Works, and
- b) the method of measurement shall be in accordance with the Bill of Quantities or other applicable Schedules.

123 Evaluation

- 123.1 Except as otherwise stated in the Contract, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of work one by evaluating each item of work, applying the measurement agreed or determined in accordance with the above Sub-Clauses 12.1 and 12.2 and the appropriate rate or price for the item.
- 123.2 For each item of work, the appropriate rate or price for the item shall be the rate or price specified for such item in the Contractor, if there is no such item, specified for similar work.
- 123.3 Any item of work included in the Bill of Quantities for which no rate or price was specified shall be considered as included in other rates and prices in the Bill of Quantities and will not be paid for separately.
- 123.4 However, for a new item of work, a new rate or price shall be appropriate for such item of work if:
- a) The work is instructed under Clause 13 [Variations and Adjustments],
 - b) no rate or price is specified in the Contract for this item, and
 - c) no specified rate or price is appropriate because the item of work is not of similar character, or is not executed under similar conditions, as any item in the Contract.
- 123.5 Each new rate or price shall be derived from any relevant rates or prices in the Contract. If no rates or prices are relevant for the new item of work, it shall be derived from the reasonable Cost of executing such work, prevailing market rates, together with profit, taking account of any other relevant matters.
- 123.6 Until such time as an appropriate rate or price is agreed or determined, the Architect shall determine a provisional rate or price for the purposes of Interim Payment Certificates as soon as the concerned work commences.
- 123.7 Where the contract price is different from the corrected tender price, in order to ensure the contractor is not paid less or more relative to the contract price (*which would be the tender price*), payment valuation certificates and variation orders on omissions and additions valued based on rates in the Bill of Quantities or schedule of rates in the Tender, will be adjusted by a plus or minus percentage. The percentage already worked out during tender evaluation is worked out as follows: $(\text{corrected tender price} - \text{tender price}) / \text{tender price} \times 100$.

124 Omissions

Whenever the omission of any work forms part (or all) of a Variation, the value of which has not been agreed, if:

- a) The Contractor will incur (or has incurred) cost which, if the work had not been omitted, would have been deemed to be covered by a sum forming part of the Accepted Contract Amount;
- b) The omission of the work will result (or has resulted) in this sum not forming part of the Contract Price; and
- c) this cost is not deemed to be included in the evaluation of any substituted work; then the Contractor shall give notice to the Architect accordingly, with supporting particulars. Upon receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this cost, which shall be included in the Contract Price.

B VARIATIONS AND ADJUSTMENTS

13.1 Right to Vary

- 13.1.1 Variations may be initiated by the Architect at any time prior to issuing the Taking-Over Certificate for the Works, either by an instruction or by a request for the Contractor to submit a proposal. No Variation instructed by the Architect under this Clause shall in any way vitiate or invalidate the Contract.
- 13.1.2 The Contractor shall execute and be bound by each Variation, unless the Contractor promptly gives notice to the Architect stating (with supporting particulars) that (i) the Contractor cannot readily obtain the Goods required for the Variation, or (ii) such Variation triggers a substantial change in the sequence or progress of the Works. Upon receiving this notice, the Architect shall cancel, confirm or vary the instruction.
- 13.1.3 Each Variation may include:
- a) changes to the quantities of any item of work included in the Contract (however, such changes do not necessarily constitute a Variation),
 - b) changes to the quality and other characteristics of any item of work,
 - c) changes to the levels, positions and/ or dimensions of any part of the Works,

- d) omission of any work unless it is to be carried out by others,
- e) any additional work, Plant, Materials or services necessary for the Permanent Works, including any associated Tests on Completion, boreholes and other testing and exploratory work, or
- f) changes to the sequence or timing of the execution of the Works.

13.1.4 The Contractor shall not make any alteration and/or modification of the Permanent Works, unless and until the Architect instructs after obtaining approval of the Procuring Entity.

13.2 Variation Order Procedure

13.2.1 Prior to any Variation Order under Sub-Clause 13.1.4 the Architect shall notify the Contractor of the nature and form of such variation. As soon as possible after having received such notice, the Contractor shall submit to the Engineer:

- a) A description of work, if any, to be performed and a programme for its execution, and
- b) the Contractor's proposals for any necessary modifications to the Programme according to Sub-Clause 8.3 or to any of the Contractor's obligations under the Contract, and
- c) the Contractor's proposals for adjustment to the Contract Price.

Following the receipt of the Contractor's submission the Architect shall, after due consultation with the Employer and the Contractor, decide as soon as possible whether or not the variation shall be carried out. If the Architect decides that the variation shall be carried out, he shall issue a Variation Order clearly identified as such in accordance with the Contractor's submission or as modified by agreement.

If the Architect and the Contractor are unable to agree the adjustment of the Contract Price, the provisions of Sub-Clause 13.2.2 shall apply.

13.2.2 Disagreement on Adjustment of the Contract Price

If the Contractor and the Architect are unable to agree on the adjustment of the Contract Price, the adjustment shall be determined in accordance with the rates specified in the Bills of Materials or Schedule of Daywork Prices. If the rates contained in the Bills of Materials or Daywork Prices are not directly applicable to the specific work in question, suitable rates shall be established by the Architect reflecting the level of pricing in the Daywork Prices. Where rates are not contained in the said Prices, the amount shall be such as is in all the circumstances reasonable, reflecting a market price. Due account shall be taken of any over- or under-recovery of overheads by the Contractor in consequence of the variation. The Contractor shall also be entitled to be paid:

- a) The cost of any partial execution of the Work rendered useless by any such variation,
- b) The cost of making necessary alterations to Plant already manufactured or in the course of manufacture or of any work done that has to be altered in consequence of such a variation,
- c) any additional costs incurred by the Contractor by the disruption of the progress of the Works as detailed in the Programme, and
- d) the net effect of the Contractor's financial costs, including interest, caused by the variation.

The Architect shall on this basis determine the rates or prices to enable on-account payment to be included in certificates of payment.

13.2.3 Contractor to Proceed

On receipt of a Variation Order, the Contractor shall forthwith proceed to carry out the variation and be bound to these Conditions in so doing as if such variation was stated in the Contract. The work shall not be delayed pending the granting of an extension of the Time for Completion or an adjustment to the Contract Price under Sub-Clause 13.3.

13.3 Value Engineering

13.3.1 The Contractor may, at any time, submit to the Architect written proposal which (in the Contractor's opinion) will, if adopted, (i) accelerate completion, (ii) reduce the cost to the Procuring Entity of executing, maintaining or operating the Works, (iii) improve the efficiency or value to the Procuring Entity of the completed Works, or (iv) otherwise be of benefit to the Procuring Entity.

13.3.2 The proposal shall be prepared at the cost of the Contractor and shall include the items listed in Sub-Clause 13.3 [Variation Procedure].

- 1323 If a proposal, which is approved by the Engineer, includes a change in the design of part of the Permanent Works, then unless otherwise agreed by both Parties:
- a) The Contractor shall design this part,
 - b) sub-paragraphs (a) to (d) of Sub-Clause 4.1 [Contractor's General Obligations] shall apply, and
 - c) if this change results in a reduction in the contract value of this part, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine a fee, which shall be included in the Contract Price. This fee shall be half (50%) of the difference between the following amounts:
 - i) such reduction in contract value, resulting from the change, excluding adjustments under Sub-Clause 13.8 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost], and
 - ii) the reduction (if any) in the value to the Procuring Entity of the varied works, taking account of any improvement in quality, anticipated life or operational efficiencies.

13.3.4 However, if the amount established in item 13.2.3 (c) (i) is less than amount established in item 13.2.3 (c) (ii), there shall not be a fee. However, if the if the amount established in item 13.2.3 (c) (i) is more than amount established in item 13.2.3 (c) (ii), it shall result in a price variation to the Procuring Entity.

134 Variation Procedure for Value Engineering proposal

- 134.1 If the Architect requests a proposal, prior to instructing a Variation, the Contractor shall respond in writing as soon as practicable, either by giving reasons why he cannot comply (if this is the case) or by submitting:
- a) A description of the proposed work to be performed and a programme for its execution,
 - b) the Contractor's proposal for any necessary modifications to the programme according to Sub-Clause 8.3 [Programme] and to the Time for Completion, and
 - c) the Contractor's proposal for evaluation of the Variation.
- 134.2 The Architect shall, as soon as practicable after receiving such proposal (under Sub-Clause 13.2 [Value Project Engineering] or otherwise), respond with approval, disapproval or comments. The Contractor shall not delay any work whilst a waiting a response.
- 134.3 Each instruction to execute a Variation, with any requirements for the recording of Costs, shall be issued by the Architect to the Contractor, who shall acknowledge receipt.
- 134.4 Each Variation shall be evaluated in accordance with Clause 12 [Measurement and Evaluation], unless the Architect instructs or approves otherwise in accordance with this Clause.

135 Payment in Applicable Currencies

If the Contract provides for payment of the Contract Price in more than one currency, then whenever an adjustment is agreed, approved or determined as stated above, the amount payable in each of the applicable currencies shall be specified. For this purpose, reference shall be made to the actual or expected currency proportions of the Cost of the varied work, and to the proportions of various currencies specified for payment of the Contract Price.

136 Provisional Sums

- 136.1 Each Provisional Sum shall only be used, in whole or in part, in accordance with the Architect instructions, and the Contract Price shall be adjusted accordingly. The total sum paid to the Contractor shall include only such amounts, for the work, supplies or services to which the Provisional Sum relates, as the Architect shall have instructed. For each Provisional Sum, the Architect May instruct:
- a) Work to be executed (including Plant, Materials or services to be supplied) by the Contractor and valued under Sub-Clause 13.3 [Variation Procedure]; and/or
 - b) Plant, Materials or services to be purchased by the Contractor, from a nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]) or otherwise; and for which there shall be included in the Contract Price:
 - i) The actual amounts paid (or due to be paid) by the Contractor, and
 - ii) a sum for overhead charges and profit, calculated as a percentage of these actual amounts by applying the relevant percentage rate (if any) stated in the appropriate Schedule. If there is no such rate, the percentage rate stated in **the Special Conditions of Contract** shall be applied.
- 136.2 The Contractor shall, when required by the Engineer, produce quotations, invoices, vouchers and accounts or receipts in substantiation.

137 Dayworks

- 13.7.1 For work of a minor or incidental nature, the Architect may instruct that a Variation shall be executed on a daywork basis. The work shall then be valued in accordance with the Daywork Schedule included in the Contract, and the following procedure shall apply. If a Daywork Schedule is not included in the Contract, this Sub-Clause shall not apply.
- 13.7.2 Before ordering Goods for the work, the Contractor shall submit quotations to the Engineer. When applying for payment, the Contractor shall submit invoices, vouchers and accounts or receipts for any Goods.
- 13.7.3 Except for any items for which the Daywork Schedule specifies that payment is not due, the Contractor shall deliver each day to the Architect accurate statements induplicate which shall include the following details of the resources used in executing the previous day's work:
- a) The names, occupations and time of Contractor's Personnel,
 - b) the identification, type and time of Contractor's Equipment and Temporary Works, and
 - c) the quantities and types of Plant and Materials used.
- 13.7.4 One copy of each statement will, if correct, or when agreed, be signed by the Architect and returned to the Contractor. The Contractor shall then submit priced statements of these resources to the Engineer, prior to their inclusion in the next Statement under Sub-Clause 14.3 [Application for Interim Payment Certificates].

138 Adjustments for Changes in Legislation

- 13.8.1 The Contract Price shall be adjusted to take account of any increase or decrease in Cost resulting from a change in the Laws of Kenya (including the introduction of new Laws and the repeal or modification of existing Laws) or in the judicial or official governmental interpretation of such Laws, made after the Base Date, which affect the Contractor in the performance of obligations under the Contract.
- 13.8.2 If the Contractor suffers (or will suffer) delay and/or incurs (or will incur) additional Cost as a result of these changes in the Laws or in such interpretations, made after the Base Date, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost, which shall be included in the Contract Price.
- 13.8.3 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 13.8.4 Notwithstanding the foregoing, the Contractor shall not be entitled to an extension of time if the relevant delay has already been taken into account in the determination of a previous extension of time and such Cost shall not be separately paid if the same shall already have been taken into account in the indexing of any inputs to the table of adjustment data in accordance with the provisions of Sub-Clause 13.8 [Adjustments for Changes in Cost].

139 Adjustments for Changes in Cost

- 13.9.1 In this Sub-Clause, "table of adjustment data" means the completed table of adjustment data for local and foreign currencies included in the Schedules. If there is no such table of adjustment data, this Sub-Clause shall not apply.
- 13.9.2 If this Sub-Clause applies, the amounts payable to the Contractor shall be adjusted for rises or falls in the cost of labor, Goods and other inputs to the Works, by the addition or deduction of the amounts determined by the formulae prescribed in this Sub-Clause. To the extent that full compensation for any rise or fall in Costs is not covered by the provisions of this or other Clauses, the Accepted Contract Amount shall be deemed to have included amounts to cover the contingency of other rises and falls in costs.
- 13.9.3 The adjustment to be applied to the amount otherwise payable to the Contractor, as valued in accordance with the appropriate Schedule and certified in Payment Certificates, shall be determined from formulae for each of the currencies in which the Contract Price is payable. No adjustment is to be applied to work valued on the basis of Cost or current prices. The formulae shall be of the following general type:

Price Adjustment Formula

Prices shall be adjusted for fluctuations in the cost of inputs only if **provided for in the SCC**. If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type specified below applies:

$$P = A + B \text{ Im/Io}$$

where:

P is the adjustment factor for the portion of the Contract Price payable.

A and **B** are recoefficients **specified in the SCC**, representing then on adjustable and adjustable portions, respectively, of the Contract Price payable and

I m is the index prevailing at the end of the month being invoiced and **Ioc** is the index prevailing 30 days before Bid opening for inputs payable.

NOTE: The sum of the two coefficients A and B should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulae for all

- 1394 The cost indices or reference prices stated in the table of adjustment data shall be used. If their source is in doubt, it shall be determined by the Engineer. For this purpose, reference shall be made to the values of the indices at stated dates (quoted in the fourth and fifth columns respectively of the table) for the purposes of clarification of the source; although these dates (and thus these values) may not correspond to the base cost indices.
- 1395 In cases where the “currency of index” is not the relevant currency of payment, each index shall be converted into the relevant currency of payment at the selling rate, established by the Central Bank of Kenya, of this relevant currency on the above date for which the index is required to be applicable.
- 1396 Until such time as each current cost index is available, the Architect shall determine a provisional index for the issue of Interim Payment Certificates. When a current cost index is available, the adjustment shall be recalculated accordingly.
- 1397 If the Contractor fails to complete the Works within the Time for Completion, adjustment of prices thereafter shall be made using either (i) each index or price applicable on the date 49 days prior to the expiry of the Time for Completion of the Works, or (ii) the current index or price, whichever is more favorable to the Procuring Entity.
- 1398 The weightings (coefficients) for each of the factors of cost stated in the table(s) of adjustment data shall only be adjusted if they have been rendered unreasonable, unbalanced or inapplicable, as a result of Variations.

14 CONTRACT PRICE AND PAYMENT

14.1 The Contract Price

14.1.1 Unless otherwise stated in the Special Conditions:

- The value of the payment certificate shall be agreed or determined under Sub-Clause 12.3 [Evaluation] and be subject to adjustments in accordance with the Contract;
- the Contractor shall pay all taxes, duties and fees required to be paid by him under the Contract, and the Contract Price shall not be adjusted for any of these costs except as stated in Sub-Clause 13.7 [Adjustments for Changes in Legislation];
- any quantities which may be set out in the Bill of Materials or other Schedule are estimated quantities and are not to be taken as the actual and correct quantities;

- i) of the Works which the Contractor is required to execute, or
 - ii) for the purposes of Clause 12 [Measurement and Evaluation]; and
- d) the Contractor shall submit to the Engineer, within 30 days after the Commencement Date, a proposed breakdown of each lump sum price in the Schedules. The Architect may take account of the break down when preparing Payment Certificates but shall not be bound by it.

14.12 Notwithstanding the provisions of subparagraph (b), Contractor's Equipment, including essential spare parts there for, imported by the Contractor for the sole purpose of executing the Contract shall not be exempt from the payment of import duties and taxes upon importation.

14.2 Advance Payment

14.21 The Procuring Entity shall make an advance payment, as an interest-free loan for mobilization and cashflow support, when the Contractor submits a guarantee in accordance with this Clause. The total advance payment, the number and timing of instalments (if more than one), and the applicable currencies and proportions, shall be as stated in the **Special Conditions of Contract**.

14.22 Unless and until the Procuring Entity receives this guarantee, or if the total advance payment is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.

14.23 The Architect shall deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate for the advance payment or its first instalment after receiving a Statement (under Sub-Clause 14.3 [Application for Interim Payment Certificates]) and after the Procuring Entity receives (i) the Performance Security in accordance with Sub-Clause 4.2 [Performance Security] and (ii) a guarantee in amounts and currencies equal to the advance payment. This guarantee shall be issued by a reputable bank or financial institutions elected by the Contractor and shall be in the form annexed to the Special Conditions or in another form approved by the Procuring Entity.

14.24 The Contractor shall ensure that the guarantee is valid and enforceable until the advance payment has been repaid, but its amount shall be progressively reduced by the amount repaid by the Contractor as indicated in the Payment Certificates. If the terms of the guarantee specify its expiry date, and the advance payment has not been repaid by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the guarantee until the advance payment has been repaid.

14.25 Unless stated otherwise in the **Special Conditions of Contract**, the advance payment shall be repaid through percentage deductions from the interim payments determined by the Architect in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates], as follows:

- a) Deductions shall commence in the next interim Payment Certificate following that in which the total of all certified interim payments (excluding the advance payment and deductions and repayments of retention) exceeds 30 percent (30%) of the Accepted Contract Amount less Provisional Sums; and
- b) deductions shall be made at the amortization rate stated in the **Special Conditions of Contract** of the amount of each Interim Payment Certificate (excluding the advance payment and deductions for its repayments as well as deductions for retention money) in the currencies and proportions of the advance payment until such time as the advance payment has been repaid; provided that the advance payment shall be completely repaid prior to the time when 90 percent (90%) of the Accepted Contract Amount less Provisional Sums has been certified for payment.

14.26 If the advance payment has not been repaid prior to the issue of the Taking-Over Certificate for the Works or prior to termination under Clause 15 [Termination by Procuring Entity], Clause 16 [Suspension and Termination by Contractor] or Clause 19 [Force Majeure] (as the case may be), the whole of the balance then outstanding shall immediately become due and in case of termination under Clause 15 [Termination by Procuring Entity], except for Sub-Clause 14.2.7 [Procuring Entity's Entitlement to Termination for Convenience], payable by the Contractor to the Procuring Entity.

14.3 Application for Interim Payment Certificates

14.3.1 The Contractor shall submit a Statement (in number of copies indicated in the **Special Conditions of Contract**) to the Architect after the end of each month, in a form approved by the Engineer, showing in detail

the amounts to which the Contractor considers itself to be entitled, together with supporting documents which shall include there portion the progress during this month in accordance with Sub-Clause 4.21 [Progress Reports].

1432 The Statement shall include the following items, as applicable, which shall be expressed in the various currencies in which the Contract Price is payable, in the sequence listed:

- a) the estimated contract value of the Works executed and the Contractor's Documents produced up to the end of the month (including Variations but excluding items described in sub-paragraphs (b) to (g) below);
- b) any amounts to be added and deducted for changes in legislation and changes in cost, in accordance with Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost];
- c) any amount to be deducted for retention, calculated by applying the percentage of retention stated in **the Special Conditions of Contract** to the total of the above amounts, until the amount so retained by the Procuring Entity reaches the limit of Retention Money (if any) stated in **the Special Conditions of Contract**;
- d) any amounts to be added for the advance payment and (if more than one instalment) and to be deducted for its repayments in accordance with Sub-Clause 14.2 [Advance Payment];
- e) any amounts to be added and deducted for Plant and Materials in accordance with Sub-Clause 14.5 [Plant and Materials intended for the Works];
- f) any other additions or deductions which may have become due under the Contractor otherwise, including those under Clause 20 [Claims, Disputes and Arbitration]; and
- g) the deduction of amounts certified in all previous Payment Certificates.

144 Schedule of Payments

1441 If the Contract includes a schedule of payments specifying the instalments in which the Contract Price will be paid, then unless otherwise stated in this schedule:

- a) The instalments quoted in this schedule of payments shall be the estimated contract values for the purposes of sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates];
- b) Sub-Clause 14.5 [Plant and Materials intended for the Works] shall not apply; and
- c) If these instalments are not defined by reference to the actual progress achieved in executing the Works, and if actual progress is found to be less or more than that on which this schedule of payments was based, then the Architect may proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine revised instalments, which shall take account of the extent to which progress is less or more than that on which the instalments were previously based.

1442 If the Contract does not include a schedule of payments, the Contractor shall submit non-binding estimates of the payments which he expects to become due during each quarterly period. The first estimate shall be submitted within 42 days after the Commencement Date. Revised estimates shall be submitted at quarterly intervals, until the Taking-Over Certificate has been issued for the Works.

145 Plant and Materials intended for the Works

1451 If this Sub-Clause applies, Interim Payment Certificates shall include, under sub-paragraph (e) of Sub-Clause 14.3, (i) an amount for Plant and Materials which have been sent to the Site for incorporation in the Permanent Works, and (ii) a reduction when the contract value of such Plant and Materials is included as part of the Permanent Works under sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates].

1452 If the lists referred to in sub-paragraphs (b)(i) or (c)(i) below are not included in the Schedules, this Sub-Clause shall not apply.

1453 The Architect shall determine and certify each addition if the following conditions are satisfied:

- a) The Contractor has:
 - i) kept satisfactory records (including the orders, receipts, Costs and use of Plant and Materials) which are available for inspection, and
 - ii) submitted statement of the Cost of acquiring and delivering the Plant and Materials to the Site, supported by satisfactory evidence;

and either:

- b) the relevant Plant and Materials:
 - i) are those listed in the Schedules for payment when shipped,
 - ii) have been shipped to Kenya, enroute to the Site, in accordance with the Contract; and
 - iii) are described in a clean shipped bill of lading or other evidence of shipment, which has been submitted to the Architect together with evidence of payment of freight and insurance, any other documents reasonably required, and a bank guarantee in a form and issued by an entity approved by the Procuring Entity in amounts and currencies equal to the amount due under this Sub-Clause: this guarantee may be in a similar form to the form referred to in Sub-Clause 14.2 [Advance Payment] and shall be valid until the Plant and Materials are properly stored on Site and protected against loss, damage or deterioration; or
- c) the relevant Plant and Materials:
 - i) are those listed in the Schedules for payment when delivered to the Site, and
 - ii) have been delivered to and are properly stored on the Site, are protected against loss, damage or deterioration and appear to be in accordance with the Contract.

1454 The additional amount to be certified shall be the equivalent of eighty percent (80%) of the Architect determination of the cost of the Plant and Materials (including delivery to Site), taking account of the documents mentioned in this Sub-Clause and of the contract value of the Plant and Materials.

1455 The currencies for this additional amount shall be the same as those in which payment will become due when the contract value is included under sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates]. At that time, the Payment Certificate shall include the applicable reduction which shall be equivalent to, and in the same currencies and proportions as, this additional amount for the relevant Plant and Materials.

146 Issue of Interim Payment Certificates

1461 No amount will be certified or paid until the Procuring Entity has received and approved the Performance Security. Thereafter, the Architect shall, within 30 days after receiving a Statement and supporting documents, deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate which shall state the amount which the Architect fairly determines to be due, with all supporting particulars for any reduction or withholding made by the Architect on the Statement if any.

1462 However, prior to issuing the Taking-Over Certificate for the Works, the Architect shall not be bound to issue an Interim Payment Certificate in an amount which would (after retention and other deductions) be less than the minimum amount of Interim Payment Certificates (if any) stated **in the Special Conditions of Contract**. In this event, the Architect shall give notice to the Contractor accordingly.

1463 An Interim Payment Certificate shall not be withheld for any other reason, although:

- a) if anything supplied or work done by the Contractor is not in accordance with the Contract, the cost of rectification or replacement may be withheld until rectification or replacement has been completed; and/or
- b) if the Contractor was or is failing to perform any work or obligation in accordance with the Contract, and had been so notified by the Engineer, the value of this work or obligation may be withheld until the work or obligation has been performed.

4.6.4 The Architect may in any Payment Certificate make any correction or modification that should properly be made to any previous Payment Certificate. A Payment Certificate shall not be deemed to indicate the Architect acceptance, approval, consent or satisfaction.

14.7 Payment

147.1 The Procuring Entity shall pay to the Contractor:

- a) The advance payment shall be paid within 60 days after signing of the contract by both parties or within 60 days after receiving the documents in accordance with Sub-Clause 4.2 [Performance Security] and Sub-Clause 14.2 [Advance Payment], whichever is later;
- b) The amount certified in each Interim Payment Certificate within 60 days after the Architect Issues Interim Payment Certificate; and
- c) the amount certified in the Final Payment Certificate within 60 days after the Procuring Entity Issues Interim Payment Certificate; or after determination of any disputed amount shown in the Final Statement

in accordance with Sub-Clause 16.2 [Termination by Contractor].

- 14.7.2 Payment of the amount due in each currency shall be made into the bank account, nominated by the Contractor, in the payment country (forth is currency) specified in the Contract.

14.8 Delayed Payment

- 14.8.1 If the Contractor does not receive payment in accordance with Sub-Clause 14.7 [Payment], the Contractor shall be entitled to receive financing charges (simple interest) monthly on the amount unpaid during the period of delay. This period shall be deemed to commence on the date for payment specified in Sub-Clause 14.7 [Payment], irrespective (in the case of its sub-paragraph (b) of the date on which any Interim Payment Certificate is issued.
- 14.8.2 These financing charges shall be calculated at the annual rate of three percentage points above the mean rate of the Central Bank in Kenya of the currency of payment, or if not available, the inter bank offered rate, and shall be paid in such currency.
- 14.8.3 The Contractor shall be entitled to this payment without formal notice and certification, and without prejudice to any other right or remedy.

14.9 Payment of Retention Money

- 14.9.1 When the Taking-Over Certificate has been issued for the Works, the first half of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking-Over Certificate is issued for a Section or part of the Works, a proportion of the Retention Money shall be certified and paid. This proportion shall be half (50%) of the proportion calculated by dividing the estimated contract value of the Section or part, by the estimated final Contract Price.
- 14.9.2 Promptly after the latest of the expiry dates of the Defects Liability Periods, the outstanding balance of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking-Over Certificate was issued for a Section, a proportion of the second half of the Retention Money shall be certified and paid promptly after the expiry date of the Defects Notification Period for the Section. This proportion shall be half (50%) of the proportion calculated by dividing the estimated contract value of the Section by the estimated final Contract Price.
- 14.9.3 However, if any work remains to be executed under Clause 11 [Defects Liability], the Architects shall be entitled to withhold certification of the estimated cost of this work until it has been executed.
- 14.9.4 When calculating these proportions, no account shall be taken of any adjustments under Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost].
- 14.9.5 Unless otherwise stated in the Special Conditions, when the Taking-Over Certificate has been issued for the Works and the first half of the Retention Money has been certified for payment by the Engineer, the Contractor shall be entitled to substitute a Retention Money Security guarantee, in the form annexed to the Special Conditions or in another form approved by the Procuring Entity and issued by a reputable bank or financial institution selected by the Contractor, for the second half of the Retention Money.
- 14.9.6 The Procuring Entity shall return the Retention Money Security guarantee to the Contractor within 14 days after receiving a copy of the Completion Certificate.

14.10 Statement at Completion

- 14.10.1 Within 84 days after receiving the Taking-Over Certificate for the Works, the Contractor shall submit to the Architect three copies of a Statement at completion with supporting documents, in accordance with Sub-Clause 14.3 [Application for Interim Payment Certificates], showing:
- a) the value of all work done in accordance with the Contract up to the date stated in the Taking-Over Certificate for the Works,
 - b) any further sums which the Contractor considers to be due, and
 - c) an estimate of any other amounts which the Contractor considers will become due to him under the Contract. Estimated amounts shall be shown separately in this Statement at completion.

14.102 The Architect shall then certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates].

14.11 Application for Final Payment Certificate

14.11.1 Within 60 days after receiving the Completion Certificate, the Contractor shall submit, to the Engineer, six copies of a draft final statement with supporting documents showing in detail in a form approved by the Engineer:

- a) The value of all work done in accordance with the Contract, and
- b) Any further sums which the Contractor considers to be due to him under the Contract otherwise.

14.11.2 If the Architect disagrees with or cannot verify any part of the draft final statement, the Contractor shall submit such further information as the Architect may reasonably require within 30 days from receipt of said draft and shall make such changes in the draft as may be agreed between them. The Contractor shall then prepare and submit to the Architect the final statement as agreed. This agreed statement is referred to in these Conditions as the "Final Statement".

14.11.3 However, if, following discussions between the Architect and the Contractor and any changes to the draft final statement which are agreed, it becomes evident that a dispute exists, the Architect shall deliver to the Procuring Entity (with a copy to the Contractor) an Interim Payment Certificate for the agreed parts of the draft final statement. Thereafter, if the dispute is finally resolved under Sub-Clause 20.4 [Obtaining Dispute Board's Decision] or Sub-Clause 20.5 [Amicable Settlement], the Contractor shall then prepare and submit to the Procuring Entity (with a copy to the Engineer) a Final Statement.

14.12 Discharge

When submitting the Final Statement, the Contractor shall submit a discharge which confirms that the total of the Final Statement represents full and final settlement of all moneys due to the Contractor under or in connection with the Contract. This discharge may state that it becomes effective when the Contractor has received the Performance Security and the outstanding balance of this total, in which event the discharge shall be effective on such date.

14.13 Issue of Final Payment Certificate

14.13.1 Within 30 days after receiving the Final Statement and discharge in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall deliver, to the Procuring Entity and to the Contractor, the Final Payment Certificate which shall state:

- a) The amount which he fairly determines is finally due, and
- b) After giving credit to the Procuring Entity for all amounts previously paid by the Procuring Entity and for all sums to which the Procuring Entity is entitled, the balance (if any) due from the Procuring Entity to the Contractor or from the Contractor to the Procuring Entity, as the case may be.

14.13.2 If the Contractor has not applied for a Final Payment Certificate in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall request the Contractor to do so. If the Contractor fails to submit an application within a period of 30 days, the Architect shall issue the Final Payment Certificate for such amount as he fairly determines to be due.

14.14 Cessation of Procuring Entity's Liability

14.14.1 The Procuring Entity shall not be liable to the Contractor for any matter or thing under or in connection with the Contract or execution of the Works, except to the extent that the Contractor shall have included an amount expressly for it:

- a) in the Final Statement and also,
- b) (except for matters or things arising after the issue of the Taking-Over Certificate for the Works) in the Statement at completion described in Sub-Clause 14.10 [Statement at Completion].

14.14.2 However, this Sub-Clause shall not limit the Procuring Entity's liability under his indemnification obligations, or the Procuring Entity's liability in any case of fraud, deliberate default or reckless misconduct by the Procuring Entity.

14.15 Currencies of Payment

The Contract Price shall be paid in the currency or currencies named in the Schedule of Payment Currencies. If more than one currency is so named, payments shall be made as follows:

- a) If the Accepted Contract Amount was expressed in Local Currency only:
 - i) the proportions or amounts of the Local and Foreign Currencies, and the fixed rates of exchange to be used for calculating the payments, shall be as stated in the Schedule of Payment Currencies, except as otherwise agreed by both Parties;
 - ii) payments and deductions under Sub-Clause 13.5 [Provisional Sums] and Sub-Clause 13.7 [Adjustments for Changes in Legislation] shall be made in the applicable currencies and proportions; and
 - iii) other payments and deductions under sub-paragraphs (a) to (d) of Sub-Clause 14.3 [Application for Interim Payment Certificates] shall be made in the currencies and proportions specified in sub-paragraph (a) (i) above;
- b) payment of the damages specified in the Special Conditions of Contract, shall be made in the currencies and proportions specified in the Schedule of Payment Currencies;
- c) other payments to the Procuring Entity by the Contractor shall be made in the currency in which the sum was expended by the Procuring Entity, or in such currency as may be agreed by both Parties;
- d) if any amount payable by the Contractor to the Procuring Entity in a particular currency exceeds the sum payable by the Procuring Entity to the Contractor in that currency, the Procuring Entity may recover the balance of this amount from the sums otherwise payable to the Contractor in other currencies; and
- e) if no rates of exchange are stated in the Schedule of Payment Currencies, they shall be those prevailing on the Base Date and determined by the Central Bank of Kenya.

15 TERMINATION BY PROCURING ENTITY

15.1 Notice to correct any defects or failures

If the Contractor fails to carry out any obligation under the Contract, the Architect may by notice require the Contractor to make good the failure and to remedy it within 30 days.

15.2 Termination by Procuring Entity

- 15.2.1 The Procuring Entity shall be entitled to terminate the Contract if the Contractor breaches the contract based on following circumstances which shall include but not limited to:
- a) fails to comply with Sub-Clause 4.2 [Performance Security] or with a notice under Sub-Clause 15.1 [Notice to Correct],
 - b) abandons the Works or otherwise plainly demonstrates the intention not to continue performance of his obligations under the Contract,
 - c) without reasonable excuse fails:
 - i) to proceed with the Works in accordance with Clause 8 [Commencement, Delays and Suspension], or
 - ii) to comply with a notice issued under Sub-Clause 7.5 [Rejection] or Sub-Clause 7.6 [Remedial Work], within 30 days after receiving it,
 - d) subcontracts the major part or whole of the Works or assigns the Contract without the consent of the Procuring Entity,
 - e) becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events, or
 - f) gives or offers to give (directly or indirectly) to any person any bribe, gift, gratuity, commission or other thing of value, as an induce mentor reward:
 - i) for doing or for bearing to do any action in relation to the Contract, or
 - ii) for showing or for bearing to show favor or disfavor to any person in relation to the Contract, or
 - iii) if any of the Contractor's Personnel, agents or Subcontractors gives or offers to give (directly or indirectly) to any person any such induce mentor reward as is described in this sub-paragraph (f). However, lawful inducements and rewards to Contractor's Personnel shall not entitle termination, or
 - g) If the contract or repeatedly fails to remedy delivers defective work,

- h) based on reasonable evidence, has engaged in Fraud and Corruption as defined in paragraph 2.2 of the Appendix B to these General Conditions, incompetently for or in executing the Contract.

1522 In any of these events or circumstances, the Procuring Entity may, upon giving 14 days' notice to the Contractor, terminate the Contract and expel the Contractor from the Site. However, in the case of subparagraph (e) or (f) or (g) or (h), the Procuring Entity may by notice terminate the Contract immediately.

1523 The Procuring Entity's election to terminate the Contract shall not prejudice any other rights of the Procuring Entity, under the Contract otherwise.

1524 The Contractor shall then leave the Site and deliver any required Goods, all Contractor's Documents, and other design documents made by or for him, to the Engineer. However, the Contractor shall use his best efforts to comply immediately with any reasonable instructions included in the notice (i) for the assignment of any subcontract, and (ii) for the protection of life or property or for the safety of the Works.

1525 After termination, the Procuring Entity may complete the Works and/ or arrange for any other entities to do so. The Procuring Entity and these entities may then use any Goods, Contractor's Documents and other design documents made by or on behalf of the Contractor.

1526 The Procuring Entity shall then give notice that the Contractor's Equipment and Temporary Works will be released to the Contractor at or near the Site. The Contractor shall promptly arrange their removal, at the risk and cost of the Contractor. However, if by this time the Contractor has failed to make a payment due to the Procuring Entity, these items may be sold by the Procuring Entity in order to recover this payment. Any balance of the proceeds shall then be paid to the Contractor.

153 Valuation at Date of Termination

As soon as practicable after a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of the Works, Goods and Contractor's Documents, and any other sums due to the Contractor for work executed in accordance with the Contract.

154 Payment after Termination

After a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Procuring Entity may:

- a) Proceed in accordance with Sub-Clause 2.5 [Procuring Entity's Claims],
- b) withhold further payments to the Contractor until the costs of execution, completion and remedying of any defects, damages for delay in completion (if any), and all other costs incurred by the Procuring Entity, have been established, and/ or
- c) recover from the Contractor any losses and damages incurred by the Procuring Entity and any extra costs of completing the Works, after allowing for any sum due to the Contractor under Sub-Clause 15.3 [Valuation at Date of Termination]. After recovering any such losses, damages and extra costs, the Procuring Entity shall pay any balance to the Contractor.

155 Procuring Entity's Entitlement to Termination for Convenience

The Procuring Entity shall be entitled to terminate the Contract, at any time at the Procuring Entity's convenience, by giving notice of such termination to the Contractor. The termination shall take effect 30 days after the later of the dates on which the Contractor receives this notice or the Procuring Entity returns the Performance Security. The Procuring Entity shall not terminate the Contract under this Sub-Clause in order to execute the Works itself or to arrange for the Works to be executed by another contractor or to avoid a termination of the Contract by the Contractor under Clause 16.2 [Termination by Contractor]. After this termination, the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment] and shall be paid in accordance with Sub-Clause 16.4 [Payment on Termination].

156 Fraud and Corruption

The Contractor shall ensure compliance with the Kenya Government's Anti-Corruption Laws and its prevailing sanctions.

15.7 Corrupt gifts and payments of commission

15.7.1 The Contractor shall not;

- a) Offer or give or agree to give to any person in the service of the Procuring Entity any gift or consideration of any kind as an inducement or reward for doing or for bearing to door for having done or for borne to do any act in relation to the obtaining or execution of this or any other Contract for the Procuring Entity or for showing or for bearing to show favor or disfavor to any person in relation to this or any other contract for the Procuring Entity.
- b) Enter into this or any other contract with the Procuring Entity in connection with which commission has been paid or agreed to be paid by him or on his behalf or to his knowledge, unless before the Contract is made particulars of any such commission and of the terms and conditions of any agreement for the payment there of have been disclosed in writing to the Procuring Entity.

15.7.2 Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the provisions of the Public Procurement and Asset Disposal Act (2015) and the Anti-Corruption and Economic Crimes Act (2003) of the Laws of Kenya.

16 SUSPENSION AND TERMINATION BY CONTRACTOR

16.1 Contractor's Entitlement to Suspend Work

16.1.1 If the Architect fails to certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates] or Sub-Clause 14.7 [Payment], or not receiving instructions that would enable the contractor to proceed with the works in accordance with the program, the Contractor may, after giving not less than 30 days' notice to the Procuring Entity, suspend work (or reduce the rate of work) unless and until the Contractor has received the Payment Certificate, reasonable evidence or payment, as the case may be and as described in the notice.

16.1.2 The Contractor's action shall not prejudice his entitlements to financing charges under Sub-Clause 14.8 [Delayed Payment] and to termination under Sub-Clause 16.2 [Termination by Contractor].

16.1.3 If the Contractor subsequently receives such Payment Certificate, evidence or payment (as described in the relevant Sub-Clause and in the above notice) before giving a notice of termination, the Contractor shall resume normal working as soon as is reasonably practicable.

16.1.4 If the Contractor suffers delay and/or incurs Cost as a result of suspending work (or reducing the rate of work) in accordance with this Sub-Clause, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- b) payment of any such Cost-plus profit, which shall be included in the Contract Price.

16.2 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

16.3 Termination by Contractor

16.3.1 The Contractor shall be entitled to terminate the Contract if:

- a) the Architect fails, within 60 days after receiving a Statement and supporting documents, to issue the relevant Payment Certificate,
- b) the Contractor does not receive the amount due under an Interim Payment Certificate within 90 days after the expiry of the time stated in Sub-Clause 14.7 [Payment] within which payment is to be made (except for deductions in accordance with Sub-Clause 2.5 [Procuring Entity's Claims]),
- c) the Procuring Entity substantially fails to perform his obligations under the Contract in such manner as to materially and adversely affect the economic balance of the Contract and/or the ability of the Contractor to perform the Contract,
- d) a prolonged suspension affects the whole of the Works as described in Sub-Clause 8.11 [Prolonged Suspension], or
- e) the Procuring Entity becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events.

- f) the Contractor does not receive the Architect instruction recording the agreement of both Parties on the fulfilment of the conditions for the Commencement of Works under Sub-Clause 8.1 [Commencement of Works].

1632 In any of these events or circumstances, the Contractor may, upon giving 14 days' notice to the Procuring Entity, terminate the Contract. However, in the case of sub-paragraph (f) or (g), the Contractor may by notice terminate the Contract immediately.

1633 The Contractor's election to terminate the Contract shall not prejudice any other rights of the Contractor, under the Contract otherwise.

164 Cessation of Work and Removal of Contractor's Equipment

After a notice of termination under Sub-Clause 15.5 [Procuring Entity's Entitlement to Termination for Convenience], Sub-Clause 16.2 [Termination by Contractor] or Sub-Clause 19.6 [Optional Termination, Payment and Release] has taken effect, the Contractor shall promptly:

- a) cease all further work, except for such work as may have been instructed by the Architect for the protection of life or property or for the safety of the Works,
- b) hand over Contractor's Documents, Plant, Materials and other work, for which the Contractor has received payment, and
- c) remove all other Goods from the Site, except as necessary for safety, and leave the Site.

165 Payment on Termination

After a notice of termination under Sub-Clause 16.2 [Termination by Contractor] has taken effect, the Procuring Entity shall promptly:

- a) Return the Performance Security to the Contractor,
- b) pay the Contractor in accordance with Sub-Clause 19.6 [Optional Termination, Payment and Release], and
- c) pay to the Contractor the amount of any loss or damage sustained by the Contractor as a result of this termination.

17. RISK AND RESPONSIBILITY

17.1 Indemnities

17.1.1 The Contractor shall indemnify and hold harmless the Procuring Entity, the Procuring Entity's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of:

- a) Bodily injury, sickness, disease or death, of any person whatsoever arising out of or in the course of or by reason of the Contractor's design (if any), the execution and completion of the Works and the remedying of any defects, unless attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, or any of their respective agents, and
- b) damage to or loss of any property, real or personal (other than the Works), to the extent that such damage or loss arises out of or in the course of or by reason of the Contractor's design (if any), the execution and completion of the Works and the remedying of any defects, unless and to the extent that any such damage or loss is attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.

17.1.2 The Procuring Entity shall indemnify and hold harmless the Contractor, the Contractor's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of (1) bodily injury, sickness, disease or death, which is attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, or any of their respective agents, and (2) the matters for which liability may be excluded from insurance cover, as described in sub-paragraphs (d)(i), (ii) and (iii) of Sub-Clause 18.3 [Insurance Against Injury to Persons and Damage to Property], unless and to the extent that any such damage or loss is attributable to any negligence, willful act or breach of the Contract by the contractor, the contractor's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.

17.2 Contractor's Care of the Works

17.2.1 The Contractor shall take full responsibility for the care of the Works and Goods from the Commencement

Date until the Taking-Over Certificate is issued (or is deemed to be issued under Sub-Clause 10.1 [Taking Over of the Works and Sections]) for the Works, when responsibility for the care of the Works shall pass to the Procuring Entity. If a Taking-Over Certificate is issued (or is so deemed to be issued) for any Section or part of the Works, responsibility for the care of the Section or part shall then pass to the Procuring Entity.

1722 After responsibility has accordingly passed to the Procuring Entity, the Contractor shall take responsibility for the care of any work which is outstanding on the date stated in a Taking-Over Certificate, until this outstanding work has been completed.

1723 If any loss or damage happens to the Works, Goods or Contractor's Documents during the period when the Contractor is responsible for their care, from any cause not listed in Sub-Clause 17.3 [Procuring Entity's Risks], the Contractor shall rectify the loss or damage at the Contractor's risk and cost, so that the Works, Goods and Contractor's Documents conform with the Contract.

1724 The Contractor shall be liable for any loss or damage caused by any actions performed by the Contractor after a Taking-Over Certificate has been issued. The Contractor shall also be liable for any loss or damage which occurs after a Taking-Over Certificate has been issued and which arose from a previous event for which the Contractor was liable.

173 Procuring Entity's Risks

The risks referred to in Sub-Clause 17.4 [Consequences of Procuring Entity's Risks] below, in so far as they directly affect the execution of the Works in Kenya, are:

- a) War hostilities (whether war be declared or not),
- b) rebellion, riot, commotion or disorder, terrorism, sabotage by persons other than the Contractor's Personnel,
- c) explosive materials, ionizing gradiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such explosives, radiation or radio-activity,
- d) pressure waves caused by aircraft or other aerial devices traveling at sonic or supersonic speeds,
- e) use or occupation by the Procuring Entity of any part of the Permanent Works, except as may be specified in the Contract,
- f) design of any part of the Works by the Procuring Entity's Personnel or by others for whom the Procuring Entity is responsible, and
- g) any operation of the forces of nature which is Unforeseeable or against which an experienced contractor could not reasonably have been expected to have taken adequate preventive precautions.

174 Consequences of Procuring Entity's Risks

1741 If and to the extent that any of the risks listed in Sub-Clause 17.3 above results in loss or damage to the Works, Goods or Contractor's Documents, the Contractor shall promptly give notice to the Architect and shall rectify this loss or damage to the extent required by the Engineer.

1742 If the Contractor suffers delay and/ or incurs Cost from rectifying this loss or damage, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- (a) An extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- (b) payment of any such Cost, which shall be included in the Contract Price. In the case of sub-paragraphs (e) and (g) of Sub-Clause 17.3 [Procuring Entity's Risks], Accrued Costs shall be payable.

1743 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

175 Intellectual and Industrial Property Rights

1751 In this Sub-Clause, "infringement" shall refer to an infringement (or alleged infringement) of any patent, registered design, copyright, trade mark, trade name, trade secret or other intellectual or industrial property right relating to the Works; and "claim" shall refer to a claim (or proceedings pursuing a claim) alleging an infringement.

1752 Whenever a Party does not give notice to the other Party of any claim within 30 days of receiving the claim, the first Party shall be deemed to have waived any right to indemnity under this Sub-Clause.

- 1753 The Procuring Entity shall indemnify and hold the Contractor harmless against and from any claim alleging an infringement which is or was:
- a) An unavoidable result of the Contractor's compliance with the Contract, or
 - b) A result of any Works being used by the Procuring Entity:
 - i) for a purpose other than that indicated by, or reasonably to be inferred from, the Contract, or
 - ii) in conjunction with anything not supplied by the Contractor, unless such use was disclosed to the Contractor prior to the Base Date or is stated in the Contract.
- 1754 The Contractor shall indemnify and hold the Procuring Entity harmless against and from any other claim which arises out of or in relation to (i) the manufacture, use, sale or import of any Goods, or (ii) any design for which the Contractor is responsible.
- 1755 If a Party is entitled to be indemnified under this Sub-Clause, the indemnifying Party may (at its cost) conduct negotiations for the settlement of the claim, and any litigation or arbitration which may arise from it. The other Party shall, at the request and cost of the indemnifying Party, assist in contesting the claim. This other Party (and its Personnel) shall not make any admission which might be prejudicial to the indemnifying Party, unless the indemnifying Party failed to take over the conduct of any negotiations, litigation or arbitration upon being requested to do so by such other Party.
- 1756 For operation and maintenance of any plant or equipment installed, the contractor shall grant a non-exclusive and non-transferable license to the Procuring Entity under the patent, utility models, or other intellectual rights owned by the contractor or a third party from whom the contractor has received the rights to grant sub-licenses and shall also grant to the Procuring Entity a non-exclusive and non-transferable right (without the right to sub-license) to use the know-how and other technical information disclosed to the contractor or under the contract. Nothing contained here-in shall be construed as transferring ownership of any patent, utility model, trademark, design, copy right, know-how or other intellectual rights from the contractor or any other third party to the Procuring Entity.

176 Limitation of Liability

- 176.1 Neither Party shall be liable to the other Party for loss of use of any Works, loss of profit, loss of any contractor for any indirect consequential loss or damage which may be suffered by the other Party in connection with the Contract, other than as specifically provided in Sub-Clause 8.7 [Delay Damages]; Sub-Clause 11.2 [Cost of Remedying Defects]; Sub-Clause 15.4 [Payment after Termination]; Sub-Clause 16.4 [Payment on Termination]; Sub-Clause 17.1 [Indemnities]; Sub-Clause 17.4(b) [Consequences of Procuring Entity's Risks] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights].
- 176.2 The total liability of the Contractor to the Procuring Entity, under or in connection with the Contract other than under Sub-Clause 4.19 [Electricity, Water and Gas], Sub-Clause 4.20 [Procuring Entity's Equipment and Free-Issue Materials], Sub-Clause 17.1 [Indemnities] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights], shall not exceed the sum resulting from the application of a multiplier (less or greater than one) to the Accepted Contract Amount, as stated in **the Special Conditions of Contract**, or (if such multiplier or other sum is not so stated) the Accepted Contract Amount.
- 176.3 This Sub-Clause shall not limit liability in any case of fraud, deliberate default or reckless misconduct by the defaulting Party.

177 Use of Procuring Entity's Accommodation/Facilities

- 177.1 The Contractor shall take full responsibility for the care of the Procuring Entity provided accommodation and facilities, if any, as detailed in the Specification, from the respective dates of hand-over to the Contractor until cessation of occupation (where hand-over or cessation of occupation may take place after the date stated in the Taking-Over Certificate for the Works).
- 177.2 If any loss or damage happens to any of the above items while the Contractor is responsible for their care arising from any cause whatsoever other than those for which the Procuring Entity is liable, the Contractor shall, at his own cost, rectify the loss or damage to the satisfaction of the Engineer.

18 INSURANCE

18.1 General Requirements for Insurances

- 18.1.1 In this Clause, "insuring Party" means, for each type of insurance, the Party responsible for effecting and maintaining the insurance specified in the relevant Sub-Clause.

- 18.12 Wherever the Contractor is the insuring Party, each insurance shall be effected with insurers and in terms approved by the Procuring Entity. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- 18.13 Wherever the Procuring Entity is the insuring Party, each insurance shall be effected with insurers and in terms acceptable to the Contractor. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- 18.14 If a policy is required to indemnify joint insured, the cover shall apply separately to each insured as though a separate policy had been issued for each of the joint insured. If a policy indemnifies additional joint insured, namely in addition to the insured specified in this Clause, (i) the Contractor shall act under the policy on behalf of these additional joint insured except that the Procuring Entity shall act for Procuring Entity's Personnel, (ii) additional joint insured shall not be entitled to receive payments directly from the insurer or to have any other direct dealings with the insurer, and (iii) the insuring Party shall require all additional joint insured to comply with the conditions stipulated in the policy.
- 18.15 Each policy insuring against loss or damage shall provide for payments to be made in the currencies required to rectify the loss or damage. Payments received from insurers shall be used for the rectification of the loss or damage.
- 18.16 The relevant insuring Party shall, within the respective periods stated in **the Special Conditions of Contract** (calculated from the Commencement Date), submit to the other Party:
- a) Evidence that the insurances described in this Clause have been effected, and
 - b) copies of the policies for the insurances described in Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment] and Sub-Clause 18.3 [Insurance against Injury to Persons and Damage to Property].
- 18.17 When each premium is paid, the insuring Party shall submit evidence of payment to the other Party. Whenever evidence or policies are submitted, the insuring Party shall also give notice to the Engineer.
- 18.18 Each Party shall comply with the conditions stipulated in each of the insurance policies. The insuring Party shall keep the insurers informed of any relevant changes to the execution of the Works and ensure that insurance is maintained in accordance with this Clause.
- 18.19 Neither Party shall make any material alteration to the terms of any insurance without the prior approval of the other Party. If an insurer makes (or attempts to make) any alteration, the Party first notified by the insurer shall promptly give notice to the other Party.
- 18.1.10 If the insuring Party fails to effect and keep in force any of the insurances it is required to effect and maintain under the Contract, the Contractor fails to provide satisfactory evidence and copies of policies in accordance with this Sub-Clause, the other Party may (at its option and without prejudice to any other right or remedy) effect insurance for the relevant coverage and pay the premiums due. The insuring Party shall pay the amount of these premiums to the other Party, and the Contract Price shall be adjusted accordingly.
- 18.1.11 Nothing in this Clause limits the obligations, liabilities or responsibilities of the Contractor or the Procuring Entity, under the other terms of the Contract otherwise. Any amounts not insured or not recovered from the insurers shall be borne by the Contractor and/or the Procuring Entity.
- 18.1.12 Procuring Entity in accordance with these obligations, liabilities or responsibilities. However, if the insuring Party fails to effect and keep in force an insurance which is available and which it is required to effect and maintain under the Contract, and the other Party neither approves the omission nor effects insurance for the coverage relevant to this default, any moneys which should have been recoverable under this insurance shall be paid by the insuring Party.
- 18.1.13 Payments by one Party to the other Party shall be subject to Sub-Clause 2.5 [Procuring Entity's Claims] or Sub-Clause 20.1 [Contractor's Claims], as applicable.
- 18.1.14 The Contractor shall be entitled to place all insurance relating to the Contract (including, but not limited to the insurance referred to Clause 18) with insurers from any eligible source country.

182 Insurance for Works and Contractor's Equipment

- 182.1 The insuring Party shall insure the Works, Plant, Material and Contractor's Documents for not less than the full reinstatement cost including the costs of demolition, removal of debris and professional fees and profit. This insurance shall be effective from the date by which the evidence is to be submitted under sub-paragraph (a) of Sub-Clause 18.1 [General Requirements for Insurances], until the date of issue of the Taking-Over Certificate for the Works.
- 182.2 The insuring Party shall maintain this insurance to provide cover until the date of issue of the Performance Certificate, for loss or damage for which the Contractor is liable arising from a cause occurring prior to the issue of the Taking-Over Certificate, and for loss or damage caused by the Contractor in the course of any other operations (including those under Clause 11 [Defects Liability]).
- 182.3 The insuring Party shall insure the Contractor's Equipment for not less than the full replacement value, including delivery to Site. For each item of Contractor's Equipment, the insurance shall be effective while it is being transported to the Site and until it is no longer required as Contractor's Equipment.
- 182.4 Unless otherwise stated in the Special Conditions, insurances under this Sub-Clause:
- a) Shall be effected and maintained by the Contractor as insuring Party,
 - b) shall be in the joint names of the Parties, who shall be jointly entitled to receive payments from the insurers, payments being held or allocated to the Party actually bearing the costs of rectifying the loss or damage,
 - c) shall cover all loss and damage from any cause not listed in Sub-Clause 17.3 [Procuring Entity's Risks],
 - d) shall also cover, to the extent specifically required in the tendering documents of the Contract, loss or damage to a part of the Works which is attributable to the use or occupation by the Procuring Entity of another part of the Works, and loss or damage from the risks listed in sub-paragraphs (c), (g) and (h) of Sub-Clause 17.3 [Procuring Entity's Risks], excluding (in each case) risks which are not insurable at commercially reasonable terms, with deductibles per occurrence of not more than the amount stated **in the Special Conditions** of Contract (if an amount is not so stated, this sub-paragraph (d) shall not apply), and
 - e) may however exclude loss of, damage to, and reinstatement of:
 - i) a part of the Works which is in a defective condition due to a defect in its design, materials or workmanship (but cover shall include any other parts which are lost or damaged as a direct result of this defective condition and not as described in sub-paragraph (ii) below),
 - ii) a part of the Works which is lost or damaged in order to reinstate any other part of the Works if this other part is in a defective condition due to a defect in its design, materials or workmanship,
 - iii) a part of the Works which has been taken over by the Procuring Entity, except to the extent that the Contractor is liable for the loss or damage, and
 - iv) Goods while they are not in Kenya, subject to Sub-Clause 14.5 [Plant and Materials intended for the Works].
- 182.5 If, more than one year after the Base Date, the cover described in sub-paragraph (d) above ceases to be available at commercially reasonable terms, the Contractor shall (as insuring Party) give notice to the Procuring Entity, with supporting particulars. The Procuring Entity shall then (i) be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to payment of an amount equivalent to such commercially reasonable terms as the Contractor should have expected to have paid for such cover, and (ii) be deemed, unless he obtains the cover at commercially reasonable terms, to have approved the omission under Sub-Clause 18.1 [General Requirements for Insurances].

183 Insurance against Injury to Persons and Damage to Property

- 183.1 The insuring Party shall insure against each Party's liability for any loss, damage, death or bodily injury which may occur to any physical property (except things insured under Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment]) or to any person (except persons insured under Sub-Clause 18.4 [Insurance for Contractor's Personnel]), which may arise out of the Contractor's performance of the Contract and occurring before the issue of the Performance Certificate.
- 183.2 This insurance shall be for a limit per occurrence of not less than the amount stated in **the Special Conditions of Contract**, with no limit on the number of occurrences. If an amount is not stated in the **Special Conditions of Contract**, this Sub-Clause shall not apply.
- 183.3 Unless otherwise stated in the Special Conditions, the insurances specified in this Sub-Clause:
- a) Shall be effected and maintained by the Contractor as insuring Party,

- b) shall be in the joint names of the Parties,
- c) shall be extended to cover liability for all loss and damage to the Procuring Entity's property (except things insured under Sub-Clause 18.2) arising out of the Contractor's performance of the Contract, and
- d) may however exclude liability to the extent that it arises from:
 - i) the Procuring Entity's right to have the Permanent Works executed on, over, under, in or
 - ii) through any land, and to occupy this land for the Permanent Works,
 - iii) damage which is an unavoidable result of the Contractor's obligations to execute the
 - iv) Works and remedy any defects, and
 - v) a cause listed in Sub-Clause 17.3 [Procuring Entity's Risks], except to the extent that cover is available at commercially reasonable terms.

184 Insurance for Contractor's Personnel

- 184.1 The Contractor shall effect and maintain insurance against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractor or any other of the Contractor's Personnel.
- 184.2 The insurance shall cover the Procuring Entity and the Architect against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractor or any other of the Contractor's Personnel, except that this insurance may exclude losses and claims to the extent that they arise from any act or neglect of the Procuring Entity or of the Procuring Entity's Personnel.
- 184.3 The insurance shall be maintained in full force and effect during the whole time that these personnel are assisting in the execution of the Works. For a Subcontractor's employees, the insurance may be effected by the Subcontractor, but the Contractor shall be responsible for compliance with this Clause.

19 FORCE MAJEURE

19.1 Definition of Force Majeure

- 19.1.1 In this Clause, "Force Majeure" means an exceptional event or circumstance:
 - a) Which is beyond a Party's control,
 - b) Which such Party could not reasonably have provided against before entering into the Contract,
 - c) which, having arisen, such Party could not reasonably have avoided or overcome, and
 - d) which is not substantially attributable to the other Party.
- 19.1.2 Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:
 - a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies,
 - b) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,
 - c) riot, commotion, disorder, strike or lock out by persons other than the Contractor's Personnel,
 - d) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives, radiation or radio-activity, and
 - e) natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity.

19.2 Notice of Force Majeure

- 19.2.1 If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specify the obligations, the performance of which is or will be prevented. The notice shall be given within 14 days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure.
- 19.2.2 The Party shall, having given notice, be excused performance of its obligations for so long as such Force Majeure prevents it from performing them.
- 19.2.3 Notwithstanding any other provision of this Clause, Force Majeure shall not apply to obligations of either Party to make payments to the other Party under the Contract.

19.3 Duty to Minimize Delay

Each Party shall at all times use all reasonable endeavors to minimize any delay in the performance of the Contract as a result of Force Majeure. A Party shall give notice to the other Party when it ceases to be affected

by the Force Majeure.

194 Consequences of Force Majeure

194.1 If the Contractor is prevented from performing his substantial obligations under the Contract by Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], and suffers delay and/ or incurs Cost by reason of such Force Majeure, the Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- b) if the event or circumstance is of the kind described in sub-paragraphs (i) to (iv) of Sub-Clause 19.1 [Definition of Force Majeure] and, in sub-paragraphs (ii) to (iv), occurs in Kenya, payment of any such Cost, including the costs of rectifying or replacing the Works and/or Goods damaged or destroyed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment].

194.2 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

195 Force Majeure Affecting Subcontractor

If any Subcontractor is entitled under any contract or agreement relating to the Works to relief from force majeure on terms additional to or broader than those specified in this Clause, such additional or broader force majeure events or circumstances shall not excuse the Contractor's non-performance or entitle him to relief under this Clause.

196 Optional Termination, Payment and Release

196.1 If the execution of substantially all the Works in progress is prevented for a continuous period of 84 days by reason of Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], or for multiple periods which total more than 140 days due to the same notified Force Majeure, then either Party may give to the other Party a notice of termination of the Contract. In this event, the termination shall take effect 7 days after the notice is given, and the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment].

196.2 Upon such termination, the Architect shall determine the value of the work done and issue a Payment Certificate which shall include:

- a) the amount payable for any work carried out for which a price is stated in the Contract;
- b) the Cost of Plant and Materials ordered for the Works which have been delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plant and Materials shall become the property of (and be at the risk of) the Procuring Entity when paid for by the Procuring Entity, and the Contractor shall place the same at the Procuring Entity's disposal;
- c) other Cost or liabilities which in the circumstances were reasonably and necessarily incurred by the Contractor in the expectation of completing the Works;
- d) the Cost of removal of Temporary Works and Contractor's Equipment from the Site and the return of these items to the Contractor's works in his country (or to any other destination at no greater cost); and
- e) the Cost of repatriation of the Contractor's staff and lab or employed wholly in connection with the Works at the date of termination.

197 Release from Performance

Notwithstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limited to, Force Majeure) arises which makes it impossible or unlawful for either or both Parties to fulfil its or their contractual obligations or which, under the law governing the Contract, entitles the Parties to be released from further performance of the Contract, then upon notice by either Party to the other Party of such event or circumstance:

- a) The Parties shall be discharged from further performance, without prejudice to the rights of either Party in respect of any previous breach of the Contract, and
- b) The sum payable by the Procuring Entity to the Contractor shall be the same as would have been payable under Sub-Clause 19.6 [Optional Termination, Payment and Release] if the Contract had been terminated under Sub-Clause 19.6.

20 SETTLEMENT OF CLAIMS AND DISPUTES

20.1 Contractor's Claims

- 20.1.1 If the Contractor considers itself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give Notice to the Engineer, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 30 days after the Contractor became aware, or should have become aware, of the event or circumstance.
- 20.1.2 If the Contractor fails to give notice of a claim within such period of 30 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub-Clause shall apply.
- 20.1.3 The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
- 20.1.4 The Contractor shall keep such contemporary records as may be necessary to substantiate any claim, either on the Site or at an other location acceptable to the Engineer. Without admitting the Procuring Entity's liability, the Architect may, after receiving any notice under this Sub-Clause, monitor the record-keeping and/ or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Architect to inspect all these records and shall (if instructed) submit copies to the Engineer.
- 20.1.5 Within 42 days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Engineer, the Contractor shall send to the Architect fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/ or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
- a) This fully detailed claim shall be considered as interim;
 - b) The Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/ or amount claimed, and such further particulars as the Architect may reasonably require; and
 - c) The Contractor shall send a final claim within 30 days after the end of the effects resulting from the event or circumstance, or within such other period as may be proposed by the Contractor and approved by the Engineer.
- 20.1.6 Within 42 days after receiving a Notice of a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Architect and approved by the Contractor, the Architect shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars but shall nevertheless give his response on the principles of the claim within the above defined time period.
- 20.1.7 Within the above defined period of 42 days, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with Sub-Clause 8.4 [Extension of Time for Completion], and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.
- 20.1.8 Each Payment Certificate shall include such additional payment for any claim as has been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.
- 20.1.9 If the Architect does not respond within the time frame defined in this Clause, either Party may consider that the claim is rejected by the Architect and any of the Parties may refer the dispute for amicable settlement in accordance with Clause 20.3.
- 20.1.10 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub-Clause in relation to any claim, any extension of time and/ or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause 20.3.

202 Procuring Entity's Claims

- 2021 If the Procuring Entity considers itself to be entitled to any payment under any Clause of these Conditions or otherwise in connection with the Contract, and/or to any extension of the Defects Notification Period, the Procuring Entity or the Architect shall give notice and particulars to the Contractor. However, notice is not required for payments due under Sub-Clause 4.19 [Electricity, Water and Gas], under Sub-Clause 4.20 [Procuring Entity's Equipment and Free-Issue Materials], or for other services requested by the Contractor.
- 2022 The notice shall be given as soon as practicable and no longer than 30 days after the Procuring Entity became aware, or should have become aware, of the event or circumstances giving rise to the claim. A notice relating to any extension of the Defects Notification Period shall be given before the expiry of such period.
- 2023 The particulars shall specify the Clause or other basis of the claim and shall include substantiation of the amount and/or extension to which the Procuring Entity considers itself to be entitled in connection with the Contract. The Architect shall then proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the amount (if any) which the Procuring Entity is entitled to be paid by the Contractor, and/or (ii) the extension (if any) of the Defects Notification Period in accordance with Sub-Clause 11.3 [Extension of Defects Notification Period].
- 2024 This amount may be included as a deduction in the Contract Price and Payment Certificates. The Procuring Entity shall only be entitled to set off against or make any deduction from an amount certified in a Payment Certificate, or to otherwise claim against the Contractor, in accordance with this Sub-Clause.

203 Amicable Settlement

Where a notice of a claim has been given, both Parties shall attempt to settle the dispute amicably before the commencement of arbitration. However, unless both Parties agree otherwise, the Party giving a notice of a claim in accordance with Sub-Clause 20.1 above should move to commence arbitration after 60 days from the day on which a notice of a claim was given, even if no attempt at an amicable settlement has been made.

204 Matters that may be referred to arbitration

Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:

- a) Whether or not the issue of an instruction by the Architect is empowered by these Conditions.
- b) Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
- c) Any dispute arising in respect of risks arising from matters referred to in Clause 17.3 and Clause 19.
- e) All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Procuring Entity and the Contractor agree otherwise in writing.

205 Arbitration

- 205.1 Any claim or dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 20.3 shall be finally settled by arbitration.
- 205.2 No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 205.3 Notwithstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 205.4 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any certificate.

- 2055 The Arbitrator shall, without prejudice to the generality of his powers, have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision require mentor notice had been given.
- 2056 The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Engineer, relevant to the dispute. Nothing shall disqualify representatives of the Parties and the Architect from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
- 2057 Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for dissatisfaction given in its Notice of Dissatisfaction.
- 2057 Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties, and the Architect shall not be altered by reason of any arbitration being conducted during the progress of the Works.
- 2058 The terms of the remuneration of each or all the members of Arbitration shall be mutually agreed upon by the Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

20.6 Arbitration with National Contractors

- 2061 If the Contract is with national contractors, arbitration proceedings will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions;
- i) Architectural Association of Kenya
 - ii) Institute of Quantity Surveyors of Kenya
 - iii) Association of Consulting Engineers of Kenya
 - iv) Chartered Institute of Arbitrators (Kenya Branch)
 - v) Institution of Engineers of Kenya
- 2062 The institution written to first by the aggrieved party shall take precedence over all other institutions.

20.7 Arbitration with Foreign Contractors

- 2071 Arbitration with foreign contractors shall be conducted in accordance with the arbitration rules of the United Nations Commission on International Trade Law (UNCITRAL); or with proceedings administered by the International Chamber of Commerce (ICC) and conducted under the ICC Rules of Arbitration; by one or more arbitrators appointed in accordance with said arbitration rules.
- 2072 The place of arbitration shall be a location specified in the SCC; and the arbitration shall be conducted in the language for communications defined in Sub-Clause 1.4 [Law and Language].

20.8 Alternative Arbitration Proceedings

Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

20.9 Failure to Comply with Arbitrator's Decision

- 2091 The award of such Arbitrator shall be final and binding upon the parties.
- 2092 In the event that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

20.10 Contract operations to continue

Notwithstanding any reference to arbitration herein,

- 1.1.1 the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
- 1.1.2 the Procuring Entity shall pay the Contractor any monies due the Contractor.

Section IX - Special Conditions of Contract

The following Special Conditions shall supplement the GCC. Whenever there is a conflict, the provisions here in shall prevail over those in the GCC.

Conditions	Sub-Clause	Data
Part A - Contract Data		
Procuring Entity's name and address	Heading	<i>Insert</i>
Name and Reference No. of the Contract	Heading and 1.1	<i>Insert</i>
Engineers Name and address	Heading and 3.1.1	<i>Insert</i>
Contractor's Representative's name	4.3.1	<i>[insert the name of the Contractor's Representative agreed by the Procuring Entity prior to Contract signature]</i>
Key Personnel names	16.9.1	<i>[insert the name of each Key Personnel agreed by the Procuring Entity prior to Contract signature]</i>
Time for Completion	1.1.	_____days <i>If Sections are to be used, refer to Table: Summary of Sections below</i>
Defects Notification Period	1.1	_____days
Sections	1.1	<i>If Sections are to be used, refer to Table: Summary of Sections below</i>
Electronic transmission systems	1.3	
Time for the Parties entering into a Contract Agreement	1.6	Within 30days
Commencement Date	8.1.1	
Time for access to the Site	2.1.1	No later than the Commencement Date, and not later than _____days after Commencement Date
Architect Duties and Authority	3.1.6 (b) (ii)	Variations resulting in an increase of the Accepted Contract Amount in excess of ____% shall require approval of the Procuring Entity.
Performance Security	4.2.1	The performance security will be in the form of a _____ <i>[insert either one of "demand guarantee" or "performance bond"]</i> in the amount(s) of <i>[insert related figure(s)]</i> percent of the Accepted Contract Amount and in the same currency(ies) of the Accepted Contract Amount.
Normal working hours	6.5	Specify
Delay damages for the Works	8.7 & 14.15(b)	_____ % of the Contract Price per day. <i>If Sections are to be used, refer to Table: Summary of Sections below</i>
Maximum amount of delay damages	8.7.1	_____ % of the final Contract Price.
Provisional Sums	13.6. (b)(ii)	<i>[If there are Provisional Sums, insert a percentage for adjustment of Provisional Sums]</i> _____ %
Adjustments for Changes in Cost	13.9	Period "n" applicable to the adjustment multiplier "Pn": _____ <i>[Insert the period if different from one (1) month; if period "n" is one (1) month, insert "not applicable"]</i>

Conditions	Sub-Clause	Data
Total advance payment	14.2.1	___% Percentage of the Accepted Contract Amount payable in the currencies and proportions in which the Accepted Contract Amount is payable <i>[Insert number and timing of installments if applicable]</i>
Repayment amortization rate of advance payment	14.2.5 (b)	_____%
Percentage of Retention	14.3.2 (c)	_____%
Limit of Retention Money	14.3.2 (c)	_____ % of the Accepted Contract Amount
Plant and Materials	14.5.3(b)(i)	If Sub-Clause 14.5 applies: Plant and Materials for payment Free on Board _____ <i>[list]</i> .
	14.5.3(c)(i)	Plant and Materials for payment when delivered to the Site _____ <i>[list]</i> .
Minimum Amount of Interim Payment Certificates	14.6.2	_____ % of the Accepted Contract Amount.
Publishing source of commercial interest rates for financial charges in case of delayed payment	14.8	Specify _____ % rate per month of delayed payment.
Maximum total liability of the Contractor to the Procuring Entity	17.6.2	<i>[Select one of the two options below as appropriate]</i> The product of _____ <i>[insert a multiplier less or greater than one]</i> times the Accepted Contract Amount, or _____ <i>[insert amount of the maximum total liability]</i>
Periods for submission of insurance: a. evidence of insurance. b. relevant policies	18.1.6	<i>[Insert period for submission of evidence of insurance and policy. Period may be from 14 days to 30days.]</i> ____ days ____ days
Maximum amount of deductibles for insurance of the Procuring Entity's risks	18.2.4 (d)	<i>[Insert maximum amount of deductibles]</i>
Minimum amount of third-party insurance	18.3.2	<i>[Insert amount of third-party insurance]</i>
The place of arbitration	20.7.2	<i>Insert city and Country</i>

SECTION X - CONTRACT FORMS

FORM No. 1 - NOTIFICATION OF INTENTION TO AWARD

FORM NO. 2 – REQUEST FOR REVIEW

FORM No. 3-LETTER OF AWARD

FORM No. 4 - CONTRACT AGREEMENT

FORM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee]

FORM No. 6- PERFORMANCE SECURITY [Option 2– Performance Bond]

FORM No. 7 - ADVANCE PAYMENT SECURITY

FORM No. 8 - RETENTION MONEY SECURITY

FORM No 1: NOTIFICATION OF INTENTION TO AWARD OF CONTRACT

This Notification of Award shall be sent to each Tenderer that submitted a Tender and was not successful. Send this Notification to the Tenderer's Authorized Representative named in the Tender Information Form on the format below.

FORMAT

1. For the attention of Tenderer's Authorized Representative

- i) Name: *[insert Authorized Representative's name]*
- ii) Address: *[insert Authorized Representative's Address]*
- iii) Telephone: *[insert Authorized Representative's telephone/fax numbers]*
- iv) Email Address: *[insert Authorized Representative's email address]*

[IMPORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must be sent to all Tenderers simultaneously. This means on the same date and as close to the same time as possible.]

2. Date of transmission: *[email]* on *[date]* (local time)

This Notification is sent by *(Name and designation)* _____

3. Notification of Award

- i) Procuring Entity: *[insert the name of the Procuring Entity]*
- ii) Project: *[insert name of project]*
- iii) Contract title: *[insert the name of the contract]*
- iv) ITT No: *[insert ITT reference number from Procurement Plan]*

This Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. The transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:

4. Request a debriefing in relation to the evaluation of your tender by submitting a Procurement-related Complaint in relation to the decision to award the contracts.

a) The successful tenderers

i) Name of successful Tender _____

ii) Address of the successful Tender _____

iii) Contract price of the successful Tender Kenya Shillings _____
(in words _____)

b) The reasons for your tender being unsuccessful are as follows:

c) Other Tenderers

Names of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as well as the Tender price as read out.

SNo	Name of Tender	Tender Price as read out	Tender's evaluated price (Note a)	One Reason Why Not Evaluated
1				
2				
3				
4				
5				

(Note a) State NE if not evaluated

5. How to request a debriefing

- a) DEADLINE: The dead line to request a debriefing expires at midnight on *[insert date]* (local time).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:
 - i) Attention: *[insert full name of person, if applicable]*
 - ii) Title/position: *[insert title/position]*
 - iii) Agency: *[insert name of Procuring Entity]*
 - iv) Email address: *[insert email address]*
- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.

6. How to make a complaint

- a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, *[insert date]* (local time).
- b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:
 - i) Attention: *[insert full name of person, if applicable]*
 - ii) Title/position: *[insert title/ position]*
 - iii) Agency: *[insert name of Procuring Entity]*
 - iv) Email address: *[insert email address]*
- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website www.ppra.go.ke.

You should read these documents before preparing and submitting your complaint.

- e) There are four essential requirements:
- i) You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process and is the recipient of a Notification of Intention to Award.
 - ii) The complaint can only challenge the decision to award the contract.
 - iii) You must submit the complaint within the period stated above.
 - iv) You must include, in your complaint, all of the information required to support your complaint.

7. Standstill Period

- i) DEADLINE: The Standstill Period is due to end at midnight on [*insert date*] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5(d) above.

If you have any questions regarding this Notification please do not hesitate to contact us. On behalf of the Procuring Entity:

Signature: _____

Name: _____

Title/position: _____

_____ **T**

Telephone: _____

FORM NO. 2- REQUEST FOR REVIEW

FORM FOR REVIEW (r.203(1))

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NO.....OF.....20.....

BETWEEN

.....APPLICANT

AND

.....RESPONDENT (Procuring Entity)

Request for review of the decision of the..... (Name of the Procuring Entity ofdated the...day of20.....in the matter of Tender No.....of20..... for (Tender description).

REQUEST FOR REVIEW

I/We.....,the above named Applicant(s), of address: Physical address.....P. O. Box No.....
Tel. No.....Email, hereby request the Public Procurement Administrative Review Board to review the whole/part of the above mentioned decision on the following grounds , namely:

- 1.
- 2.

By this memorandum, the Applicant requests the Board for an order/orders that:

- 1.
- 2.

SIGNED(Applicant) Dated on.....day of/...20.....

FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board on.....day of20.....

SIGNED

Board Secretary

FORM NO. 3: LETTER OF AWARD

letterhead paper of the Procuring Entity]

[date]

To: *[name and address of the Contractor]*

This is to notify you that your Tender dated *[date]* for execution of the *[name of the Contract and identification number, as given in the Contract Data]* for the Accepted Contract Amount *[amount in numbers and words]* *[name of currency]*, as corrected and modified in accordance with the Instructions to Tenderers, is here by accepted by..... *(name of Procuring Entity)*.

You are requested to furnish the Performance Security within in accordance with the Conditions of Contract, using, for that purpose, one of the Performance Security Forms included in Section VIII, Contract Forms, of the Tender Document.

Authorized Signature:

Name and Title of Signatory:

Name of Procuring Entity:

Attachment: *Contract Agreement*:

FORM NO 4: CONTRACT AGREEMENT

THIS AGREEMENT made the day of..... 20....., between.....
.....of..... (hereinafter “the Procuring
Entity”), of the one part, and..... of..... (hereinafter
“the Contractor”), of the other part:

WHEREAS the Procuring Entity desires that the Worksknownas..... should be
executed by the Contractor, and has accepted a Tender by the Contractor for the execution and completion of these
Worksand the remedying of any defects there in,

The Procuring Entity and the Contractor agree as follows:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other Contract documents.
 - a) theNotification of Award
 - b) the Form of Tender
 - c) the addenda Nos.....(if any)
 - d) the Special Conditions of Contract
 - e) the General Conditions of Contract;
 - f) the Specifications
 - g) the Drawings; and
 - h) the completed Schedules and any other documents forming part of the contract.
3. In consideration of the payments to be made by the Procuring Entity to the Contractor as specified in this Agreement, the Contractor here by covenants with the Procuring Entity to execute the Works and to remedy defects therein in conformity in all respects with the provisions of the Contract.
4. The Procuring Entity here by covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects there in, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

INWITNESS where of the parties here to have caused this Agreement to be executed in accordance with the
Laws of Kenya on the day, month and year specified above.

Signed and sealed by.....(for the Procuring Entity)

Signed and sealed by.....(for the Contractor).

FORM NO. 5 - PERFORMANCE SECURITY

[Option 1 - Unconditional Demand Bank Guarantee]

[Guarantor letterhead]

Beneficiary: [insert name and Address of Procuring Entity]

Date: _____[Insert date of issue]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

1. We have been informed that _____ (hereinafter called "the Contractor") has entered into Contract No. _____ dated _____ with (name of Procuring Entity) _____ (the Procuring Entity as the Beneficiary), for the execution of _____ (hereinafter called "the Contract").
2. Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.
3. At the request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of _____ (in words),¹ such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified therein.
4. This guarantee shall expire, no later than the Day of², and any demand for payment under it must be received by us at the office indicated above on or before that date.
5. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee."

[Name of Authorized Official, signature(s) and seals/stamps]

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

¹The Guarantor shall insert an amount representing the percentage of the Accepted Contract Amount specified in the Letter of Acceptance, less provisional sums, if any, and denominated either in the currency of the Contract or a freely convertible currency acceptable to the Beneficiary.

²Insert the date twenty-eight days after the expected completion date as described in GC Clause 11.9. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM No. 6- PERFORMANCE SECURITY

[Option 2– Performance Bond]

[Note: Procuring Entities are advised to use Performance Security – Unconditional Demand Bank Guarantee in stead of Performance Bond due to difficulties involved in calling Bond holder to action]

[Guarantor letterhead or SWIFT identifier code]

Beneficiary: *[insert name and Address of Procuring Entity]*

Date: _____ *[Insert date of issue]*

PERFORMANCE BOND No.: _____

Guarantor: *[Insert name and address of place of issue, unless indicated in the letterhead]*

1. By this Bond _____ as Principal (hereinafter called “the Contractor”) and _____] as Surety (hereinafter called “the Surety”), are held and firmly bound unto _____] as Oblige (hereinafter called “the Procuring Entity”) in the amount of _____ for the payment of which sum well and truly to be made in the types and proportions of currencies in which the Contract Price is payable, the Contractor and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
2. WHEREAS the Contractor has entered into a written Agreement with the Procuring Entity dated the _____ day of _____, 20_____, for _____ in accordance with the documents, plans, specifications, and amendments there to, which to the extent here in provided for, are by reference made part here of and are here in after referred to as the Contract.
3. NOW, THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly and faithfully perform the said Contract (including any amendments thereto), then this obligation shall be null and void; otherwise, it shall remain in full force and effect. Whenever the Contractor shall be, and declared by the Procuring Entity to be, in default under the Contract, the Procuring Entity having performed the Procuring Entity's obligations there under, the Surety may promptly remedy the default, or shall promptly:
 - a) Complete the Contract in accordance with its terms and conditions; or
 - b) Obtain a tender or tenders from qualified tenderers for submission to the Procuring Entity for completing the Contract in accordance with its terms and conditions, and upon determination by the Procuring Entity and the Surety of the lowest responsive Tenderers, arrange for a Contract between such Tenderer, and Procuring Entity and make a available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof. The term “Balance of the Contract Price,” as used in this paragraph, shall mean the total amount payable by Procuring Entity to Contractor under the Contract, less the amount properly paid by Procuring Entity to Contractor; or
 - c) Pay the Procuring Entity the amount required by Procuring Entity to complete the Contract in accordance with its terms and conditions upto a total not exceeding the amount of this Bond.
4. The Surety shall not be liable for a greater sum than the specified penalty of this Bond.
5. Any suit under this Bond must be instituted before the expiration of one year from the date of the issuing of the Taking-Over Certificate. No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Procuring Entity named here in or the heirs, executors, administrators, successors, and assigns of the Procuring Entity.
6. In testimony whereof, the Contractor has here unto set his hand and affixed his seal, and the Surety has caused these presents to be sealed with his corporate seal duly at tested by the signature of his legal representative, this day _____ of _____ 20_____.

SIGNED ON _____ on behalf of _____

By _____ in the capacity of _____

In the presence of _____

SIGNED ON _____ on behalf of _____

By _____ in the capacity of _____

In the presence of _____

FORM NO. 7 - ADVANCE PAYMENT SECURITY

[Demand Bank Guarantee]

[Guarantor letterhead]

Beneficiary: _____ [Insert name and Address of Procuring Entity]

Date: _____ [Insert date of issue]

ADVANCE PAYMENT GUARANTEE No.: [Insert guarantee reference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

1. We have been informed that _____ (hereinafter called "the Contractor") has entered into Contract No. _____ dated _____ with the Beneficiary, for the execution of _____ (hereinafter called "the Contract").
2. Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the sum _____ (in words _____) is to be made against an advance payment guarantee.
3. At the request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of _____ (in words _____)¹ upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating either that the Applicant:
 - a) Has used the advance payment for purposes other than the costs of mobilization in respect of the Works; or
 - b) Has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount which the Applicant has failed to repay.
4. A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Contractor on its account number _____ at _____.
5. The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as specified in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that ninety (90) percent of the Accepted Contract Amount, less provisional sums, has been certified for payment, on the _____ day of _____, 20____, ² _____, ² whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.
6. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

[Name of Authorized Official, signature(s) and seals/stamps]

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

¹The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the currency of the advance payment as specified in the Contract.

²Insert the expected expiration date of the Time for Completion. The Procuring Entity should note that in the event of an extension of the time for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM NO. 8 – RETENTION MONEY SECURITY

[Demand Bank Guarantee]

[Guarantor letterhead]

Beneficiary: _____ *[Insert name and Address of Procuring Entity]*

Date: _____ *[Insert date of issue]*

Advance payment guarantee no. *[Insert guarantee reference number]*

Guarantor: *[Insert name and address of place of issue, unless indicated in the letterhead]*

1. We have been informed that _____ *[insert name of Contractor, which in the case of a joint venture shall be the name of the joint venture]* (hereinafter called "the Contractor") has entered into Contract No. _____ *[insert reference number of the contract]* dated _____ with the Beneficiary, for the execution of _____ *[insert name of contract and brief description of Works]* (hereinafter called "the Contract").
2. Furthermore, we understand that, according to the conditions of the Contract, the Beneficiary retains moneys upto the limit set forth in the Contract ("the Retention Money"), and that when the Taking-Over Certificate has been issued under the Contract and the first half of the Retention Money has been certified for payment, and payment of *[insert the second half of the Retention Money]* is to be made against a Retention Money guarantee.
3. At the request of the Contractor, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *[insert amount in figures]* _____ (*[insert amount in words]* _____) ¹ upon receipt by us of the Beneficiary's complying demands supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or show grounds for your demand or the sum specified there in.
4. A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the second half of the Retention Money as referred to above has been credited to the Contractor on its account number _____ at _____ *[insert name and address of Applicant's bank]*.
5. This guarantee shall expire no later than the Day of 20.....², and any demand for payment under it must be received by us at the office indicated above on or before that date.
6. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed *[six months]* *[one year]*, in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.

[Name of Authorized Official, signature(s) and seals/stamps]

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

¹The Guarantor shall insert an amount representing the amount of the second half of the Retention Money.

²Insert a date that is twenty-eight days after the expiry of retention period after the actual completion date of the contract. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM NO. 9 BENEFICIAL OWNERSHIP DISCLOSURE FORM**(Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)****INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM**

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer pursuant to Regulation 13 (2A) and 13 (6) of the Companies (Beneficial Ownership Information) Regulations, 2020. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the legal person (tenderer) or arrangements or a natural person on whose behalf a transaction is conducted, and includes those persons who exercise ultimate effective control over a legal person (Tenderer) or arrangement.

Tender Reference No.: _____ [insert identification no]

Name of the Tender Title/Description: _____ [insert name of the assignment] to:
 _____ [insert complete name of Procuring Entity]

In response to the requirement in your notification of award dated ___ [insert date of notification of award] to furnish additional information on beneficial ownership: _____ [select one option as applicable and delete the options that are not applicable]

I) We here by provide the following beneficial ownership information.

Details of Beneficial ownership

	Details of all Beneficial Owners		% of shares a person holds in the company Directly or indirectly	% of voting rights a person holds in the company	Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No)
1.	Full Name		Directly----- ----- % of shares	Directly.....% of voting rights	1. Having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer: Yes ----No---- 2. Is this right held directly or indirectly?: Direct..... ... Indirect..... ...	1. Exercises significant influence or control over the Company body of the Company (tenderer) Yes ----No---- 2. Is this influence or control exercised directly or indirectly? Direct..... Indirect.....
	National identity card number or Passport number					
	Personal Identification Number (where applicable)		Indirectly---- ----- % of shares	Indirectly----- % of voting rights		
	Nationality					
	Date of birth [dd/mm/yyyy]					
	Postal address					
	Residential address					
	Telephone number					
	Email address					
	Occupation or profession					

	Details of all Beneficial Owners		% of shares a person holds in the company Directly or indirectly	% of voting rights a person holds in the company	Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No)
2.	Full Name		Directly----- ----- % of shares Indirectly----- ----- % of shares	Directly.....% of voting rights Indirectly----- % of voting rights	1. Having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer: Yes -----No---- 2. Is this right held directly or indirectly?: Direct..... ... Indirect..... ...	1. Exercises significant influence or control over the Company body of the Company (tenderer) Yes -----No---- 2. Is this influence or control exercised directly or indirectly? Direct..... Indirect.....
	National identity card number or Passport number					
	Personal Identification Number (where applicable)					
	Nationality(ies)					
	Date of birth [dd/mm/yyyy]					
	Postal address					
	Residential address					
	Telephone number					
	Email address					
	Occupation or profession					
3. e.t .c						

II) Am fully aware that beneficial ownership information above shall be reported to the Public Procurement Regulatory Authority together with other details in relation to contract awards and shall be maintained in the Government Portal, published and made publicly available pursuant to Regulation 13(5) of the Companies (Beneficial Ownership Information) Regulations, 2020.(Notwithstanding this paragraph Personally Identifiable Information in line with the Data Protection Act shall not be published or made public). *Note that Personally Identifiable Information (PII) is defined as any information that can be used to distinguish one person from another and can be used to deanonymize previously anonymous data. This information includes National identity card number or Passport number, Personal Identification Number, Date of birth, Residential address, email address and Telephone number.*

III) In determining who meets the threshold of who a beneficial owner is, the Tenderer must consider a natural person who in relation to the company:

- (a) holds at least ten percent of the issued shares in the company either directly or indirectly;
- (b) exercises at least ten percent of the voting rights in the company either directly or indirectly;
- (c) holds a right, directly or indirectly, to appoint or remove a director of the company; or
- (d) exercises significant influence or control, directly or indirectly, over the company.

IV) What is stated to herein above is true to the best of my knowledge, information and belief.

Name of the Tenderer:[insert complete name of the Tenderer]_____*

*Name of the person duly authorized to sign the Tender on behalf of the Tenderer: ** [insert complete name of person duly authorized to sign the Tender]*

Designation of the person signing the Tender: [insert complete title of the person signing the Tender]

Signature of the person named above: [insert signature of person whose name and capacity are shown above]

Date this [insert date of signing] day of..... [Insert month], [insert year]

Bidder Official Stamp

